

U.S. Department of Commerce
 National Oceanic & Atmospheric Administration
 National Environmental Satellite, Data, and Information Service
 Current Location: Elev: 2641 ft. Lat: 32.6261° N Lon: -116.4681° W
 Station: CAMPO ASOS, CA US 03164

Local Climatological Data
 Hourly Observations
 March 2017

Generated on 07/24/2017

National Centers for Environmental Information
 151 Patton Avenue
 Asheville, North Carolina 28801

Date	Time (LST)	Station Type	Sky Conditions	Visi-bility	Weather Type (see documentation) AU AW MW	Dry Bulb Temp		Wet Bulb Temp		Dew Point Temp		Rel Hum %	Wind Speed (MPH)	Wind Dir (Deg)	Wind Gusts (MPH)	Station Press (inHg)	Press. Tend	Net 3-Hr Change (inHg)	Sea Level Press. (inHg)	Report Type	Precip Total (in)	Alti-meter Setting (inHg)
						(F)	(C)	(F)	(C)	(F)	(C)											
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
30	0052	7				40	4.4	37	2.7	33	0.6	77	6	060		27.31	8	+0.03	29.97	FM-15	0.00	30.04
30	0152	7				41	5.0	37	3.0	33	0.6	73	8	050		27.28			29.94	FM-15	0.00	30.01
30	0252	7				40	4.4	37	2.7	33	0.6	77	6	050		27.26			29.93	FM-15	0.00	29.99
30	0352	7				39	3.9	36	2.1	32	0.0	76	7	060		27.25	6	+0.06	29.92	FM-15	0.00	29.98
30	0452	7				39	3.9	36	2.1	32	0.0	76	7	050		27.24			29.91	FM-15	0.00	29.96
30	0552	7				38	3.3	35	1.6	31	-0.6	76	7	060		27.25			29.93	FM-15	0.00	29.98
30	0652	7				47	8.3	42	5.4	35	1.7	63	5	050		27.24	6	+0.00	29.92	FM-15	0.00	29.97
30	0752	7				58	14.4	50	10.1	39	3.9	50	0	000		27.24			29.92	FM-15	0.00	29.97
30	0852	7				67	19.4	59	15.2	28	-2.2	23	8	230		27.22			29.89	FM-15	0.00	29.95
30	0952	7				69	20.6	63	17.3	24	-4.4	18	15	240		27.22	7	+0.02	29.89	FM-15	0.00	29.95
30	1052	7				70	21.1	64	17.6	26	-3.3	19	17	210		27.19			29.84	FM-15	0.00	29.91
30	1152	7				72s	22.2s	64	17.7	33	0.6	24	21	240	30	27.17			29.83	FM-15	0.00	29.89
30	1252	7				70	21.1	60	15.8	40	4.4	34	23	230	32	27.14	6	+0.09	29.80	FM-15	0.00	29.86
30	1352	7				69	20.6	59	15.2	42	5.6	38	24	230	34	27.12			29.78	FM-15	0.00	29.84
30	1452	7				66	18.9	57	13.8	44	6.7	45	24	220	30	27.11			29.78	FM-15	0.00	29.83
30	1552	7				64	17.8	56	13.2	46	7.8	52	22	230		27.10	7	+0.04	29.76	FM-15	0.00	29.81
30	1652	7				62	16.7	55	12.7	48	8.9	60	22	230		27.07			29.73	FM-15	0.00	29.78
30	1752	7				56	13.3	52	11.1	49	9.4	77	18	230	23	27.08			29.75	FM-15	0.00	29.79
30	1852	7				51	10.6	50	9.9	49	9.4	92	14	220		27.07	6	+0.03	29.74	FM-15	0.00	29.78
30	1952	7				50	10.0	48	8.7	46	7.8	86	15	240	24	27.06			29.71	FM-15	0.00	29.77
30	2052	7				50	10.0	48	9.0	47	8.3	89	16	240	26	27.05			29.69	FM-15	0.00	29.76
30	2152	7				48	8.9	47	8.2	46	7.8	93	20	230	29	27.06	5	+0.01	29.70	FM-15	0.00	29.77
30	2252	7				48	8.9	47	8.2	46	7.8	93	22	230	29	27.04			29.68	FM-15	0.00	29.75
30	2352	7				48	8.9	47	8.2	46	7.8	93	15	240	25	27.02			29.66	FM-15	0.00	29.73

U.S. Department of Commerce
 National Oceanic & Atmospheric Administration
 National Environmental Satellite, Data, and Information Service
 Current Location: Elev: -42 ft. Lat: 32.8167° N Lon: -115.6833° W
 Station: EL CENTRO NAF, CA US 23199

Local Climatological Data
Hourly Observations
March 2017

National Centers for Environmental Information
 151 Patton Avenue
 Asheville, North Carolina 28801

Generated on 07/24/2017

Date	Time (LST)	Station Type	Sky Conditions	Visi-bility	Weather Type (see documentation) AU AW MW	Dry Bulb Temp		Wet Bulb Temp		Dew Point Temp		Rel Hum %	Wind Speed (MPH)	Wind Dir (Deg)	Wind Gusts (MPH)	Station Press (inHg)	Press. Tend	Net 3-Hr Change (inHg)	Sea Level Press. (inHg)	Report Type	Precip Total (in)	Alti-meter Setting (inHg)
						(F)	(C)	(F)	(C)	(F)	(C)											
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
30	0056	7	CLR:00	10.00		63	17.2	55	12.5	33	0.6	33	9	250		29.94	8	+0.03	29.95	FM-15	0.00	29.90
30	0156	7	CLR:00	10.00		67	19.4	60	15.4	28	-2.2	23	11	230		29.93			29.93	FM-15	0.00	29.89
30	0256	7	CLR:00	10.00		65	18.3	57	14.0	29	-1.7	26	5	240		29.91			29.91	FM-15	0.00	29.87
30	0356	7	CLR:00	10.00		57	13.9	49	9.5	29	-1.7	34	8	270		29.90	6	+0.05	29.90	FM-15	0.00	29.86
30	0456	7	FEW:02 250	10.00		57	13.9	49	9.5	30	-1.1	36	10	170		29.89			29.89	FM-15	0.00	29.85
30	0556	7	FEW:02 250	10.00		56	13.3	48	9.0	30	-1.1	37	3	170		29.89			29.90	FM-15	0.00	29.85
30	0656	7	FEW:02 250	8.00		64	17.8	55	13.0	34	1.1	33	5	190		29.90	5	+0.00	29.90	FM-15	0.00	29.86
30	0756	7	FEW:02 250	10.00		74	23.3	67	19.4	32	0.0	21	7	280		29.89			29.90	FM-15	0.00	29.85
30	0856	7	FEW:02 250	10.00		80	26.7	74	23.3	34	1.1	19	0	000		29.87			29.88	FM-15	0.00	29.83
30	0956	7	FEW:02 250	10.00		89	31.7	100	37.7	18s	-7.8s	7	14	260		29.86	8	+0.03	29.87	FM-15	0.00	29.82
30	1056	7	FEW:02 250	10.00		89	31.7	100	37.7	18	-7.8	7	8	230		29.80			29.81	FM-15	0.00	29.76
30	1156	7	FEW:02 250	10.00		94s	34.4s	108	42.0	21	-6.1	7	21	270	30	29.77			29.78	FM-15	T	29.73
30	1256	7	FEW:02 250	10.00		93	33.9	101	38.3	26	-3.3	9	34	250	40	29.73			29.74	FM-15	0.00	29.69
30	1356	7	FEW:02 250	10.00		91	32.8	95	35.2	28	-2.2	10	30	240	36	29.70			29.70	FM-15	0.00	29.66
30	1456	7	FEW:02 250	10.00		90	32.2	90	32.1	33	0.6	13	33	240	45	29.67			29.67	FM-15	0.00	29.63
30	1556	7	FEW:02 250	10.00		87	30.6	83	28.1	37	2.8	17	25	240	32	29.64	6	+0.10	29.64	FM-15	0.00	29.60
30	1656	7	FEW:02 250	10.00		85	29.4	81	27.3	34	1.1	16	32	250	40	29.62			29.62	FM-15	0.00	29.58
30	1756	7	FEW:02 250	10.00		79	26.1	72	22.3	35	1.7	20	23	260	31	29.60			29.61	FM-15	0.00	29.56
30	1847	7	FEW:02 5 FEW:02 250	4.00	DU DU	74	23.3	65	18.6	37	2.8	26	22	300		29.60				FM-16		29.56
30	1856	7	SCT:04 5 SCT:04 250	4.00	DU DU	73	22.8	65	18.1	36	2.2	26	17	310		29.61	5	+0.02	29.61	FM-15	0.00	29.57
30	1859	7	BKN:07 8	1.00	HZ DU FU HZ DU	74	23.3	66	19.0	34	1.1	23	17	290		29.61				FM-16		29.57
30	1939	7	BKN:07 15	2.00	DU HZ FU HZ DU	72	22.2	65	18.4	30	-1.1	21	17	290		29.62				FM-16		29.58
30	1954	6	BKN:07 25	5.00	HZ HZ	72	22.0	65	18.4	30	-1.0	22	9	320		29.64				FM-16		29.60
30	1956	7	BKN:07 25	5.00	HZ FU HZ	70	21.1	63	17.0	30	-1.1	23	9	320		29.64			29.65	FM-15	0.00	29.60
30	2056	7	SCT:04 15	3.00	HZ FU HZ	69	20.6	60	15.4	39	3.9	33	24	310	33	29.68			29.69	FM-15	0.00	29.64
30	2138	7	BKN:07 15	2.00	DU HZ FU HZ DU	67	19.4	58	14.4	42	5.6	41	18	310		29.72				FM-16		29.68
30	2156	7	BKN:07 15	2.00	DU HZ FU HZ DU	67	19.4	58	14.4	41	5.0	39	20	310	32	29.72	3	-0.11	29.72	FM-15	0.00	29.68
30	2203	7	BKN:07 11 OVC:08 75	5.00	DU HZ FU HZ DU	67	19.4	58	14.4	41	5.0	39	24	310	32	29.72				FM-16		29.68
30	2210	7	FEW:02 7 BKN:07 11 OVC:08 70	6.00	DU HZ FU HZ DU	67	19.4	58	14.4	41	5.0	39	29	310	37	29.72				FM-16		29.68
30	2221	7	SCT:04 13 BKN:07 70	7.00	DU HZ FU HZ DU	67	19.4	58	14.4	41	5.0	39	25	310	38	29.72				FM-16		29.68
30	2256	7	FEW:02 17 BKN:07 70	7.00	DU HZ FU HZ DU	66	18.9	57	13.9	42	5.6	42	29	310	38	29.73			29.73	FM-15	0.00	29.69
30	2356	7	OVC:08 80	10.00	DU HZ FU HZ DU	66	18.9	57	13.9	39	3.9	37	23	300	33	29.75			29.75	FM-15	0.00	29.71

U.S. Department of Commerce
 National Oceanic & Atmospheric Administration
 National Environmental Satellite, Data, and Information Service
 Current Location: Elev: -58 ft. Lat: 32.8342° N Lon: -115.5786° W
 Station: IMPERIAL CO AIRPORT, CA US 03144

Local Climatological Data
Hourly Observations
March 2017

Generated on 07/24/2017

National Centers for Environmental Information
 151 Patton Avenue
 Asheville, North Carolina 28801

Date	Time (LST)	Station Type	Sky Conditions	Visi-bility	Weather Type (see documentation) AU AW MW	Dry Bulb Temp		Wet Bulb Temp		Dew Point Temp		Rel Hum %	Wind Speed (MPH)	Wind Dir (Deg)	Wind Gusts (MPH)	Station Press (inHg)	Press. Tend	Net 3-Hr Change (inHg)	Sea Level Press. (inHg)	Report Type	Precip Total (in)	Alti-meter Setting (inHg)
						(F)	(C)	(F)	(C)	(F)	(C)											
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
30	0053	7	CLR:00	10.00		66	18.9	57	13.9	38	3.3	36	6	270		29.95	8	+0.03	29.89	FM-15	0.00	29.89
30	0153	7	CLR:00	10.00		64	17.8	55	12.9	36	2.2	35	5	220		29.93			29.87	FM-15	0.00	29.87
30	0253	7	CLR:00	10.00		65	18.3	56	13.5	34	1.1	32	5	220		29.91			29.85	FM-15	0.00	29.85
30	0353	7	CLR:00	10.00		63	17.2	55	12.5	33	0.6	33	6	120		29.90	6	+0.05	29.84	FM-15	0.00	29.84
30	0453	7	CLR:00	10.00		59	15.0	51	10.5	35	1.7	41	7	130		29.89			29.83	FM-15	0.00	29.83
30	0553	7	CLR:00	10.00		60	15.6	52	10.9	34	1.1	38	0	000		29.90			29.83	FM-15	0.00	29.84
30	0653	7	CLR:00	10.00		63	17.2	54	12.4	35	1.7	35	3	150		29.90	5	+0.00	29.84	FM-15	0.00	29.84
30	0753	7	CLR:00	10.00		73	22.8	65	18.1	36	2.2	26	5	150		29.90			29.83	FM-15	0.00	29.84
30	0853	7	CLR:00	10.00		79	26.1	71	21.9	37	2.8	22	6	200		29.88			29.82	FM-15	0.00	29.82
30	0953	7	CLR:00	10.00		85	29.4	79	26.2	38	3.3	19	5	VRB		29.87	8	+0.03	29.81	FM-15	0.00	29.81
30	1053	7	CLR:00	10.00		88	31.1	85	29.2	36	2.2	16	11	260		29.81			29.75	FM-15	0.00	29.75
30	1153	7	CLR:00	10.00		91s	32.8s	88	31.2	38	3.3	15	21	270	30	29.76			29.70	FM-15	0.00	29.70
30	1253	7	CLR:00	10.00		90	32.2	86	30.0	39	3.9	17	26	250	34	29.74	6	+0.13	29.69	FM-15	0.00	29.68
30	1353	7	CLR:00	10.00		90	32.2	87	30.7	37	2.8	15	28	250	36	29.69			29.63	FM-15	0.00	29.63
30	1453	7	CLR:00	10.00		88	31.1	82	27.7	41	5.0	19	24	240	37	29.67			29.61	FM-15	0.00	29.61
30	1553	7	CLR:00	10.00		87	30.6	80	26.6	42	5.6	21	28	230	34	29.63	6	+0.12	29.57	FM-15	0.00	29.57
30	1653	7	CLR:00	10.00		83	28.3	74	23.3	44	6.7	25	18	240	25	29.61			29.54	FM-15	0.00	29.55
30	1753	7	CLR:00	10.00		78	25.6	69	20.4	42	5.6	28	20	250		29.59			29.53	FM-15	0.00	29.53
30	1838	7	SCT:04 8	2.50	HZ FU HZ	75	23.9	66	18.8	40	4.4	28	24	290	34	29.58				FM-16		29.52
30	1842	7	BKN:07 10	1.75	HZ FU HZ	75	23.9	66	18.8	40	4.4	28	18	300	34	29.59				FM-16		29.53
30	1853	7	BKN:07 12	1.50	HZ FU HZ	73	22.8	64	17.5	41	5.0	32	20	300	32	29.61	5	+0.02	29.55	FM-15	0.00	29.55
30	1901	7	OVC:08 12	1.25	HZ FU HZ	73	22.8	64	17.6	40	4.4	30	15	300	29	29.61				FM-16		29.55
30	1906	7	OVC:08 16	1.50	HZ FU HZ	73	22.8	64	17.7	39	3.9	29	16	310	29	29.62				FM-16		29.56
30	1919	7	OVC:08 20	2.50	HZ FU HZ	72	22.2	63	17.2	38	3.3	29	16	290	29	29.62				FM-16		29.56
30	1929	7	OVC:08 22	3.00	HZ FU HZ	72	22.2	63	17.3	37	2.8	28	18	300	29	29.62				FM-16		29.56
30	1953	7	OVC:08 21	4.00	HZ FU HZ	72	22.2	64	17.6	35	1.7	26	14	300	22	29.64			29.58	FM-15	0.00	29.58
30	2024	7	BKN:07 13	5.00	HZ FU HZ	70	21.1	61	16.0	39	3.9	32	17	320	29	29.67				FM-16		29.61
30	2032	7	SCT:04 13	8.00		69	20.6	60	15.4	40	4.4	35	18	330	26	29.68				FM-16		29.62
30	2053	7	CLR:00	9.00		68	20.0	59	14.8	42	5.6	39	11	290		29.69			29.62	FM-15	0.00	29.63
30	2153	7	CLR:00	7.00		67	19.4	58	14.5	45	7.2	45	26	290	36	29.70	1	-0.09	29.63	FM-15	0.00	29.64
30	2253	7	BKN:07 80	7.00		66	18.9	57	14.0	44	6.7	45	18	300	28	29.73			29.67	FM-15	0.00	29.67
30	2353	7	BKN:07 85	10.00		65	18.3	56	13.5	43	6.1	45	21	290	34	29.73			29.67	FM-15	0.00	29.67

U.S. Department of Commerce
 National Oceanic & Atmospheric Administration
 National Environmental Satellite, Data, and Information Service
 Current Location: Elev: -118 ft. Lat: 33.6267° N Lon: -116.1594° W
 Station: DESERT RESORTS REGIONAL AIRPORT, CA US 03104

Local Climatological Data
 Hourly Observations
 March 2017

National Centers for Environmental Information
 151 Patton Avenue
 Asheville, North Carolina 28801

Generated on 07/24/2017

Date	Time (LST)	Station Type	Sky Conditions	Visi-bility	Weather Type (see documentation) AU AW MW	Dry Bulb Temp		Wet Bulb Temp		Dew Point Temp		Rel Hum %	Wind Speed (MPH)	Wind Dir (Deg)	Wind Gusts (MPH)	Station Press (inHg)	Press. Tend	Net 3-Hr Change (inHg)	Sea Level Press. (inHg)	Report Type	Precip Total (in)	Alti-meter Setting (inHg)
						(F)	(C)	(F)	(C)	(F)	(C)											
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
30	0052	7	CLR:00	10.00		54	12.2	48	8.6	39	3.9	57	0	000		29.99	8	+0.03	29.88	FM-15	0.00	29.87
30	0152	7	CLR:00	10.00		54	12.2	48	8.8	40	4.4	59	3	110		29.98			29.86	FM-15	0.00	29.86
30	0252	7	CLR:00	10.00		52	11.1	46	7.8	38	3.3	59	0	000		29.96			29.84	FM-15	0.00	29.84
30	0352	7	CLR:00	10.00		50	10.0	45	7.2	39	3.9	66	0	000		29.94	8	+0.05	29.82	FM-15	0.00	29.82
30	0452	7	CLR:00	10.00		53	11.7	47	8.4	40	4.4	61	0	000		29.94			29.82	FM-15	0.00	29.82
30	0552	7	CLR:00	10.00		51	10.6	46	7.6	39	3.9	64	3	040		29.94			29.83	FM-15	0.00	29.82
30	0652	7	CLR:00	10.00		60	15.6	53	11.4	43	6.1	53	3	350		29.96	3	-0.02	29.84	FM-15	0.00	29.84
30	0752	7	CLR:00	10.00		68	20.0	60	15.3	50	10.0	53	5	VRB		29.94			29.82	FM-15	0.00	29.82
30	0852	7	CLR:00	10.00		76	24.4	67	19.3	41	5.0	29	8	150		29.94			29.82	FM-15	0.00	29.82
30	0952	7	CLR:00	10.00		81	27.2	73	22.9	39	3.9	22	10	150		29.88	8	+0.08	29.76	FM-15	0.00	29.76
30	1052	7	CLR:00	10.00		83	28.3	77	25.1	36	2.2	19	6	VRB		29.86			29.74	FM-15	0.00	29.74
30	1152	7	CLR:00	10.00		86	30.0	83	28.2	34	1.1	15	6	130		29.79			29.67	FM-15	0.00	29.67
30	1252	7	CLR:00	10.00		91	32.8	90	32.3	35	1.7	14	8	030		29.75	8	+0.14	29.63	FM-15	0.00	29.63
30	1352	7	FEW:02 11	7.00		93	33.9	96	35.5	32	0.0	11	16	280	28	29.69			29.57	FM-15	0.00	29.57
30	1432	7	BKN:07 13	2.00V	HZ FU HZ	91	32.8	94	34.3	30	-1.1	11	30	290	40	29.65				FM-16		29.53
30	1435	7	SCT:04 11	1.75V	HZ FU HZ	90	32.2	93	33.8	29	-1.7	11	25	280	40	29.66				FM-16		29.54
30	1439	7	VV:09 8	1.00V	-RA RA	90	32.2	93	33.8	29	-1.7	11	28	290	46	29.65				FM-16	T	29.53
30	1450	7	VV:09 6	0.75V	-RA RA	90	32.0	92	33.3	30	-1.0	12	26	290	44	29.65				FM-16	T	29.53
30	1452	7	VV:09 6	0.75V	-RA RA	90	32.2	92	33.3	30	-1.1	12	23	290	44	29.65			29.53	FM-15	T	29.53
30	1457	7	BKN:07 6	2.00V	HZ FU HZ	90	32.2	92	33.3	30	-1.1	12	28	290	38	29.64				FM-16	T	29.52
30	1503	7	VV:09 6	0.75V	-RA RA	89	31.7	91	32.8	29	-1.7	11	36	300	51	29.63				FM-16	T	29.51
30	1519	7	BKN:07 5	1.50V	HZ FU HZ	89	31.7	92	33.2	28	-2.2	11	23	290	43	29.62				FM-16	T	29.50
30	1533	7	BKN:07 5	3.00	HZ FU HZ	88	31.1	89	31.8	29	-1.7	12	28	280	48	29.62				FM-16	T	29.50
30	1539	7	BKN:07 5	1.75V	HZ FU HZ	88	31.1	91	33.0	26	-3.3	10	33	280	53	29.60				FM-16	T	29.48
30	1547	7	SCT:04 6	2.50	-RA RA	88	31.0	89	31.4	30	-1.0	13	22	280	53	29.61				FM-16	T	29.49
30	1550	6	SCT:04 6	5.00	HZ HZ	88	31.0	89	31.4	30	-1.0	13	18	290	40	29.61				FM-16		29.49
30	1552	7	FEW:02 6	8.00		88	31.1	89	31.4	30	-1.1	12	20	300	32	29.61	6	+0.08	29.49	FM-15	T	29.49
30	1650	6	SCT:04 12	2.50V	HZ HZ	84	29.0						22	300	45	29.61				FM-16		29.49
30	1652	7	FEW:02 9	2.50	HZ FU HZ	85	29.4	91	33.0	19	-7.2	9	17	300	45	29.61			29.49	FM-15	0.00	29.49
30	1659	7	FEW:02 9	9.00		84	28.9	89	31.5	20	-6.7	9	22	320	34	29.60				FM-16		29.48
30	1752	7	CLR:00	10.00		80	26.7	80	26.9	22	-5.6	11	23	310	30	29.62			29.50	FM-15	0.00	29.50
30	1852	7	CLR:00	9.00		73	22.8						21	330	33	29.65	3	-0.04	29.53	FM-15	0.00	29.53
30	1952	7	CLR:00	9.00		72	22.2						23	320	39	29.70			29.59	FM-15	0.00	29.58
30	2052	7		3.00	HZ FU HZ	69	20.6	60	15.7	35	1.7	29	30	310	45	29.75			29.63	FM-15	0.00	29.63
30	2106	7	BKN:07 9 BKN:07 100	4.00	HZ FU HZ	70	21.1	62	16.9	31	-0.6	23	25	320	40	29.76				FM-16		29.64
30	2117	7	SCT:04 11 BKN:07 85 BKN:07 110	7.00		69	20.6	61	16.2	31	-0.6	24	23	320	38	29.77				FM-16		29.65
30	2152	7	BKN:07 95 BKN:07 110	10.00		68	20.0	63	17.4	21	-6.1	17	23	320	34	29.78			29.66	FM-15	0.00	29.66
30	2252	6	CLR:00	10.00		66	18.9	61	16.1	20	-6.7	17	17	320	25	29.81			29.69	FM-15	0.00	29.69
30	2352	6	SCT:04 120	10.00		64	17.8	57	13.7	26	-3.3	24	10	300		29.80			29.68	FM-15	0.00	29.68

March 30, 2017 Exceptional Event

Appendix B

U.S. Department of Commerce
 National Oceanic & Atmospheric Administration
 National Environmental Satellite, Data, and Information Service
 Current Location: Elev: 409 ft. Lat: 33.8222° N Lon: -116.5043° W
 Station: PALM SPRINGS REGIONAL AIRPORT, CA US 93138

Local Climatological Data Hourly Observations March 2017

Generated on 07/24/2017

National Centers for Environmental Information
 151 Patton Avenue
 Asheville, North Carolina 28801

Date	Time (LST)	Station Type	Sky Conditions	Visi-bility	Weather Type (see documentation) AU AW MW	Dry Bulb Temp		Wet Bulb Temp		Dew Point Temp		Rel Hum %	Wind Speed (MPH)	Wind Dir (Deg)	Wind Gusts (MPH)	Station Press (inHg)	Press. Tend	Net 3-Hr Change (inHg)	Sea Level Press. (inHg)	Report Type	Precip Total (in)	Alti-meter Setting (inHg)
						(F)	(C)	(F)	(C)	(F)	(C)											
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
30	0053	7	CLR:00	10.00		68	20.0	59	15.0	37	2.8	32	3	210		29.44	8	+0.03	29.91	FM-15	0.00	29.92
30	0153	7	CLR:00	10.00		68	20.0	59	14.9	38	3.3	33	3	290		29.42			29.90	FM-15	0.00	29.90
30	0253	7	CLR:00	10.00		65	18.3	56	13.4	39	3.9	39	3	210		29.39			29.86	FM-15	0.00	29.87
30	0353	7	CLR:00	10.00		63	17.2	54	12.5	41	5.0	45	6	230		29.38	8	+0.06	29.85	FM-15	0.00	29.86
30	0453	7	CLR:00	10.00		65	18.3	56	13.4	39	3.9	39	0	000		29.37			29.85	FM-15	0.00	29.85
30	0553	7	CLR:00	10.00		62	16.7	54	12.0	40	4.4	44	5	170		29.38			29.85	FM-15	0.00	29.86
30	0653	7	CLR:00	10.00		68	20.0	59	14.9	40	4.4	36	0	000		29.38	3	-0.01	29.85	FM-15	0.00	29.86
30	0753	7	CLR:00	10.00		75	23.9	67	19.5	35	1.7	23	5	140		29.37			29.84	FM-15	0.00	29.85
30	0853	7	CLR:00	10.00		79	26.1	71	21.9	37	2.8	22	9	150		29.35			29.82	FM-15	0.00	29.83
30	0953	7	CLR:00	10.00		82	27.8	76	24.6	35	1.7	18	5	090		29.32	8	+0.06	29.79	FM-15	0.00	29.80
30	1053	7	CLR:00	10.00		86	30.0	81	27.2	37	2.8	18	10	170		29.27			29.74	FM-15	0.00	29.75
30	1153	7	CLR:00	10.00		88	31.1	90	32.2	28	-2.2	11	11	080	17	29.23			29.70	FM-15	0.00	29.71
30	1243	7	CLR:00	10.00		89	31.7	91	32.8	29	-1.7	11	3	VRB		29.19				FM-16		29.67
30	1244	7	CLR:00	10.00		89	31.7	91	32.8	29	-1.7	11	3	VRB		29.19				FM-16		29.67
30	1253	7	CLR:00	10.00		90	32.2	93	33.8	29	-1.7	11	15	100		29.17	8	+0.15	29.64	FM-15	0.00	29.65
30	1353	7	CLR:00	10.00		91	32.8	94	34.4	30	-1.1	11	16	040	21	29.13			29.59	FM-15	0.00	29.61
30	1405	7	CLR:00	10.00		91	32.8	93	33.9	31	-0.6	12	9	050		29.11				FM-16		29.59
30	1428	7	CLR:00	10.00		88	31.1	89	31.8	29	-1.7	12	24	VRB	39	29.09				FM-16		29.57
30	1453	7	CLR:00	7.00		85	29.4	81	27.3	34	1.1	16	31	240	49	29.06			29.53	FM-15	0.00	29.54
30	1553	7		9.00		83	28.3	78	25.4	35	1.7	18	34	250	51	28.99	8	+0.18	29.47	FM-15	0.00	29.47
30	1606	7	CLR:00	10.00	DU DU	82	27.8	77	24.8	34	1.1	18	36	250	54	29.03				FM-16		29.51
30	1653	7	CLR:00	9.00	DU DU	79	26.1	72	22.3	35	1.7	20	41	240	61	29.00			29.47	FM-15	0.00	29.48
30	1725	7	CLR:00	10.00	DU DU	76	24.4	67	19.7	38	3.3	25	36	240	59	29.03				FM-16		29.51
30	1753	7	CLR:00	10.00	DU DU	77	25.0	69	20.7	36	2.2	23	23	260	47	29.05			29.52	FM-15	0.00	29.53
30	1853	7	CLR:00	10.00	DU DU	73	22.8	64	17.8	38	3.3	28	15	VRB	31	29.08	3	-0.08	29.55	FM-15	0.00	29.56
30	1933	7	CLR:00	8.00	DU DU	68	20.0	59	14.9	45	7.2	44	48s	330	60	29.13				FM-16		29.61
30	1953	7	FEW:02 40	10.00	DU DU	70	21.1	61	15.9	40	4.4	34	34	320	45	29.16			29.63	FM-15	0.00	29.64
30	2053	7	CLR:00	10.00	DU DU	67	19.4	60	15.3	28	-2.2	23	32	300	56	29.20			29.67	FM-15	0.00	29.68
30	2153	7	CLR:00	10.00	DU DU	66	18.9	63	17.0	16s	-8.9s	14	20	290	43	29.23	1	-0.15	29.70	FM-15	0.00	29.71
30	2253	7	CLR:00	10.00	DU DU	64	17.8	57	14.0	24	-4.4	22	14	320	26	29.25			29.72	FM-15	0.00	29.73
30	2353	7	CLR:00	10.00	DU s DU s	63	17.2	56	13.2	25	-3.9	24	10s	290		29.25			29.72	FM-15	0.00	29.73