

U.S. Department of Commerce
 National Oceanic & Atmospheric Administration
 National Environmental Satellite, Data, and Information Service
 Current Location: Elev: 2641 ft. Lat: 32.6261° N Lon: -116.4681° W
 Station: CAMPO ASOS, CA US 03164

Local Climatological Data
 Hourly Observations
 May 2017

Generated on 07/24/2017

National Centers for Environmental Information
 151 Patton Avenue
 Asheville, North Carolina 28801

Date	Time (LST)	Station Type	Sky Conditions	Visi-bility	Weather Type (see documentation) AU AW MW	Dry Bulb Temp		Wet Bulb Temp		Dew Point Temp		Rel Hum %	Wind Speed (MPH)	Wind Dir (Deg)	Wind Gusts (MPH)	Station Press (inHg)	Press. Tend	Net 3-Hr Change (inHg)	Sea Level Press. (inHg)	Report Type	Precip Total (in)	Alti-meter Setting (inHg)
						(F)	(C)	(F)	(C)	(F)	(C)											
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
06	0052	7				53	11.7	53	11.7	53	11.7	100	6	250		27.11	8	+0.00	29.74	FM-15	0.00	29.82
06	0152	7				52	11.1	52	11.1	52	11.1	100	10	220		27.10			29.73	FM-15	0.00	29.81
06	0252	7				52	11.1	52	11.1	52	11.1	100	5	240		27.08			29.72	FM-15	0.00	29.80
06	0352	7				52	11.1	51	10.8	51	10.6	97	3	210		27.08	6	+0.03	29.72	FM-15	0.00	29.79
06	0452	7				52	11.1	51	10.8	51	10.6	97	3	220		27.08			29.72	FM-15	0.00	29.79
06	0552	7				52	11.1	51	10.4	50	10.0	93	8	220		27.10			29.75	FM-15	0.00	29.81
06	0652	7				53	11.7	51	10.3	49	9.4	86	10	230		27.11	3	-0.02	29.76	FM-15	0.00	29.82
06	0752	7				53	11.7	51	10.3	49	9.4	86	10	240		27.11			29.78	FM-15	0.00	29.83
06	0852	7				56	13.3	52	10.8	48	8.9	75	9	230		27.11			29.76	FM-15	0.00	29.82
06	0952	7				57	13.9	52	11.1	48	8.9	72	15	220	20	27.11	1	-0.00	29.76	FM-15	0.00	29.82
06	1052	7				53	11.7	51	10.6	50	10.0	89	14	240	24	27.11			29.78	FM-15	0.00	29.83
06	1152	7				51	10.6	51	10.6	51	10.6	100	16	250		27.11			29.77	FM-15	0.00	29.82
06	1252	7				51	10.6	50	10.2	50	10.0	96	13	240		27.10	8	+0.01	29.76	FM-15	0.00	29.81
06	1352	7				51	10.6	50	10.2	50	10.0	96	22	230	29	27.08			29.74	FM-15	0.01	29.79
06	1452	7				52	11.1	51	10.4	50	10.0	93	17	230	28	27.05			29.71	FM-15	0.00	29.76
06	1552	7				48	8.9	47	8.6	47	8.3	96	23	240	30	27.05	5	+0.04	29.72	FM-15	0.00	29.76
06	1652	7				45	7.2	44	6.9	44	6.7	97	21	240	29	27.06			29.73	FM-15	0.00	29.77
06	1752	7				45	7.2	44	6.9	44	6.7	97	22	240	32	27.05			29.71	FM-15	0.00	29.76
06	1852	7				43	6.1	42	5.8	42	5.6	97	18	240	24	27.07	3	-0.01	29.74	FM-15	0.00	29.78
06	1952	7				43	6.1	41	5.2	40	4.4	89	18	240	29	27.08			29.76	FM-15	0.00	29.80
06	2052	7				43	6.1	41	5.2	40	4.4	89	21	240	28	27.11			29.78	FM-15	0.00	29.82
06	2152	7				42	5.6	40	4.7	39	3.9	89	15	250	37	27.11	1	-0.05	29.78	FM-15	0.03	29.83
06	2252	7				41	5.0	40	4.7	40	4.4	96	15	240	24	27.12			29.80	FM-15	0.03	29.84
06	2352	7				42	5.6	40	4.7	39	3.9	89	14	240		27.11			29.80	FM-15	0.02	29.83

U.S. Department of Commerce
 National Oceanic & Atmospheric Administration
 National Environmental Satellite, Data, and Information Service
 Current Location: Elev: -118 ft. Lat: 33.6267° N Lon: -116.1594° W
 Station: DESERT RESORTS REGIONAL AIRPORT, CA US 03104

Local Climatological Data
 Hourly Observations
 May 2017

National Centers for Environmental Information
 151 Patton Avenue
 Asheville, North Carolina 28801

Generated on 07/24/2017

Date	Time (LST)	Station Type	Sky Conditions	Visi-bility	Weather Type (see documentation)	Dry Bulb Temp		Wet Bulb Temp		Dew Point Temp		Rel Hum %	Wind Speed (MPH)	Wind Dir (Deg)	Wind Gusts (MPH)	Station Press (inHg)	Press. Tend	Net 3-Hr Change (inHg)	Sea Level Press. (inHg)	Report Type	Precip Total (in)	Alti-meter Setting (inHg)
					AU AW MW	(F)	(C)	(F)	(C)	(F)	(C)											
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
06	0052	7	CLR:00	8.00		77	25.0	67	19.4	47	8.3	35	21	320	26	29.66	5	+0.01	29.55	FM-15	0.00	29.54
06	0152	7	CLR:00	10.00		73	22.8	63	17.3	49	9.4	43	17	320	29	29.67			29.56	FM-15	0.00	29.55
06	0252	7	CLR:00	10.00		71	21.7	62	16.5	50	10.0	47	20	310	26	29.68			29.57	FM-15	0.00	29.56
06	0352	7	CLR:00	10.00		70	21.1	61	16.1	50	10.0	49	18	300	24	29.70	3	-0.04	29.61	FM-15	0.00	29.58
06	0452	7	CLR:00	10.00		70	21.1	61	16.0	49	9.4	47	14	320	22	29.70			29.59	FM-15	0.00	29.58
06	0552	7	CLR:00	10.00		70	21.1	61	16.1	50	10.0	49	14	320		29.72			29.60	FM-15	0.00	29.60
06	0652	7	CLR:00	10.00		73	22.8	63	17.3	49	9.4	43	14	330	21	29.74	3	-0.04	29.62	FM-15	0.00	29.62
06	0752	7	CLR:00	10.00		76	24.4	66	18.8	49	9.4	39	16	320	23	29.74			29.62	FM-15	0.00	29.62
06	0852	7	CLR:00	10.00		79	26.1	69	20.5	47	8.3	32	13	350		29.75			29.63	FM-15	0.00	29.63
06	0952	7	CLR:00	10.00		81	27.2	71	21.8	46	7.8	29				29.73	8	+0.01	29.62	FM-15	0.00	29.61
06	1052	7	CLR:00	10.00		84	28.9	75	24.0	44	6.7	25	16	VRB	21	29.72			29.60	FM-15	0.00	29.60
06	1152	7	CLR:00	10.00		84	28.9	75	23.8	45	7.2	25	18	320	26	29.70			29.59	FM-15	0.00	29.58
06	1252	7	CLR:00	10.00		84	28.9	75	23.8	45	7.2	25	16	330		29.69	6	+0.04	29.57	FM-15	0.00	29.57
06	1352	7	CLR:00	10.00		85	29.4	76	24.5	45	7.2	25	16	330	24	29.67			29.55	FM-15	0.00	29.55
06	1452	7	CLR:00	10.00		85	29.4	76	24.7	44	6.7	24	17	330	25	29.64			29.55	FM-15	0.00	29.52
06	1552	7	CLR:00	7.00		82	27.8	73	23.0	42	5.6	24	17	330	29	29.64	5	+0.05	29.53	FM-15	0.00	29.52
06	1650	6	SCT:04 17	3.00	HZ HZ	79	26.0	70	20.9	43	6.0	28	17	250	26	29.66				FM-16		29.54
06	1652	7	SCT:04 15	3.00	HZ FU HZ	78	25.6	69	20.4	42	5.6	28	14	250	26	29.66			29.54	FM-15	0.00	29.54
06	1659	7	SCT:04 17	3.00	HZ FU HZ	76	24.4	67	19.3	41	5.0	29	21	220	29	29.66				FM-16		29.54
06	1752	7	CLR:00	10.00		73	22.8	63	17.5	42	5.6	33	9	340	18	29.67			29.55	FM-15	0.00	29.55
06	1852	7	CLR:00	10.00		68	20.0	59	14.9	43	6.1	40	16	360		29.70	3	-0.06	29.58	FM-15	0.00	29.58
06	1952	7	CLR:00	10.00		65	18.3	56	13.5	34	1.1	32	17	330	29	29.76			29.64	FM-15	0.00	29.64
06	2052	7	CLR:00	10.00		63	17.2	55	13.0	27	-2.8	26	21	300	29	29.81			29.70	FM-15	0.00	29.69
06	2104	7	FEW:02 9	5.00	HZ FU HZ	62	16.7	54	12.3	28	-2.2	28	16	300	29	29.81				FM-16		29.69
06	2152	7	CLR:00	10.00		61	16.1	53	11.6	30	-1.1	31	14	280	29	29.83	1	-0.13	29.71	FM-15	0.00	29.71
06	2252	7	CLR:00	10.00		59	15.0	51	10.5	31	-0.6	35	10	270		29.83			29.72	FM-15	0.00	29.71
06	2352	7	CLR:00	10.00		59	15.0	51	10.5	31	-0.6	35	15	300	20	29.85			29.73	FM-15	0.00	29.73

May 6, 2017 Exceptional Event

Appendix B

U.S. Department of Commerce
 National Oceanic & Atmospheric Administration
 National Environmental Satellite, Data, and Information Service
 Current Location: Elev: -42 ft. Lat: 32.8167° N Lon: -115.6833° W
 Station: EL CENTRO NAF, CA US 23199

Local Climatological Data Hourly Observations May 2017

Generated on 07/24/2017

National Centers for Environmental Information
 151 Patton Avenue
 Asheville, North Carolina 28801

Date	Time (LST)	Station Type	Sky Conditions	Visi-bility	Weather Type (see documentation)	Dry Bulb Temp		Wet Bulb Temp		Dew Point Temp		Rel Hum %	Wind Speed (MPH)	Wind Dir (Deg)	Wind Gusts (MPH)	Station Press (inHg)	Press. Tend	Net 3-Hr Change (inHg)	Sea Level Press. (inHg)	Report Type	Precip Total (in)	Alti-meter Setting (inHg)
					AU AW MW	(F)	(C)	(F)	(C)	(F)	(C)											
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
06	0056	7	CLR:00	9.00	-RA RA	73	22.8	63	17.4	50	10.0	44	32	260	39	29.65	2	-0.01	29.66	FM-15	T	29.61
06	0156	7	CLR:00	10.00	-RA RA	73	22.8	63	17.3	49	9.4	43	33	250	39	29.66			29.66	FM-15	T	29.62
06	0256	7	CLR:00	10.00	-RA RA	71	21.7	61	16.4	47	8.3	42	25	260		29.65			29.65	FM-15	T	29.61
06	0356	7	CLR:00	10.00	-RA RA	70	21.1	61	15.8	45	7.2	41	22	260		29.66	3	-0.01	29.67	FM-15	T	29.62
06	0456	7	FEW:02 250	10.00		69	20.6	60	15.4	45	7.2	42	17	260		29.67			29.68	FM-15	T	29.63
06	0556	7	FEW:02 250	10.00		71	21.7	61	16.3	45	7.2	39	16	260		29.69			29.69	FM-15	0.00	29.65
06	0656	7	FEW:02 80 FEW:02 250	10.00		74	23.3	64	17.9	44	6.7	34	17	260		29.71	3	-0.05	29.71	FM-15	0.00	29.67
06	0756	7	FEW:02 80 FEW:02 250	10.00		78	25.6	69	20.3	43	6.1	29	20	260		29.71			29.71	FM-15	T	29.67
06	0856	7	FEW:02 80 FEW:02 250	10.00		80	26.7	71	21.7	42	5.6	26	23	260		29.72			29.72	FM-15	0.00	29.68
06	0956	7	FEW:02 80 FEW:02 250	10.00		83	28.3	75	24.1	40	4.4	22	14	280		29.71			29.71	FM-15	0.00	29.67
06	1056	7	FEW:02 80 FEW:02 250	10.00		87	30.6	81	27.2	40	4.4	19	24	270	28	29.69			29.69	FM-15	0.00	29.65
06	1156	7	FEW:02 80	10.00		85	29.4	77	24.9	43	6.1	23	31	270	40	29.68			29.69	FM-15	0.00	29.64
06	1256	7	FEW:02 80	5.00	DU DU	83	28.3	74	23.2	45	7.2	26	33	250	41	29.68	5	+0.02	29.69	FM-15	0.00	29.64
06	1354	6	FEW:02 80	1.00	DU DU	81	27.0	71	21.9	45	7.0	28	37	260	49	29.68				FM-16		29.64
06	1356	7	FEW:02 80	1.50	DU DU	80	26.7	70	21.3	45	7.2	29	43	270	53	29.68			29.68	FM-15	T	29.64
06	1403	7	VV:09 15	1.00	-RA RA	79	26.1	69	20.7	45	7.2	30	40	260	53	29.67				FM-16	T	29.63
06	1412	7	OVC:08 17	3.00	-RA RA	79	26.1	69	20.6	46	7.8	31	40	250	49	29.67				FM-16	T	29.63
06	1426	7	OVC:08 13	1.75	-RA RA	78	25.6	68	20.0	46	7.8	32	43	260	52	29.67				FM-16	T	29.63
06	1439	7	VV:09 9	0.75	-RA RA	77	25.0	67	19.5	45	7.2	32	46	250	57	29.67				FM-16	T	29.63
06	1456	7	VV:09 8	0.25s	-RA s RA s	76	24.4	66	19.0	44	6.7	32	43	260	54	29.67			29.67	FM-15	T	29.63
06	1514	7	VV:09 10	0.75	-RA RA	76	24.4	66	19.0	44	6.7	32	44	270	52	29.67				FM-16	T	29.63
06	1543	7	VV:09 8	0.25s	-RA s RA s	74	23.3	64	17.9	44	6.7	34	41	260	54	29.68				FM-16	T	29.64
06	1556	7	VV:09 6	0.25s	-RA s RA s	73	22.8	63	17.4	43	6.1	34	45	260	55	29.67	6	+0.02	29.67	FM-15	T	29.63
06	1611	7	VV:09 4	0.25s	-RA s RA s	73	22.8	63	17.4	44	6.7	35	47	260	56	29.67				FM-16	T	29.63
06	1640	7	VV:09 6	0.50s	-RA s RA s	71	21.7	61	16.3	45	7.2	39	46	270	55	29.69				FM-16	T	29.65
06	1656	7	VV:09 6	0.25s	-RA s RA s	68	20.0	59	14.9	44	6.7	42	45	260	53	29.70			29.70	FM-15	T	29.66
06	1711	7	VV:09 4	0.25s	-RA s RA s	68	20.0	59	14.9	43	6.1	40	46	250	57	29.70				FM-16	T	29.66
06	1732	7	FEW:02 2 OVC:08 6	0.75	-RA RA	67	19.4	58	14.4	42	5.6	41	38	260	49	29.70				FM-16	T	29.66
06	1756	7	VV:09 9	0.50s	-RA s RA s	64	17.8	55	13.0	42	5.6	45	39	250	53	29.70			29.70	FM-15	T	29.66
06	1802	7	BKN:07 10	2.00	-RA RA	64	17.8	55	13.0	42	5.6	45	36	250	51	29.71				FM-16	T	29.67
06	1810	7	BKN:07 10	3.00	-RA RA	64	17.8	55	12.9	41	5.0	43	38	250	49	29.70				FM-16	T	29.66
06	1817	7	BKN:07 8	2.00	-RA RA	63	17.2	54	12.5	41	5.0	45	32	250	44	29.71				FM-16	T	29.67
06	1820	7	SCT:04 8	3.00	-RA RA	63	17.2	54	12.5	41	5.0	45	37	260	44	29.71				FM-16	T	29.67
06	1827	7	SCT:04 7	2.00V	-RA RA	63	17.2	54	12.5	41	5.0	45	33	250	45	29.71				FM-16	T	29.67
06	1834	7	BKN:07 6	1.25V	-RA RA	62	16.7	54	12.1	42	5.6	48	37	260	46	29.72				FM-16	T	29.68
06	1844	7	VV:09 6	0.75	-RA RA	62	16.7	54	12.1	42	5.6	48	39	250	49	29.73				FM-16	T	29.69
06	1851	7	BKN:07 8	2.00V	-RA RA	63	17.0	55	12.6	43	6.0	49	39	250	51	29.73				FM-16	T	29.69
06	1856	7	OVC:08 10	2.00V	-RA RA	62	16.7	54	12.1	41	5.0	46	38	250	51	29.73	3	-0.07	29.74	FM-15	T	29.69
06	1915	7	VV:09 12	0.75	-RA RA	62	16.7	54	12.0	39	3.9	43	51	260	60	29.76				FM-16	T	29.72
06	1936	7	OVC:08 13	2.00V	-RA RA	61	16.1	53	11.4	37	2.8	41	36	250	49	29.81				FM-16	T	29.77
06	1946	7	OVC:08 17	6.00	-RA RA	61	16.1	53	11.4	36	2.2	39	28	260	43	29.82				FM-16	T	29.78
06	1956	7	OVC:08 21	4.00	-RA RA	60	15.6	52	11.0	36	2.2	41	24	260	33	29.83			29.83	FM-15	T	29.79

06	2003	7	OVC:08 17	1.75	-RA RA		60	15.6	52	10.9	35	1.7	39	28	260	34	29.83				FM-16	T	29.79
06	2009	7	VV:09 13	0.75	-RA RA		61	16.1	53	11.4	35	1.7	38	25	280		29.84				FM-16	T	29.80
06	2023	7	VV:09 9	1.00	-RA RA		60	15.6	52	10.9	33	0.6	36	31	280	46	29.84				FM-16	T	29.80
06	2036	7	OVC:08 9	2.50	-RA RA		60	15.6	52	11.0	32	0.0	35	30	260	45	29.81				FM-16	T	29.77
06	2042	7	VV:09 7	0.75	-RA RA		60	15.6	52	11.0	32	0.0	35	41	260	53	29.80				FM-16	T	29.76
06	2054	6	VV:09 4	0.25s	-RA s RA s		61	16.0	53	11.5	32	0.0	34	54	250	63	29.79				FM-16		29.75
06	2056	7	VV:09 4	0.25s	-RA s RA s		60	15.6	52	11.0	32	0.0	35	55	250	64	29.79			29.79	FM-15	T	29.75
06	2123	7	BKN:07 4	2.50V	-RA RA		59	15.0	51	10.5	31	-0.6	35	49	250	63	29.80				FM-16	T	29.76
06	2132	7	BKN:07 5	4.00	-RA RA		59	15.0	51	10.5	32	0.0	36	48	240	60	29.83				FM-16	T	29.79
06	2147	7	FEW:02 7	10.00	-RA RA		59	15.0	51	10.5	32	0.0	36	47	250	55	29.84				FM-16	T	29.80
06	2156	7	FEW:02 7	10.00	-RA RA		59	15.0	51	10.5	32	0.0	36	45	240	56	29.85	1	-0.12	29.86	FM-15	T	29.81
06	2241	7	BKN:07 12	4.00	HZ FU HZ		58	14.4	50	10.0	33	0.6	39	16s	330	24	29.86				FM-16	T	29.82
06	2256	7	BKN:07 12	5.00	HZ FU HZ		57	13.9	49	9.5	34	1.1	42	20	320	23	29.86			29.87	FM-15	T	29.82
06	2312	7	SCT:04 10	6.00	-RA RA		57	13.9	49	9.5	33	0.6	41	40	250	49	29.83				FM-16	T	29.79
06	2356	7	CLR:00	9.00	-RA RA		57	13.9	49	9.5	34	1.1	42	34	250		29.86			29.87	FM-15	T	29.82

U.S. Department of Commerce
 National Oceanic & Atmospheric Administration
 National Environmental Satellite, Data, and Information Service
 Current Location: Elev: 409 ft. Lat: 33.8222° N Lon: -116.5043° W
 Station: PALM SPRINGS REGIONAL AIRPORT, CA US 93138

Local Climatological Data
 Hourly Observations
 May 2017

National Centers for Environmental Information
 151 Patton Avenue
 Asheville, North Carolina 28801

Generated on 07/24/2017

Date	Time (LST)	Station Type	Sky Conditions	Visi-bility	Weather Type (see documentation) AU AW MW	Dry Bulb Temp		Wet Bulb Temp		Dew Point Temp		Rel Hum %	Wind Speed (MPH)	Wind Dir (Deg)	Wind Gusts (MPH)	Station Press (inHg)	Press. Tend	Net 3-Hr Change (inHg)	Sea Level Press. (inHg)	Report Type	Precip Total (in)	Alti-meter Setting (inHg)
						(F)	(C)	(F)	(C)	(F)	(C)											
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
06	0053	7	CLR:00	10.00		73	22.8	63	17.3	49	9.4	43	11	310		29.12	6	+0.01	29.59	FM-15	0.00	29.60
06	0153	7	CLR:00	10.00		72	22.2	62	16.8	48	8.9	43	14	300	22	29.12			29.59	FM-15	0.00	29.60
06	0253	7	CLR:00	10.00		71	21.7	61	16.4	48	8.9	44	7	260		29.13			29.60	FM-15	0.00	29.61
06	0353	7	CLR:00	10.00		67	19.4	59	15.2	52	11.1	59	0	000		29.14	3	-0.01	29.60	FM-15	0.00	29.62
06	0453	7	CLR:00	10.00		67	19.4	59	15.2	52	11.1	59	6	VRB		29.15			29.62	FM-15	0.00	29.63
06	0553	7	CLR:00	10.00		67	19.4	59	15.2	52	11.1	59	6	VRB		29.16			29.63	FM-15	0.00	29.64
06	0653	7	CLR:00	10.00		72	22.2	62	16.8	49	9.4	44	9	290	17	29.16	0	-0.02	29.63	FM-15	0.00	29.64
06	0753	7	FEW:02 40 SCT:04 250	10.00		74	23.3	64	17.8	48	8.9	40	17	310	24	29.16			29.63	FM-15	0.00	29.64
06	0853	7	CLR:00	10.00		76	24.4	66	18.8	47	8.3	36	15	310	23	29.18			29.65	FM-15	0.00	29.66
06	0953	7	CLR:00	10.00		78	25.6	68	19.9	46	7.8	32	14	310	24	29.17	0	-0.01	29.64	FM-15	0.00	29.65
06	1053	7	CLR:00	10.00		78	25.6	68	19.9	47	8.3	33	32	320	40	29.17			29.64	FM-15	0.00	29.65
06	1153	7	CLR:00	10.00		80	26.7	70	21.0	47	8.3	31	25	330	32	29.15			29.62	FM-15	0.00	29.63
06	1253	7	CLR:00	10.00		79	26.1	69	20.4	48	8.9	34	21	330	31	29.14	8	+0.03	29.61	FM-15	0.00	29.62
06	1353	7	CLR:00	10.00		79	26.1	69	20.4	48	8.9	34	18	010	34	29.12			29.59	FM-15	0.00	29.60
06	1453	7	CLR:00	10.00		77	25.0	67	19.3	47	8.3	35	17	320	25	29.11			29.58	FM-15	0.00	29.59
06	1553	7	CLR:00	10.00		77	25.0	67	19.3	47	8.3	35	24	310	32	29.11	6	+0.03	29.58	FM-15	0.00	29.59
06	1653	7	SCT:04 75	10.00		73	22.8	63	17.3	45	7.2	37				29.10			29.58	FM-15	0.00	29.58
06	1753	7	CLR:00	10.00		67	19.4	58	14.5	46	7.8	47	18	320	38	29.10			29.57	FM-15	0.00	29.58
06	1853	7	SCT:04 60	10.00		61	16.1	53	11.6	41	5.0	48	11	VRB	38	29.15	3	-0.04	29.63	FM-15	0.00	29.63
06	1953	7	CLR:00	10.00		62	16.7	53	11.9	33	0.6	34	13	070		29.22			29.70	FM-15	0.00	29.70
06	2053	7	CLR:00	10.00		61	16.1	53	11.4	32	0.0	34	14	080		29.24			29.71	FM-15	0.00	29.72
06	2153	7	CLR:00	10.00		59	15.0	51	10.4	34	1.1	39	11	050		29.25	1	-0.10	29.72	FM-15	0.00	29.73
06	2253	7	CLR:00	10.00		57	13.9	49	9.4	32	0.0	39	6	090		29.27			29.75	FM-15	0.00	29.75
06	2353	7	CLR:00	10.00		56	13.3	48	9.0	33	0.6	42	9	070		29.27			29.75	FM-15	0.00	29.75

U.S. Department of Commerce
 National Oceanic & Atmospheric Administration
 National Environmental Satellite, Data, and Information Service
 Current Location: Elev: -58 ft. Lat: 32.8342° N Lon: -115.5786° W
 Station: IMPERIAL CO AIRPORT, CA US 03144

Local Climatological Data
 Hourly Observations
 May 2017

Generated on 07/24/2017

National Centers for Environmental Information
 151 Patton Avenue
 Asheville, North Carolina 28801

Date	Time (LST)	Station Type	Sky Conditions	Visi-bility	Weather Type (see documentation) AU AW MW	Dry Bulb Temp		Wet Bulb Temp		Dew Point Temp		Rel Hum %	Wind Speed (MPH)	Wind Dir (Deg)	Wind Gusts (MPH)	Station Press (inHg)	Press. Tend	Net 3-Hr Change (inHg)	Sea Level Press. (inHg)	Report Type	Precip Total (in)	Alti-meter Setting (inHg)
						(F)	(C)	(F)	(C)	(F)	(C)											
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
06	0053	7	CLR:00	10.00		72	22.2	63	17.2	53	11.7	52	17	260		29.64	5	+0.00	29.59	FM-15	0.00	29.58
06	0153	7	CLR:00	10.00		72	22.2	63	17.1	52	11.1	50	18	260		29.65			29.59	FM-15	0.00	29.59
06	0253	7	CLR:00	10.00		71	21.7	62	16.5	50	10.0	47	18	260	25	29.64			29.58	FM-15	0.00	29.58
06	0353	7	CLR:00	10.00		70	21.1	61	16.0	49	9.4	47	15	270		29.66	3	-0.01	29.60	FM-15	0.00	29.60
06	0453	7	CLR:00	10.00		69	20.6	60	15.5	48	8.9	47	15	260		29.67			29.61	FM-15	0.00	29.61
06	0553	7	CLR:00	10.00		69	20.6	60	15.6	49	9.4	49	11	280		29.68			29.62	FM-15	0.00	29.62
06	0653	7	CLR:00	10.00		74	23.3	64	17.8	49	9.4	41	15	270		29.70	3	-0.04	29.64	FM-15	0.00	29.64
06	0753	7	CLR:00	10.00		78	25.6	68	20.0	46	7.8	32	10	260		29.70			29.65	FM-15	0.00	29.64
06	0853	7	CLR:00	10.00		80	26.7	70	21.0	48	8.9	33	15	280	25	29.71			29.65	FM-15	0.00	29.65
06	0953	7	CLR:00	10.00		82	27.8	73	22.5	45	7.2	27	9	250		29.70	0	-0.01	29.65	FM-15	0.00	29.64
06	1053	7	CLR:00	10.00		84	28.9	75	24.0	44	6.7	25	8	VRB		29.69			29.63	FM-15	0.00	29.63
06	1153	7	CLR:00	9.00		85	29.4	75	24.0	48	8.9	28	26	260	33	29.67			29.61	FM-15	0.00	29.61
06	1253	7	CLR:00	7.00		83	28.3	73	22.6	49	9.4	31	30	270	38	29.67	6	+0.04	29.61	FM-15	0.00	29.61
06	1353	7	FEW:02 21	4.00	HZ FU HZ	78	25.6	68	19.8	50	10.0	37	34	270	46	29.66			29.60	FM-15	0.00	29.60
06	1407	7	SCT:04 18	2.50	HZ FU HZ	78	25.6	68	19.8	49	9.4	36	34	260	47	29.66				FM-16		29.60
06	1422	7	SCT:04 18	4.00	HZ FU HZ	78	25.6	68	19.8	49	9.4	36	32	260	45	29.65				FM-16		29.59
06	1453	7	FEW:02 13	3.00	HZ FU HZ	77	25.0	67	19.3	49	9.4	37	37	260	46	29.63			29.57	FM-15	0.00	29.57
06	1525	7	BKN:07 12	2.50V	HZ FU HZ	74	23.3	64	17.8	48	8.9	40	37	270	48	29.63				FM-16		29.57
06	1533	7	BKN:07 12	1.25	HZ FU HZ	74	23.3	64	17.8	48	8.9	40	36	270	51	29.63				FM-16		29.57
06	1545	7	VV:09 10	0.75	HZ FU HZ	73	22.8	63	17.3	48	8.9	41	36	270	51	29.63				FM-16		29.57
06	1551	7	OVC:08 10	1.50	HZ FU HZ	73	23.0	63	17.3	46	8.0	38	39	270	53	29.63				FM-16		29.57
06	1553	7	OVC:08 10	1.50	HZ FU HZ	73	22.8	63	17.3	47	8.3	40	39	270	53	29.62	8	+0.05	29.56	FM-15	0.00	29.56
06	1604	7	BKN:07 10	2.50	HZ FU HZ	73	22.8	63	17.3	47	8.3	40	30	260	52	29.63				FM-16		29.57
06	1625	7	SCT:04 14	2.50V	HZ FU HZ	72	22.2	62	16.8	48	8.9	43	40	260	53	29.62				FM-16		29.56
06	1642	7	FEW:02 14	4.00	HZ FU HZ	71	21.7	61	16.4	48	8.9	44	38	270	52	29.64				FM-16		29.58
06	1653	7	SCT:04 16	3.00	HZ FU HZ	69	20.6	60	15.5	48	8.9	47	34	270	52	29.66			29.59	FM-15	0.00	29.60
06	1701	7	BKN:07 14	2.50	HZ FU HZ	68	20.0	59	15.0	47	8.3	47	37	270	47	29.66				FM-16		29.60
06	1708	7	BKN:07 14	3.00	HZ FU HZ	68	20.0	59	15.0	47	8.3	47	37	280	48	29.65				FM-16		29.59
06	1715	7	SCT:04 14	5.00	HZ FU HZ	67	19.4	58	14.5	46	7.8	47	38	270	52	29.65				FM-16		29.59
06	1753	7	CLR:00	8.00		65	18.3	56	13.5	44	6.7	47	30	260	46	29.67			29.61	FM-15	0.00	29.61
06	1853	7	CLR:00	10.00		61	16.1	53	11.9	44	6.7	54	32	260	44	29.72	3	-0.10	29.66	FM-15	0.00	29.66
06	1925	7	BKN:07 17	4.00	HZ FU HZ	61	16.1	53	11.6	41	5.0	48	37	260	49	29.73				FM-16		29.67
06	1950	7	SCT:04 16	5.00	HZ FU HZ	61	16.0	53	11.5	39	4.0	45	47	250	59	29.71				FM-16		29.65
06	1953	7	FEW:02 16	5.00	HZ FU HZ	61	16.1	53	11.5	38	3.3	43	41	250	59	29.72			29.66	FM-15	0.00	29.66
06	2015	7	BKN:07 12	2.50V	HZ FU HZ	60	15.6	52	11.0	38	3.3	44	43	260	57	29.75				FM-16		29.69
06	2021	7	BKN:07 10	1.25	HZ FU HZ	60	15.6	52	11.0	37	2.8	42	44	260	55	29.75				FM-16		29.69
06	2036	7	FEW:02 6 BKN:07 10	2.00	HZ FU HZ	60	15.6	52	10.9	36	2.2	41	43	260	59	29.74				FM-16		29.68
06	2045	7	BKN:07 10	4.00	HZ FU HZ	59	15.0	51	10.5	35	1.7	41	40	260	54	29.77				FM-16		29.71
06	2051	6	SCT:04 12	5.00	HZ HZ	59	15.0	51	10.5	36	2.0	42	33	250	53	29.80				FM-16		29.74
06	2053	7	SCT:04 12	6.00	HZ FU HZ	59	15.0	51	10.5	35	1.7	41	29	250	53	29.81			29.75	FM-15	0.00	29.75
06	2153	7	CLR:00	6.00	HZ FU HZ	58	14.4	50	10.0	35	1.7	42	38	260	55	29.78	0	-0.07	29.72	FM-15	0.00	29.72
06	2253	7	CLR:00	9.00		58	14.4	50	10.1	37	2.8	46	40	260	53	29.79			29.73	FM-15	0.00	29.73
06	2353	7	CLR:00	10.00		57	13.9	49	9.6	37	2.8	47	34	250	44	29.80			29.73	FM-15	0.00	29.74