

U.S. Department of Commerce
 National Oceanic & Atmospheric Administration
 National Environmental Satellite, Data, and Information Service
 Current Location: Elev: 395 ft. Lat: 33.6186° N Lon: -114.7142° W
 Station: BLYTHE ASOS, CA US 23158

**Local Climatological Data
 Hourly Observations
 June 2018**

National Centers for Environmental Information
 151 Patton Avenue
 Asheville, North Carolina 28801

Generated on 08/08/2018

Date	Time (LST)	Station Type	Sky Conditions	Visi-bility	Weather Type (see documentation)	Dry Bulb Temp		Wet Bulb Temp		Dew Point Temp		Rel Hum %	Wind Speed (MPH)	Wind Dir (Deg)	Wind Gusts (MPH)	Station Press (inHg)	Press. Tend	Net 3-Hr Change (inHg)	Sea Level Press. (inHg)	Report Type	Precip Total (in)	Alti-meter Setting (inHg)
					AU AW MW	(F)	(C)	(F)	(C)	(F)	(C)											
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
16	0052	7	CLR:00	10.00		81	27.2	72	22.4	68	20.0	65	11	210		29.23	8	+0.01	29.63	FM-15	0.00	29.65
16	0152	7	CLR:00	10.00		81	27.2	72	22.0	67	19.4	62	13	190		29.22			29.62	FM-15	0.00	29.64
16	0252	7	CLR:00	10.00		81	27.2	71	21.7	66	18.9	61	11	200		29.22			29.62	FM-15	0.00	29.64
16	0352	7	CLR:00	10.00		80	26.7	71	21.5	66	18.9	62	7	190		29.22	5	+0.01	29.62	FM-15	0.00	29.64
16	0452	7	CLR:00	10.00		81	27.2	71	21.7	66	18.9	61	8	190		29.23			29.63	FM-15	0.00	29.65
16	0552	7	CLR:00	10.00		81	27.2	72	22.0	67	19.4	62	11	190		29.25			29.65	FM-15	0.00	29.67
16	0652	7	CLR:00	10.00		82	27.8	73	22.5	68	20.0	63	14	190		29.26	3	-0.04	29.66	FM-15	0.00	29.68
16	0752	7	CLR:00	10.00		83	28.3	73	22.7	68	20.0	61	14	170		29.28			29.68	FM-15	0.00	29.70
16	0852	7	CLR:00	10.00		85	29.4	73	22.7	67	19.4	55	17	180		29.27			29.67	FM-15	0.00	29.69
16	0952	7	CLR:00	10.00		87	30.6	72	22.4	65	18.3	48	15	180		29.27	0	-0.01	29.67	FM-15	0.00	29.69
16	1052	7	CLR:00	10.00		90	32.2	73	22.9	65	18.3	44	20	160	28	29.26			29.65	FM-15	0.00	29.68
16	1152	7	CLR:00	10.00		90	32.2	73	22.6	64	17.8	42	21	180	26	29.24			29.64	FM-15	0.00	29.66
16	1252	7	CLR:00	10.00		94	34.4	73	22.9	63	17.2	36	20	170	26	29.23	8	+0.04	29.62	FM-15	0.00	29.65
16	1352	7	CLR:00	10.00		95	35.0	71	21.7	58	14.4	29	16	160		29.21			29.60	FM-15	0.00	29.63
16	1452	7	CLR:00	10.00		96	35.6	70	21.0	55	12.8	25	22	150		29.19			29.58	FM-15	0.00	29.61
16	1552	7	CLR:00	10.00		96	35.6	69	20.8	54	12.2	24	15	170		29.17	6	+0.06	29.57	FM-15	0.00	29.59
16	1652	7	CLR:00	10.00		97	36.1	67	19.6	48	8.9	19	16	250	24	29.16			29.56	FM-15	0.00	29.58
16	1659	7	FEW:02 100	10.00		97	36.1	68	20.2	51	10.6	21	14	190	24	29.17				FM-16		29.59
16	1752	7	CLR:00	10.00		95	35.0	66	19.0	47	8.3	19	21	250		29.17			29.56	FM-15	0.00	29.59
16	1852	7	CLR:00	8.00		92	33.3	62	16.7	38	3.3	15	17	250		29.17	3	-0.00	29.57	FM-15	0.00	29.59
16	1952	7	CLR:00	9.00		89	31.7	62	16.5	40	4.4	18	16	240		29.19			29.59	FM-15	0.00	29.61
16	2052	7	CLR:00	10.00		87	30.6	60	15.7	38	3.3	18	11	210		29.23			29.62	FM-15	0.00	29.65
16	2152	7	CLR:00	10.00		83	28.3	60	15.3	40	4.4	22	10	190		29.24	1	-0.07	29.64	FM-15	0.00	29.66
16	2252	7	CLR:00	10.00		79	26.1	58	14.7	41	5.0	26	9	150		29.25			29.65	FM-15	0.00	29.67
16	2352	7	CLR:00	8.00		77	25.0	57	14.0	40	4.4	26	14	170		29.25			29.65	FM-15	0.00	29.67

U.S. Department of Commerce
 National Oceanic & Atmospheric Administration
 National Environmental Satellite, Data, and Information Service
 Current Location: Elev: 395 ft. Lat: 33.6186° N Lon: -114.7142° W
 Station: BLYTHE ASOS, CA US 23158

**Local Climatological Data
 Hourly Observations
 June 2018**

National Centers for Environmental Information
 151 Patton Avenue
 Asheville, North Carolina 28801

Generated on 08/08/2018

Date	Time (LST)	Station Type	Sky Conditions	Visi-bility	Weather Type (see documentation) AU AW MW	Dry Bulb Temp		Wet Bulb Temp		Dew Point Temp		Rel Hum %	Wind Speed (MPH)	Wind Dir (Deg)	Wind Gusts (MPH)	Station Press (inHg)	Press. Tend	Net 3-Hr Change (inHg)	Sea Level Press. (inHg)	Report Type	Precip Total (in)	Alti-meter Setting (inHg)
						(F)	(C)	(F)	(C)	(F)	(C)											
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
17	0052	7	CLR:00	9.00		75	23.9	56	13.4	39	3.9	27	11	170		29.26	1	-0.02	29.66	FM-15	0.00	29.68
17	0152	7	CLR:00	10.00		74	23.3	54	12.4	35	1.7	24	9	180		29.26			29.66	FM-15	0.00	29.68
17	0252	7	CLR:00	10.00		76	24.4	53	11.8	29	-1.7	18	9	220		29.28			29.68	FM-15	0.00	29.70
17	0352	7	CLR:00	10.00		73	22.8	53	11.6	32	0.0	22	7	180		29.29	3	-0.03	29.69	FM-15	0.00	29.71
17	0452	7	CLR:00	10.00		71	21.7	53	11.7	35	1.7	27	8	170		29.30			29.70	FM-15	0.00	29.72
17	0552	7	CLR:00	10.00		75	23.9	57	13.8	41	5.0	29	11	190		29.32			29.72	FM-15	0.00	29.74
17	0652	7	CLR:00	10.00		78	25.6	59	14.9	43	6.1	29	10	180		29.34	3	-0.05	29.74	FM-15	0.00	29.76
17	0752	7	CLR:00	10.00		80	26.7	58	14.5	39	3.9	23	10	180		29.35			29.75	FM-15	0.00	29.77
17	0852	7	CLR:00	10.00		83	28.3	61	16.1	44	6.7	25	13	170		29.35			29.75	FM-15	0.00	29.77
17	0952	7	CLR:00	10.00		86	30.0	64	17.6	48	8.9	27	17	160		29.35	0	-0.01	29.75	FM-15	0.00	29.77
17	1052	7	CLR:00	10.00		89	31.7	66	19.1	52	11.1	28	15	170	25	29.34			29.73	FM-15	0.00	29.76
17	1152	7	CLR:00	10.00		93	33.9	65	18.1	44	6.7	18	22	180	29	29.32			29.72	FM-15	0.00	29.74
17	1252	7	CLR:00	10.00		95	35.0	63	17.5	39	3.9	14	21	190	28	29.31	6	+0.04	29.71	FM-15	0.00	29.73
17	1352	7	CLR:00	10.00		96	35.6	64	17.7	39	3.9	14	20	230	31	29.30			29.70	FM-15	0.00	29.72
17	1452	7	CLR:00	10.00		95	35.0	63	17.5	39	3.9	14	18	230	32	29.30			29.70	FM-15	0.00	29.72
17	1552	7	CLR:00	10.00		94	34.4	64	17.7	41	5.0	16	21	200	29	29.29	8	+0.02	29.69	FM-15	0.00	29.71
17	1652	7	CLR:00	10.00		94	34.4	62	16.8	36	2.2	13	18	210	29	29.28			29.68	FM-15	0.00	29.70
17	1752	7	CLR:00	10.00		91	32.8	61	16.2	36	2.2	14	22	240		29.29			29.69	FM-15	0.00	29.71
17	1852	7	CLR:00	9.00		88	31.1	61	16.1	39	3.9	18	15	230		29.29	3	-0.01	29.69	FM-15	0.00	29.71
17	1952	7	CLR:00	10.00		85	29.4	61	16.3	43	6.1	23	14	220		29.31			29.71	FM-15	0.00	29.73
17	2052	7	CLR:00	10.00		82	27.8	62	16.6	47	8.3	29	14	170		29.33			29.72	FM-15	0.00	29.75
17	2105	7	CLR:00	10.00		83	28.3	62	16.8	47	8.3	28	16	220		29.32				FM-16		29.74
17	2152	7	CLR:00	10.00		81	27.2	61	16.2	46	7.8	29	9	180		29.34	1	-0.04	29.73	FM-15	0.00	29.76
17	2252	7	CLR:00	10.00		77	25.0	61	16.3	50	10.0	39	9	170		29.34			29.74	FM-15	0.00	29.76
17	2352	7	CLR:00	10.00		74	23.3	60	15.7	50	10.0	43	10	160		29.35			29.75	FM-15	0.00	29.77

U.S. Department of Commerce
 National Oceanic & Atmospheric Administration
 National Environmental Satellite, Data, and Information Service
 Current Location: Elev: 395 ft. Lat: 33.6186° N Lon: -114.7142° W
 Station: BLYTHE ASOS, CA US 23158

Local Climatological Data
Hourly Observations
June 2018

National Centers for Environmental Information
 151 Patton Avenue
 Asheville, North Carolina 28801

Generated on 08/08/2018

Date	Time (LST)	Station Type	Sky Conditions	Visi-bility	Weather Type (see documentation) AU AW MW	Dry Bulb Temp		Wet Bulb Temp		Dew Point Temp		Rel Hum %	Wind Speed (MPH)	Wind Dir (Deg)	Wind Gusts (MPH)	Station Press (inHg)	Press. Tend	Net 3-Hr Change (inHg)	Sea Level Press. (inHg)	Report Type	Precip Total (in)	Alti-meter Setting (inHg)
						(F)	(C)	(F)	(C)	(F)	(C)											
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
18	0052	7	CLR:00	10.00		73	22.8	59	15.2	49	9.4	43	7	170		29.36	3	-0.03	29.76	FM-15	0.00	29.78
18	0152	7	CLR:00	10.00		72	22.2	59	15.0	49	9.4	44	10	180		29.36			29.76	FM-15	0.00	29.78
18	0252	7	CLR:00	10.00		70	21.1	57	14.1	47	8.3	44	3	140		29.37			29.77	FM-15	0.00	29.79
18	0352	7	CLR:00	10.00		70	21.1	57	13.8	46	7.8	42	3	220		29.39	3	-0.03	29.79	FM-15	0.00	29.81
18	0452	7	CLR:00	10.00		67	19.4	56	13.2	46	7.8	47	7	360		29.41			29.80	FM-15	0.00	29.83
18	0552	7	CLR:00	10.00		71	21.7	58	14.3	47	8.3	42	0	000		29.42			29.82	FM-15	0.00	29.84
18	0652	7	CLR:00	10.00		75	23.9	59	15.2	47	8.3	37	0	000		29.44	3	-0.06	29.84	FM-15	0.00	29.86
18	0752	7	CLR:00	10.00		79	26.1	61	16.0	47	8.3	32	0	000		29.46			29.85	FM-15	0.00	29.88
18	0852	7	CLR:00	10.00		82	27.8	61	16.2	45	7.2	27	3	VRB		29.46			29.86	FM-15	0.00	29.88
18	0952	7	CLR:00	10.00		86	30.0	62	16.8	44	6.7	23	0	000		29.46	1	-0.01	29.86	FM-15	0.00	29.88
18	1052	7	CLR:00	10.00		88	31.1	61	16.3	40	4.4	18	7	220		29.44			29.84	FM-15	0.00	29.86
18	1152	7	CLR:00	10.00		91	32.8	61	16.1	35	1.7	14	9	290		29.43			29.83	FM-15	0.00	29.85
18	1252	7	CLR:00	10.00		94	34.4	61	16.0	31	-0.6	11	6	VRB		29.40	8	+0.06	29.80	FM-15	0.00	29.82
18	1352	7	CLR:00	10.00		96	35.6	61	16.2	29	-1.7	9	8	270		29.38			29.78	FM-15	0.00	29.80
18	1452	7	CLR:00	10.00		95	35.0	61	16.0	29	-1.7	9	0	000		29.37			29.77	FM-15	0.00	29.79
18	1552	7	CLR:00	10.00		98	36.7	61	16.0	24	-4.4	7	6	050		29.34	8	+0.06	29.74	FM-15	0.00	29.76
18	1652	7	CLR:00	10.00		97	36.1	61	16.0	26	-3.3	8	6	090		29.33			29.73	FM-15	0.00	29.75
18	1752	7	CLR:00	10.00		96	35.6	61	15.9	27	-2.8	8	6	130		29.34			29.73	FM-15	0.00	29.76
18	1852	7	CLR:00	10.00		94	34.4	60	15.4	26	-3.3	9	6	150		29.34	5	+0.01	29.74	FM-15	0.00	29.76
18	1952	7	CLR:00	10.00		89	31.7	57	13.9	23	-5.0	9	6	210		29.35			29.75	FM-15	0.00	29.77
18	2052	7	CLR:00	10.00		87	30.6	57	13.7	25	-3.9	10	7	240		29.36			29.76	FM-15	0.00	29.78
18	2152	7	CLR:00	10.00		84	28.9	56	13.2	26	-3.3	12	3	170		29.36	0	-0.02	29.76	FM-15	0.00	29.78
18	2252	7	CLR:00	10.00		76	24.4	55	12.7	34	1.1	22	0	000		29.36			29.76	FM-15	0.00	29.78
18	2352	7	CLR:00	10.00		79	26.1	55	13.0	32	0.0	18	8	170		29.36			29.76	FM-15	0.00	29.78

U.S. Department of Commerce
 National Oceanic & Atmospheric Administration
 National Environmental Satellite, Data, and Information Service
 Current Location: Elev: 2641 ft. Lat: 32.6261° N Lon: -116.4681° W
 Station: CAMPO ASOS, CA US 03164

Local Climatological Data
Hourly Observations
June 2018

National Centers for Environmental Information
 151 Patton Avenue
 Asheville, North Carolina 28801

Generated on 08/08/2018

Date	Time (LST)	Station Type	Sky Conditions	Visi-bility	Weather Type (see documentation) AU AW MW	Dry Bulb Temp		Wet Bulb Temp		Dew Point Temp		Rel Hum %	Wind Speed (MPH)	Wind Dir (Deg)	Wind Gusts (MPH)	Station Press (inHg)	Press. Tend	Net 3-Hr Change (inHg)	Sea Level Press. (inHg)	Report Type	Precip Total (in)	Alti-meter Setting (inHg)
						(F)	(C)	(F)	(C)	(F)	(C)											
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
16	0052	7				58	14.4	55	12.9	53	11.7	84	3	210		27.08	8	+0.00	29.68	FM-15	0.00	29.79
16	0152	7				54	12.2	52	11.0	50	10.0	87	0	000		27.07			29.68	FM-15	0.00	29.78
16	0252	7				55	12.8	52	11.3	50	10.0	83	0	000		27.06			29.67	FM-15	0.00	29.77
16	0352	7				53	11.7	51	10.5	49	9.4	86	0	000		27.07	5	+0.01	29.69	FM-15	0.00	29.78
16	0452	7				56	13.3	55	12.7	54	12.2	93	5	170		27.08			29.70	FM-15	0.00	29.79
16	0552	7				56	13.3	55	13.0	55	12.8	97	6	240		27.08			29.71	FM-15	0.00	29.80
16	0652	7				58	14.4	55	12.9	53	11.7	84	6	240		27.11	3	-0.03	29.73	FM-15	0.00	29.82
16	0752	7				61	16.1	58	14.2	55	12.8	81	5	VRB		27.11			29.75	FM-15	0.00	29.83
16	0852	7				64	17.8	58	14.5	54	12.2	70	8	250		27.11			29.74	FM-15	0.00	29.83
16	0952	7				65	18.3	58	14.5	53	11.7	66	8	VRB		27.11	1	-0.01	29.75	FM-15	0.00	29.83
16	1052	7				66	18.9	58	14.7	53	11.7	63	10	240		27.12			29.75	FM-15	0.00	29.84
16	1152	7				68	20.0	59	14.8	52	11.1	57	8	240	18	27.12			29.75	FM-15	0.00	29.84
16	1252	7				70	21.1	59	15.0	51	10.6	51	14	220	20	27.11	8	+0.00	29.75	FM-15	0.00	29.83
16	1352	7				69	20.6	59	14.7	51	10.6	53	13	220	22	27.12			29.76	FM-15	0.00	29.84
16	1452	7				67	19.4	57	14.0	50	10.0	55	16	220	22	27.11			29.76	FM-15	0.00	29.83
16	1552	7				67	19.4	57	13.8	49	9.4	53	13	230	20	27.11	8	+0.01	29.75	FM-15	0.00	29.82
16	1652	7				63	17.2	56	13.4	51	10.6	65	15	210		27.11			29.75	FM-15	0.00	29.82
16	1752	7				58	14.4	54	12.0	50	10.0	75	17	210		27.11			29.77	FM-15	0.00	29.83
16	1852	7				54	12.2	52	11.0	50	10.0	87	11	210		27.12	3	-0.02	29.78	FM-15	0.00	29.84
16	1952	7				54	12.2	52	11.0	50	10.0	87	7	210		27.13			29.78	FM-15	0.00	29.85
16	2052	7				54	12.2	51	10.7	49	9.4	83	8	220		27.15			29.80	FM-15	0.00	29.87
16	2152	7				54	12.2	51	10.4	48	8.9	80	6	250		27.15	1	-0.03	29.80	FM-15	0.00	29.87
16	2252	7				54	12.2	50	10.2	47	8.3	77	5	270		27.15			29.80	FM-15	0.00	29.87
16	2352	7				53	11.7	50	9.9	47	8.3	80	6	250		27.14			29.79	FM-15	0.00	29.86

U.S. Department of Commerce
 National Oceanic & Atmospheric Administration
 National Environmental Satellite, Data, and Information Service
 Current Location: Elev: 2641 ft. Lat: 32.6261° N Lon: -116.4681° W
 Station: CAMPO ASOS, CA US 03164

Local Climatological Data
Hourly Observations
June 2018

National Centers for Environmental Information
 151 Patton Avenue
 Asheville, North Carolina 28801

Generated on 08/08/2018

Date	Time (LST)	Station Type	Sky Conditions	Visi-bility	Weather Type (see documentation) AU AW MW	Dry Bulb Temp		Wet Bulb Temp		Dew Point Temp		Rel Hum %	Wind Speed (MPH)	Wind Dir (Deg)	Wind Gusts (MPH)	Station Press (inHg)	Press. Tend	Net 3-Hr Change (inHg)	Sea Level Press. (inHg)	Report Type	Precip Total (in)	Alti-meter Setting (inHg)
						(F)	(C)	(F)	(C)	(F)	(C)											
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
17	0052	7				52	11.1	49	9.4	46	7.8	80	8	260		27.14	7	+0.01	29.79	FM-15	0.00	29.86
17	0152	7				52	11.1	49	9.4	46	7.8	80	7	230		27.14			29.79	FM-15	0.00	29.86
17	0252	7				52	11.1	49	9.4	46	7.8	80	7	220		27.15			29.80	FM-15	0.00	29.87
17	0352	7				52	11.1	49	9.4	46	7.8	80	8	260		27.15	3	-0.01	29.80	FM-15	0.00	29.87
17	0452	7				52	11.1	49	9.7	47	8.3	83	7	230		27.16			29.82	FM-15	0.00	29.88
17	0552	7				52	11.1	49	9.4	46	7.8	80	6	250		27.18			29.84	FM-15	0.00	29.90
17	0652	7				52	11.1	49	9.4	46	7.8	80	9	270		27.19	3	-0.04	29.86	FM-15	0.00	29.91
17	0752	7				54	12.2	50	10.2	47	8.3	77	10	230		27.21			29.87	FM-15	0.00	29.93
17	0852	7				56	13.3	51	10.7	47	8.3	72	10	220		27.21			29.87	FM-15	0.00	29.93
17	0952	7				58	14.4	52	11.2	47	8.3	67	14	210		27.21	1	-0.01	29.87	FM-15	0.00	29.93
17	1052	7				62	16.7	54	12.1	47	8.3	58	17	210	24	27.21			29.86	FM-15	0.00	29.93
17	1152	7				65	18.3	55	12.5	46	7.8	51	18	210	26	27.20			29.85	FM-15	0.00	29.92
17	1252	7				68	20.0	56	13.2	46	7.8	45	20	220	26	27.20	8	+0.01	29.85	FM-15	0.00	29.92
17	1352	7				69	20.6	56	13.2	45	7.2	42	20	230	24	27.19			29.84	FM-15	0.00	29.91
17	1452	7				69	20.6	55	12.9	44	6.7	41	18	230		27.19			29.84	FM-15	0.00	29.91
17	1552	7				66	18.9	55	12.8	46	7.8	49	18	230	24	27.20	5	+0.00	29.85	FM-15	0.00	29.92
17	1652	7				64	17.8	55	12.6	47	8.3	54	13	270		27.20			29.86	FM-15	0.00	29.92
17	1752	7				62	16.7	54	12.1	47	8.3	58	11	260		27.21			29.87	FM-15	0.00	29.93
17	1852	7				57	13.9	52	10.9	47	8.3	69	9	240		27.21	3	-0.02	29.88	FM-15	0.00	29.94
17	1952	7				55	12.8	51	10.4	47	8.3	74	6	290		27.21			29.89	FM-15	0.00	29.94
17	2052	7				53	11.7	50	9.9	47	8.3	80	5	230		27.22			29.90	FM-15	0.00	29.95
17	2152	7				51	10.6	48	9.1	46	7.8	83	0	000		27.24	3	-0.03	29.91	FM-15	0.00	29.96
17	2252	7				48	8.9	47	8.3	46	7.8	93	0	000		27.24			29.91	FM-15	0.00	29.97
17	2352	7				48	8.9	47	8.3	46	7.8	93	0	000		27.24			29.90	FM-15	0.00	29.96

U.S. Department of Commerce
 National Oceanic & Atmospheric Administration
 National Environmental Satellite, Data, and Information Service
 Current Location: Elev: 2641 ft. Lat: 32.6261° N Lon: -116.4681° W
 Station: CAMPO ASOS, CA US 03164

Local Climatological Data
Hourly Observations
June 2018

National Centers for Environmental Information
 151 Patton Avenue
 Asheville, North Carolina 28801

Generated on 08/08/2018

Date	Time (LST)	Station Type	Sky Conditions	Visi-bility	Weather Type (see documentation) AU AW MW	Dry Bulb Temp		Wet Bulb Temp		Dew Point Temp		Rel Hum %	Wind Speed (MPH)	Wind Dir (Deg)	Wind Gusts (MPH)	Station Press (inHg)	Press. Tend	Net 3-Hr Change (inHg)	Sea Level Press. (inHg)	Report Type	Precip Total (in)	Alti-meter Setting (inHg)
						(F)	(C)	(F)	(C)	(F)	(C)											
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
18	0052	7				51	10.6	49	9.4	47	8.3	86	0	000		27.22	8	+0.01	29.88	FM-15	0.00	29.95
18	0152	7				51	10.6	48	9.1	46	7.8	83	5	300		27.21			29.87	FM-15	0.00	29.94
18	0252	7				49	9.4	46	8.0	44	6.7	83	3	280		27.21			29.88	FM-15	0.00	29.94
18	0352	7				44	6.7	43	5.9	41	5.0	89	0	000		27.22	3	-0.00	29.90	FM-15	0.00	29.95
18	0452	7				43	6.1	43	5.8	42	5.6	97	3	040		27.24			29.91	FM-15	0.00	29.96
18	0552	7				48	8.9	46	7.8	44	6.7	86	3	020		27.24			29.91	FM-15	0.00	29.97
18	0652	7				53	11.7	49	9.4	45	7.2	74	0	000		27.25	3	-0.02	29.92	FM-15	0.00	29.98
18	0752	7				58	14.4	51	10.6	45	7.2	62	3	VRB		27.26			29.93	FM-15	0.00	29.99
18	0852	7				63	17.2	53	11.6	44	6.7	50	9	190		27.26			29.92	FM-15	0.00	29.99
18	0952	7				68	20.0	54	12.5	43	6.1	40	11	220		27.25	0	-0.00	29.91	FM-15	0.00	29.98
18	1052	7				72	22.2	56	13.1	42	5.6	34	16	210	24	27.24			29.90	FM-15	0.00	29.97
18	1152	7				76	24.4	56	13.6	40	4.4	27	17	220		27.24			29.89	FM-15	0.00	29.97
18	1252	7				77	25.0	57	14.0	41	5.0	28	13	240	24	27.24	6	+0.01	29.88	FM-15	0.00	29.96
18	1352	7				77	25.0	60	15.6	48	8.9	36	18	230	26	27.24			29.88	FM-15	0.00	29.96
18	1452	7				77	25.0	61	15.9	49	9.4	37	11	VRB	31	27.22			29.87	FM-15	0.00	29.95
18	1552	7				76	24.4	61	15.9	50	10.0	40	11	260	22	27.22	7	+0.01	29.88	FM-15	0.00	29.95
18	1652	7				71	21.7	60	15.5	52	11.1	51	14	230	20	27.22			29.89	FM-15	0.00	29.95
18	1752	7				69	20.6	59	15.0	52	11.1	55	8	280		27.22			29.89	FM-15	0.00	29.95
18	1852	7				62	16.7	56	13.2	51	10.6	67	10	210		27.24	3	-0.01	29.90	FM-15	0.00	29.96
18	1952	7				58	14.4	54	12.3	51	10.6	78	5	200		27.24			29.91	FM-15	0.00	29.97
18	2052	7				56	13.3	54	12.1	52	11.1	87	5	210		27.26			29.92	FM-15	0.00	29.99
18	2152	7				50	10.0	48	8.9	46	7.8	86	3	060		27.25	0	-0.02	29.92	FM-15	0.00	29.98
18	2252	7				50	10.0	48	9.1	47	8.3	89	3	030		27.25			29.91	FM-15	0.00	29.98
18	2352	7				48	8.9	46	8.0	45	7.2	89	3	040		27.24			29.90	FM-15	0.00	29.97

June 17, 2018 Exceptional Event, Imperial County

Appendix A

U.S. Department of Commerce
 National Oceanic & Atmospheric Administration
 National Environmental Satellite, Data, and Information Service
 Current Location: Elev: -42 ft. Lat: 32.8167° N Lon: -115.6833° W
 Station: EL CENTRO NAF, CA US WBAN: 72281023199 (KNJK)

Local Climatological Data Hourly Observations June 2018

Generated on 08/14/2019

National Centers for Environmental Information
 151 Patton Avenue
 Asheville, North Carolina 28801

Date	Time (LST)	Station Type	Sky Conditions	Visi-bility	Weather Type (see documentation) AU AW MW	Dry Bulb Temp		Wet Bulb Temp		Dew Point Temp		Rel Hum %	Wind Speed (MPH)	Wind Dir (Deg)	Wind Gusts (MPH)	Station Press (inHg)	Press. Tend	Net 3-Hr Change (inHg)	Sea Level Press. (inHg)	Report Type	Precip Total (in)	Alti-meter Setting (inHg)
						(F)	(C)	(F)	(C)	(F)	(C)											
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
16	0056	7	CLR:00	10.00		79	26.1	68	20.0	61	16.1	54	0	000		29.66	5	+0.01	29.67	FM-15	0.00	29.62
16	0156	7	CLR:00	10.00		79	26.1	70	21.1	66	18.9	65	6	090		29.66			29.67	FM-15	0.00	29.62
16	0256	7	CLR:00	10.00		78	25.6	72	22.2	69	20.6	74	3	160		29.67			29.67	FM-15	0.00	29.63
16	0356	7	CLR:00	10.00		78	25.6	72	22.2	69	20.6	74	7	110		29.67	2	0.00	29.67	FM-15	0.00	29.63
16	0456	7	FEW:02 120 BKN:07 150	10.00		78	25.6	68	20.0	63	17.2	60	0	000		29.68			29.68	FM-15	0.00	29.64
16	0556	7	BKN:07 170	10.00		78	25.6	73	22.8	70	21.1	76	5	100		29.70			29.70	FM-15	0.00	29.66
16	0657	7	BKN:07 170	10.00		80	26.7	74	23.3	71	21.7	74	8	120		29.71			29.72	FM-15	0.00	29.67
16	0756	7	BKN:07 200	10.00		82	27.8	72	22.2	67	19.4	60	5	130		29.72			29.72	FM-15	0.00	29.68
16	0856	7	BKN:07 200	10.00		84	28.9	72	22.2	66	18.9	55	7	100		29.72			29.73	FM-15	0.00	29.68
16	0956	7	BKN:07 200	10.00		86	30.0	71	21.7	63	17.2	46	8	100		29.72	0	-0.01	29.72	FM-15	0.00	29.68
16	1056	7	BKN:07 200	10.00		89	31.7	69	20.6	58	14.4	35	3	VRB		29.71			29.72	FM-15	0.00	29.67
16	1156	7	BKN:07 200	10.00		91	32.8	66	18.9	50	10.0	25	3	VRB		29.70			29.70	FM-15	0.00	29.66
16	1256	7	FEW:02 150 BKN:07 200	10.00		92	33.3	69	20.6	55	12.8	29	8	VRB		29.69	8	+0.04	29.69	FM-15	0.00	29.65
16	1356	7	FEW:02 150 BKN:07 200	10.00		94	34.4	65	18.3	45	7.2	18	5	VRB		29.68			29.68	FM-15	0.00	29.64
16	1456	7	CLR:00	10.00		97	36.1	63	17.2	36	2.2	12	20	260		29.66			29.66	FM-15	T	29.62
16	1506	7	CLR:00	10.00	-RA:02 RA RA	96	35.6	63	17.2	36	2.2	12	21	260		29.66				FM-16	T	29.62
16	1556	7	CLR:00	9.00	-RA:02 RA RA	96	35.6	62	16.7	33	0.6	11	28	260	32	29.65	8	+0.04	29.65	FM-15	T	29.61
16	1656	7	CLR:00	10.00	-RA:02 RA RA	92	33.3	62	16.7	36	2.2	14	28	260	33	29.65			29.65	FM-15	T	29.61
16	1756	7	CLR:00	10.00	-RA:02 RA RA	87	30.6	61	16.1	39	3.9	18	24	260	31	29.65			29.66	FM-15	T	29.61
16	1856	7	CLR:00	10.00		81	27.2	60	15.6	42	5.6	25	21	280		29.67	3	-0.02	29.67	FM-15	T	29.63
16	1956	7	CLR:00	10.00		77	25.0	59	15.0	44	6.7	31	21	270		29.68			29.68	FM-15	0.00	29.64
16	2056	7	CLR:00	10.00	-RA:02 RA RA	76	24.4	57	13.9	39	3.9	26	26	270	33	29.72			29.72	FM-15	T	29.68
16	2156	7	CLR:00	10.00	-RA:02 RA RA	74	23.3	56	13.3	39	3.9	28	23	270		29.71	0	-0.04	29.72	FM-15	T	29.67
16	2256	7	CLR:00	10.00		74	23.3	55	12.8	38	3.3	27	21	270		29.72			29.72	FM-15	T	29.68
16	2356	7	CLR:00	10.00	-RA:02 RA RA	72	22.2	55	12.8	39	3.9	30	20	260		29.73			29.73	FM-15	T	29.69

U.S. Department of Commerce
 National Oceanic & Atmospheric Administration
 National Environmental Satellite, Data, and Information Service
 Current Location: Elev: -42 ft. Lat: 32.8167° N Lon: -115.6833° W
 Station: EL CENTRO NAF, CA US WBAN: 72281023199 (KNJK)

**Local Climatological Data
 Hourly Observations
 June 2018**

National Centers for Environmental Information
 151 Patton Avenue
 Asheville, North Carolina 28801

Generated on 08/14/2019

Date	Time (LST)	Station Type	Sky Conditions	Visi-bility	Weather Type (see documentation) AU AW MW	Dry Bulb Temp		Wet Bulb Temp		Dew Point Temp		Rel Hum %	Wind Speed (MPH)	Wind Dir (Deg)	Wind Gusts (MPH)	Station Press (inHg)	Press. Tend	Net 3-Hr Change (inHg)	Sea Level Press. (inHg)	Report Type	Precip Total (in)	Alti-meter Setting (inHg)
						(F)	(C)	(F)	(C)	(F)	(C)											
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
17	0056	7	CLR:00	10.00		71	21.7	55	12.8	39	3.9	31	17	260		29.73	0	-0.01	29.73	FM-15	T	29.69
17	0156	7	CLR:00	10.00		70	21.1	55	12.8	42	5.6	37	18	270		29.74			29.74	FM-15	0.00	29.70
17	0256	7	CLR:00	10.00		68	20.0	54	12.2	42	5.6	39	14	250		29.76			29.77	FM-15	0.00	29.72
17	0356	7	CLR:00	10.00		68	20.0	56	13.3	45	7.2	44	17	260		29.77	1	-0.04	29.77	FM-15	0.00	29.73
17	0456	7	CLR:00	10.00		68	20.0	56	13.3	45	7.2	44	15	260		29.78			29.79	FM-15	0.00	29.74
17	0556	7	CLR:00	10.00		71	21.7	57	13.9	45	7.2	39	15	270		29.79			29.79	FM-15	0.00	29.75
17	0656	7	CLR:00	10.00		76	24.4	58	14.4	43	6.1	31	16	270		29.82	3	-0.05	29.80	FM-15	0.00	29.78
17	0756	7	CLR:00	10.00		80	26.7	59	15.0	41	5.0	25	14	270		29.83			29.83	FM-15	0.00	29.79
17	0856	7	CLR:00	10.00		81	27.2	59	15.0	40	4.4	23	14	270		29.83			29.83	FM-15	0.00	29.79
17	0956	7	CLR:00	10.00		84	28.9	60	15.6	39	3.9	20	9	290		29.82	0	0.00	29.82	FM-15	0.00	29.78
17	1056	7	CLR:00	10.00		88	31.1	62	16.7	40	4.4	18	15	280	23	29.81			29.81	FM-15	0.00	29.77
17	1156	7	CLR:00	10.00	-RA:02 RA RA	91	32.8	62	16.7	39	3.9	16	17	250	25	29.81			29.81	FM-15	T	29.77
17	1256	7	CLR:00	10.00	-RA:02 RA RA	93	33.9	63	17.2	38	3.3	14	22	260	29	29.79	8	+0.02	29.80	FM-15	T	29.75
17	1356	7	CLR:00	7.00	-RA:02 RA RA	93	33.9	62	16.7	35	1.7	13	29	260	36	29.79			29.79	FM-15	T	29.75
17	1428	7	FEW:02 10	2.50	-RA:02 RA RA	92	33.3	61	16.1	34	1.1	13	32	250	41	29.79				FM-16	T	29.75
17	1430	7	FEW:02 8	3.00	-RA:02 RA RA	92	33.3	61	16.1	34	1.1	13	32	250	41	29.79				FM-16	T	29.75
17	1439	7	SCT:04 8	1.75V	-RA:02 RA RA	92	33.3	61	16.1	34	1.1	13	36	260	41	29.79				FM-16	T	29.75
17	1454	6	FEW:02 9	2.50V	-RA:02 RA RA	91	32.8	61	16.1	34	1.1	13	31	260	43	29.79				FM-16		29.75
17	1456	7	FEW:02 9	2.50V	-RA:02 RA RA	92	33.3	61	16.1	34	1.1	13	30	260	43	29.79			29.79	FM-15	T	29.75
17	1513	7	FEW:02 7	4.00	-RA:02 RA RA	91	32.8	60	15.6	33	0.6	13	36	250	41	29.78				FM-16	T	29.74
17	1556	7	CLR:00	3.00	-RA:02 RA RA	90	32.2	59	15.0	29	-1.7	11	33	250	41	29.78	8	+0.01	29.78	FM-15	T	29.74
17	1656	7	CLR:00	4.00	-RA:02 RA RA	87	30.6	59	15.0	33	0.6	14	37	260	43	29.78			29.79	FM-15	T	29.74
17	1706	7	FEW:02 6	4.00	-RA:02 RA RA	87	30.6	60	15.6	36	2.2	16	32	250	43	29.78				FM-16	T	29.74
17	1756	7	CLR:00	5.00	-RA:02 RA RA	82	27.8	59	15.0	38	3.3	21	36	260	43	29.79			29.79	FM-15	T	29.75
17	1856	7	CLR:00	10.00	-RA:02 RA RA	78	25.6	59	15.0	42	5.6	28	30	250	38	29.80	3	-0.02	29.80	FM-15	T	29.76
17	1956	7	CLR:00	10.00	-RA:02 RA RA	76	24.4	58	14.4	42	5.6	30	23	250		29.80			29.81	FM-15	T	29.76
17	2056	7	CLR:00	10.00	-RA:02 RA RA	75	23.9	57	13.9	42	5.6	31	25	260		29.82			29.83	FM-15	T	29.78
17	2156	7	CLR:00	10.00		73	22.8	57	13.9	42	5.6	33	16	270		29.82	1	-0.02	29.83	FM-15	T	29.78
17	2256	7	CLR:00	10.00	-RA:02 RA RA	74	23.3	56	13.3	40	4.4	29	24	260		29.82			29.83	FM-15	T	29.78
17	2356	7	CLR:00	10.00	-RA:02 RA RA	72	22.2	55	12.8	40	4.4	31	24	260	32	29.83			29.83	FM-15	T	29.79

U.S. Department of Commerce
 National Oceanic & Atmospheric Administration
 National Environmental Satellite, Data, and Information Service
 Current Location: Elev: -42 ft. Lat: 32.8167° N Lon: -115.6833° W
 Station: EL CENTRO NAF, CA US 23199

**Local Climatological Data
 Hourly Observations
 June 2018**

National Centers for Environmental Information
 151 Patton Avenue
 Asheville, North Carolina 28801

Generated on 06/21/2018

Date	Time (LST)	Station Type	Sky Conditions	Visi-bility	Weather Type (see documentation) AU AW MW	Dry Bulb Temp		Wet Bulb Temp		Dew Point Temp		Rel Hum %	Wind Speed (MPH)	Wind Dir (Deg)	Wind Gusts (MPH)	Station Press (inHg)	Press. Tend	Net 3-Hr Change (inHg)	Sea Level Press. (inHg)	Report Type	Precip Total (in)	Alti-meter Setting (inHg)
						(F)	(C)	(F)	(C)	(F)	(C)											
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23

U.S. Department of Commerce
 National Oceanic & Atmospheric Administration
 National Environmental Satellite, Data, and Information Service
 Current Location: Elev: -58 ft. Lat: 32.8342° N Lon: -115.5786° W
 Station: IMPERIAL CO AIRPORT, CA US 03144

Local Climatological Data
Hourly Observations
June 2018

Generated on 06/21/2018

National Centers for Environmental Information
 151 Patton Avenue
 Asheville, North Carolina 28801

Date	Time (LST)	Station Type	Sky Conditions	Visi-bility	Weather Type (see documentation) AU AW MW	Dry Bulb Temp		Wet Bulb Temp		Dew Point Temp		Rel Hum %	Wind Speed (MPH)	Wind Dir (Deg)	Wind Gusts (MPH)	Station Press (inHg)	Press. Tend	Net 3-Hr Change (inHg)	Sea Level Press. (inHg)	Report Type	Precip Total (in)	Alti-meter Setting (inHg)
						(F)	(C)	(F)	(C)	(F)	(C)											
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
16	0053	7	CLR:00	10.00		81	27.2	72	22.1	67	19.4	62	3	080		29.66	5	+0.01	29.61	FM-15		29.60
16	0153	7	CLR:00	10.00		80	26.7	73	22.9	70	21.1	71	9	120		29.66			29.60	FM-15		29.60
16	0253	7	CLR:00	10.00		79	26.1	74	23.1	71	21.7	77	8	120		29.67			29.61	FM-15		29.61
16	0353	7	CLR:00	10.00		79	26.1	74	23.5	72	22.2	79	9	120		29.67	3	-0.01	29.62	FM-15		29.61
16	0453	7	CLR:00	10.00		78	25.6	74	23.3	72	22.2	82	9	130		29.68			29.62	FM-15		29.62
16	0553	7	CLR:00	10.00		78	25.6	74	23.3	72	22.2	82	9	120		29.70			29.64	FM-15		29.64
16	0653	7	CLR:00	10.00		81	27.2	75	23.8	72	22.2	74	13	120		29.71	3	-0.04	29.66	FM-15		29.65
16	0753	7	CLR:00	10.00		83	28.3	74	23.4	70	21.1	65	8	110		29.72			29.66	FM-15		29.66
16	0853	7	CLR:00	10.00		83	28.3	72	22.1	66	18.9	57	5	VRB		29.73			29.67	FM-15		29.67
16	0953	7	CLR:00	10.00		86	30.0	73	22.6	66	18.9	51	7	140		29.72	0	-0.01	29.67	FM-15		29.66
16	1053	7	CLR:00	10.00		89	31.7	72	22.5	64	17.8	43	3	VRB		29.72			29.66	FM-15		29.66
16	1153	7	CLR:00	10.00		91	32.8	70	21.1	58	14.4	33	5	VRB		29.70			29.64	FM-15		29.64
16	1253	7	CLR:00	10.00		92	33.3	70	21.0	57	13.9	31	8	250		29.68	8	+0.04	29.62	FM-15		29.62
16	1353	6	CLR:00	10.00		93	33.9	71	21.9	60	15.6	33	7	260		29.68			29.62	FM-15		29.62
16	1553	6	CLR:00	10.00		95	35.0	64	17.9	41	5.0	15	15	270		29.64	8	+0.04	29.58	FM-15		29.58
16	1653	6	CLR:00	10.00		92	33.3	63	17.3	41	5.0	17	22	260	28	29.64			29.58	FM-15		29.58
16	1753	6	CLR:00	10.00		87	30.6	62	16.6	42	5.6	21	22	270	26	29.64			29.58	FM-15		29.58
16	1853	6	CLR:00	10.00		81	27.2	60	15.8	44	6.7	27	16	280		29.66	3	-0.01	29.60	FM-15		29.60
16	1953	6	CLR:00	10.00		77	25.0	60	15.4	46	7.8	33	17	280		29.67			29.61	FM-15		29.61
16	2053	6	CLR:00	10.00		75	23.9	57	14.1	42	5.6	31	20	270	28	29.71			29.65	FM-15		29.65
16	2153	6	CLR:00	10.00		75	23.9	57	13.6	40	4.4	28	17	280	29	29.70	0	-0.04	29.64	FM-15		29.64

U.S. Department of Commerce
 National Oceanic & Atmospheric Administration
 National Environmental Satellite, Data, and Information Service
 Current Location: Elev: -58 ft. Lat: 32.8342° N Lon: -115.5786° W
 Station: IMPERIAL CO AIRPORT, CA US 03144

**Local Climatological Data
 Hourly Observations
 June 2018**

National Centers for Environmental Information
 151 Patton Avenue
 Asheville, North Carolina 28801

Generated on 08/08/2018

Date	Time (LST)	Station Type	Sky Conditions	Visi-bility	Weather Type (see documentation) AU AW MW	Dry Bulb Temp		Wet Bulb Temp		Dew Point Temp		Rel Hum %	Wind Speed (MPH)	Wind Dir (Deg)	Wind Gusts (MPH)	Station Press (inHg)	Press. Tend	Net 3-Hr Change (inHg)	Sea Level Press. (inHg)	Report Type	Precip Total (in)	Alti-meter Setting (inHg)
						(F)	(C)	(F)	(C)	(F)	(C)											
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
17	0053	7	CLR:00	10.00		70	21.1	56	13.2	43	6.1	38	10	270		29.72	1	-0.02	29.66	FM-15	0.00	29.66
17	0153	7	CLR:00	10.00		67	19.4	54	12.5	43	6.1	42	5	260		29.73			29.67	FM-15	0.00	29.67
17	0253	7	CLR:00	10.00		67	19.4	55	12.9	45	7.2	45	13	270		29.75			29.70	FM-15	0.00	29.69
17	0353	7	CLR:00	10.00		66	18.9	55	13.0	46	7.8	49	10	280		29.77	1	-0.05	29.71	FM-15	0.00	29.71
17	0453	7	CLR:00	10.00		65	18.3	55	13.0	47	8.3	52	10	260		29.78			29.72	FM-15	0.00	29.72
17	0553	7	CLR:00	10.00		69	20.6	57	14.1	48	8.9	47	9	270		29.79			29.73	FM-15	0.00	29.73
17	0653	7	CLR:00	10.00		75	23.9	59	15.2	47	8.3	37	10	260		29.82	3	-0.05	29.76	FM-15	0.00	29.76
17	0753	7	CLR:00	10.00		79	26.1	60	15.6	45	7.2	30	13	280		29.82			29.77	FM-15	0.00	29.76
17	0853	7	CLR:00	10.00		82	27.8	60	15.8	43	6.1	25	11	320		29.83			29.77	FM-15	0.00	29.77
17	0953	7	CLR:00	9.00		83	28.3	61	16.0	43	6.1	24				29.82	0	-0.01	29.76	FM-15	0.00	29.76
17	1053	7	CLR:00	10.00		86	30.0	62	16.8	44	6.7	23	6	310		29.82			29.76	FM-15	0.00	29.76
17	1153	7	CLR:00	10.00		89	31.7	63	17.2	43	6.1	20	6	300	16	29.81			29.75	FM-15	0.00	29.75
17	1253	7	CLR:00	10.00		91	32.8	64	17.8	44	6.7	20	11	VRB	22	29.79	8	+0.03	29.74	FM-15	0.00	29.73
17	1353	7	CLR:00	10.00		92	33.3	63	17.2	40	4.4	16	23	260	29	29.78			29.72	FM-15	0.00	29.72
17	1453	7	CLR:00	6.00	HZ:7 FU HZ	91	32.8	62	16.6	38	3.3	15	25	270	34	29.77			29.72	FM-15	0.00	29.71
17	1553	7	CLR:00	9.00		90	32.2	61	16.3	37	2.8	15	26	260	34	29.77	6	+0.03	29.71	FM-15	0.00	29.71
17	1653	7	CLR:00	10.00		87	30.6	60	15.8	38	3.3	18	24	270	36	29.76			29.70	FM-15	0.00	29.70
17	1753	7	CLR:00	5.00	HZ:7 FU HZ	82	27.8	60	15.6	42	5.6	24	25	260	38	29.77			29.71	FM-15	0.00	29.71
17	1853	7	CLR:00	10.00		79	26.1	59	15.2	43	6.1	28	22	260	31	29.79	3	-0.02	29.72	FM-15	0.00	29.73
17	1953	7	CLR:00	10.00		75	23.9	59	14.8	45	7.2	34	17	260	26	29.80			29.74	FM-15	0.00	29.74
17	2053	7	CLR:00	10.00		74	23.3	58	14.5	45	7.2	36	17	260	25	29.81			29.75	FM-15	0.00	29.75
17	2153	7	CLR:00	10.00		72	22.2	57	13.9	44	6.7	37	14	270		29.82	1	-0.03	29.76	FM-15	0.00	29.76
17	2253	7	CLR:00	10.00		73	22.8	57	13.9	43	6.1	34	15	270		29.82			29.76	FM-15	0.00	29.76
17	2353	7	CLR:00	10.00		72	22.2	57	13.6	43	6.1	35	17	270		29.82			29.77	FM-15	0.00	29.76

U.S. Department of Commerce
 National Oceanic & Atmospheric Administration
 National Environmental Satellite, Data, and Information Service
 Current Location: Elev: -58 ft. Lat: 32.8342° N Lon: -115.5786° W
 Station: IMPERIAL CO AIRPORT, CA US 03144

**Local Climatological Data
 Hourly Observations
 June 2018**

National Centers for Environmental Information
 151 Patton Avenue
 Asheville, North Carolina 28801

Generated on 08/08/2018

Date	Time (LST)	Station Type	Sky Conditions	Visi-bility	Weather Type (see documentation) AU AW MW	Dry Bulb Temp		Wet Bulb Temp		Dew Point Temp		Rel Hum %	Wind Speed (MPH)	Wind Dir (Deg)	Wind Gusts (MPH)	Station Press (inHg)	Press. Tend	Net 3-Hr Change (inHg)	Sea Level Press. (inHg)	Report Type	Precip Total (in)	Alti-meter Setting (inHg)
						(F)	(C)	(F)	(C)	(F)	(C)											
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
18	0053	7	CLR:00	10.00		69	20.6	55	12.7	42	5.6	38	8	290		29.83	3	-0.01	29.77	FM-15	0.00	29.77
18	0153	7	CLR:00	10.00		68	20.0	54	12.5	42	5.6	39	7	330		29.84			29.78	FM-15	0.00	29.78
18	0253	7	CLR:00	10.00		68	20.0	53	11.8	39	3.9	35	3	340		29.85			29.79	FM-15	0.00	29.79
18	0353	7	CLR:00	10.00		65	18.3	53	11.5	41	5.0	42	6	340		29.86	3	-0.03	29.80	FM-15	0.00	29.80
18	0453	7	CLR:00	10.00		61	16.1	51	10.3	40	4.4	46	0	000		29.88			29.82	FM-15	0.00	29.82
18	0553	7	CLR:00	10.00		66	18.9	54	12.2	43	6.1	43	0	000		29.89			29.83	FM-15	0.00	29.83
18	0653	7	CLR:00	10.00		72	22.2	56	13.4	42	5.6	34	7	350		29.91	3	-0.05	29.85	FM-15	0.00	29.85
18	0753	7	CLR:00	10.00		76	24.4	57	13.9	40	4.4	27	3	330		29.92			29.86	FM-15	0.00	29.86
18	0853	7	CLR:00	10.00		80	26.7	58	14.6	39	3.9	23	8	330		29.93			29.87	FM-15	0.00	29.87
18	0953	7	CLR:00	10.00		83	28.3	59	15.2	39	3.9	21	5	VRB		29.93	1	-0.01	29.87	FM-15	0.00	29.87
18	1053	7	CLR:00	10.00		86	30.0	59	15.1	35	1.7	16	0	000		29.91			29.85	FM-15	0.00	29.85
18	1153	7	CLR:00	10.00		90	32.2	59	15.0	29	-1.7	11	6	VRB		29.89			29.83	FM-15	0.00	29.83
18	1253	7	CLR:00	10.00		91	32.8	58	14.5	23	-5.0	8				29.87	8	+0.05	29.81	FM-15	0.00	29.81
18	1353	7	CLR:00	10.00		95	35.0	59	15.0	19	-7.2	6	0	000		29.85			29.79	FM-15	0.00	29.79
18	1453	7	CLR:00	10.00		95	35.0	59	15.2	22	-5.6	7	7	VRB		29.83			29.77	FM-15	0.00	29.77
18	1553	7	CLR:00	10.00		97	36.1	61	15.9	24	-4.4	7	6	VRB		29.81	8	+0.06	29.75	FM-15	0.00	29.75
18	1653	7	CLR:00	10.00		96	35.6	60	15.8	25	-3.9	8	0	000		29.80			29.74	FM-15	0.00	29.74
18	1753	7	CLR:00	10.00		95	35.0	61	15.9	28	-2.2	9	3	330		29.80			29.74	FM-15	0.00	29.74
18	1853	7	CLR:00	10.00		90	32.2	60	15.3	31	-0.6	12	5	250		29.80	5	+0.01	29.74	FM-15	0.00	29.74
18	1953	7	CLR:00	10.00		85	29.4	61	16.2	42	5.6	22	10	250		29.82			29.76	FM-15	0.00	29.76
18	2053	7	CLR:00	10.00		81	27.2	61	16.0	45	7.2	28	10	250		29.83			29.77	FM-15	0.00	29.77
18	2153	7	CLR:00	10.00		79	26.1	60	15.6	45	7.2	30	10	240		29.84	1	-0.04	29.78	FM-15	0.00	29.78
18	2253	7	CLR:00	10.00		75	23.9	59	14.8	45	7.2	34	8	270		29.84			29.78	FM-15	0.00	29.78
18	2353	7	CLR:00	10.00		74	23.3	58	14.5	45	7.2	36	9	270		29.83			29.77	FM-15	0.00	29.77

U.S. Department of Commerce
 National Oceanic & Atmospheric Administration
 National Environmental Satellite, Data, and Information Service
 Current Location: Elev: -118 ft. Lat: 33.6267° N Lon: -116.1594° W
 Station: DESERT RESORTS REGIONAL AIRPORT, CA US 03104

Local Climatological Data
Hourly Observations
June 2018

National Centers for Environmental Information
 151 Patton Avenue
 Asheville, North Carolina 28801

Generated on 08/08/2018

Date	Time (LST)	Station Type	Sky Conditions	Visi-bility	Weather Type (see documentation) AU AW MW	Dry Bulb Temp		Wet Bulb Temp		Dew Point Temp		Rel Hum %	Wind Speed (MPH)	Wind Dir (Deg)	Wind Gusts (MPH)	Station Press (inHg)	Press. Tend	Net 3-Hr Change (inHg)	Sea Level Press. (inHg)	Report Type	Precip Total (in)	Alti-meter Setting (inHg)
						(F)	(C)	(F)	(C)	(F)	(C)											
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
16	0052	7	CLR:00	10.00		77	25.0	70	21.0	66	18.9	69	0	000		29.73	8	+0.00	29.62	FM-15	0.00	29.61
16	0152	7	CLR:00	10.00		77	25.0	70	21.0	66	18.9	69	3	330		29.73			29.61	FM-15	0.00	29.61
16	0252	7	CLR:00	10.00		74	23.3	69	20.5	66	18.9	76	3	350		29.73			29.61	FM-15	0.00	29.61
16	0352	7	CLR:00	10.00		72	22.2	65	18.5	61	16.1	68	0	000		29.73	6	+0.01	29.61	FM-15	0.00	29.61
16	0450	6	BKN:07 29	10.00		73	23.0	64	18.0	59	15.0	61	3	350		29.73				FM-16		29.61
16	0452	7	BKN:07 27	10.00		73	22.8	64	17.7	58	14.4	59	3	350		29.73			29.62	FM-15	0.00	29.61
16	0513	7	SCT:04 28 BKN:07 35	10.00		75	23.9	65	18.1	58	14.4	55	0	000		29.74				FM-16		29.62
16	0545	7	SCT:04 22 BKN:07 29 BKN:07 33	10.00		80	26.7	64	18.0	54	12.2	41	6	340		29.75				FM-16		29.63
16	0552	7	BKN:07 22 BKN:07 28 BKN:07 33	10.00		80	26.7	64	18.0	54	12.2	41	7	330		29.75			29.66	FM-15	0.00	29.63
16	0652	7	BKN:07 20	10.00		83	28.3	66	18.8	55	12.8	38	9	330		29.77	3	-0.04	29.68	FM-15	0.00	29.65
16	0701	7	SCT:04 20	10.00		83	28.3	66	18.8	55	12.8	38	9	330		29.77				FM-16		29.65
16	0752	7	CLR:00	10.00		85	29.4	69	20.6	60	15.6	43	6	320		29.77			29.68	FM-15	0.00	29.65
16	0852	7	CLR:00	10.00		86	30.0	73	22.9	67	19.4	53	5	VRB		29.77			29.68	FM-15	0.00	29.65
16	0952	7	BKN:07 39	10.00		89	31.7	74	23.4	67	19.4	48	5	VRB		29.76	8	+0.01	29.67	FM-15	0.00	29.64
16	1052	7	CLR:00	10.00		91	32.8	73	22.8	64	17.8	41	3	180		29.74			29.63	FM-15	0.00	29.62
16	1152	7	CLR:00	10.00		95	35.0	73	22.8	62	16.7	34	7	130		29.73			29.62	FM-15	0.00	29.61
16	1252	7	CLR:00	10.00		96	35.6	74	23.2	63	17.2	34	6	VRB		29.71	6	+0.05	29.62	FM-15	0.00	29.59
16	1352	7	CLR:00	10.00		99	37.2	68	20.2	49	9.4	18	8	VRB		29.70			29.59	FM-15	0.00	29.58
16	1452	7	CLR:00	10.00		99	37.2	66	19.0	43	6.1	15	8	150		29.68			29.59	FM-15	0.00	29.56
16	1552	7	CLR:00	10.00		99	37.2	68	20.0	48	8.9	18	3	VRB		29.66	8	+0.06	29.54	FM-15	0.00	29.54
16	1652	7	CLR:00	10.00		98	36.7	66	18.7	42	5.6	15	17	320	24	29.65			29.54	FM-15	0.00	29.53
16	1752	7	CLR:00	10.00		92	33.3	65	18.4	46	7.8	21	22	340		29.67			29.56	FM-15	0.00	29.55
16	1852	7	CLR:00	7.00		84	28.9	63	17.3	48	8.9	29	18	350	29	29.69	3	-0.04	29.57	FM-15	0.00	29.57
16	1952	7	CLR:00	9.00		80	26.7	62	16.5	48	8.9	33	20	330	28	29.70			29.59	FM-15	0.00	29.58
16	2052	7	CLR:00	9.00		77	25.0	61	16.1	49	9.4	37	20	330	28	29.73			29.62	FM-15	0.00	29.61
16	2152	7	CLR:00	10.00		75	23.9	60	15.5	48	8.9	39	16	330	26	29.73	1	-0.04	29.62	FM-15	0.00	29.61
16	2252	7	CLR:00	10.00		73	22.8	59	15.0	48	8.9	41	15	330	21	29.75			29.63	FM-15	0.00	29.63
16	2352	7	CLR:00	10.00		73	22.8	59	15.0	48	8.9	41	11	330		29.76			29.65	FM-15	0.00	29.64

U.S. Department of Commerce
 National Oceanic & Atmospheric Administration
 National Environmental Satellite, Data, and Information Service
 Current Location: Elev: -118 ft. Lat: 33.6267° N Lon: -116.1594° W
 Station: DESERT RESORTS REGIONAL AIRPORT, CA US 03104

Local Climatological Data
Hourly Observations
June 2018

National Centers for Environmental Information
 151 Patton Avenue
 Asheville, North Carolina 28801

Generated on 08/08/2018

Date	Time (LST)	Station Type	Sky Conditions	Visi-bility	Weather Type (see documentation)	Dry Bulb Temp		Wet Bulb Temp		Dew Point Temp		Rel Hum %	Wind Speed (MPH)	Wind Dir (Deg)	Wind Gusts (MPH)	Station Press (inHg)	Press. Tend	Net 3-Hr Change (inHg)	Sea Level Press. (inHg)	Report Type	Precip Total (in)	Alti-meter Setting (inHg)
					AU AW MW	(F)	(C)	(F)	(C)	(F)	(C)											
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
17	0052	7	CLR:00	10.00		72	22.2	59	14.8	48	8.9	43	13	330		29.77	1	-0.04	29.65	FM-15	0.00	29.65
17	0152	7	CLR:00	10.00		71	21.7	58	14.6	48	8.9	44	8	340		29.78			29.67	FM-15	0.00	29.66
17	0252	7	CLR:00	10.00		70	21.1	58	14.4	48	8.9	46	7	320		29.80			29.69	FM-15	0.00	29.68
17	0352	7	CLR:00	10.00		70	21.1	58	14.4	48	8.9	46	11	320		29.81	1	-0.04	29.70	FM-15	0.00	29.69
17	0452	7	CLR:00	10.00		70	21.1	57	14.1	47	8.3	44	15	330	21	29.82			29.71	FM-15	0.00	29.70
17	0552	7	CLR:00	10.00		72	22.2	58	14.6	47	8.3	41	13	330		29.84			29.73	FM-15	0.00	29.72
17	0652	7	CLR:00	10.00		75	23.9	59	15.2	47	8.3	37	16	340		29.86	3	-0.05	29.75	FM-15	0.00	29.74
17	0752	7	CLR:00	10.00		79	26.1	60	15.6	45	7.2	30	11	330		29.88			29.76	FM-15	0.00	29.76
17	0852	7	CLR:00	10.00		83	28.3	61	16.2	44	6.7	25	15	330		29.87			29.76	FM-15	0.00	29.75
17	0952	7	CLR:00	10.00		85	29.4	62	16.4	43	6.1	23	7	VRB		29.87	0	-0.01	29.75	FM-15	0.00	29.75
17	1052	7	CLR:00	10.00		87	30.6	62	16.4	41	5.0	20	6	VRB		29.86			29.75	FM-15	0.00	29.74
17	1152	7	CLR:00	10.00		89	31.7	62	16.6	40	4.4	18	7	VRB		29.86			29.74	FM-15	0.00	29.74
17	1252	7	CLR:00	10.00		91	32.8	63	17.2	41	5.0	17	6	100		29.83	8	+0.04	29.72	FM-15	0.00	29.71
17	1352	7	CLR:00	10.00		93	33.9	63	17.4	40	4.4	16	5	020		29.82			29.71	FM-15	0.00	29.70
17	1452	7	CLR:00	10.00		95	35.0	64	17.9	41	5.0	15	11	350		29.81			29.70	FM-15	0.00	29.69
17	1552	7	CLR:00	10.00		96	35.6	65	18.3	42	5.6	15	6	050		29.80	8	+0.04	29.68	FM-15	0.00	29.68
17	1652	7	CLR:00	10.00		94	34.4	64	17.9	42	5.6	17	15	350		29.79			29.67	FM-15	0.00	29.67
17	1752	7	CLR:00	9.00		89	31.7	63	17.4	44	6.7	21	24	340	30	29.80			29.68	FM-15	0.00	29.68
17	1852	7	CLR:00	10.00		84	28.9	62	16.8	46	7.8	27	23	340	29	29.81	3	-0.02	29.70	FM-15	0.00	29.69
17	1952	7	CLR:00	10.00		80	26.7	61	16.3	47	8.3	31	20	330		29.83			29.71	FM-15	0.00	29.71
17	2052	7	CLR:00	10.00		77	25.0	61	15.9	48	8.9	36	18	340	28	29.85			29.74	FM-15	0.00	29.73
17	2152	7	CLR:00	10.00		74	23.3	59	15.3	48	8.9	40	17	330		29.87	1	-0.06	29.75	FM-15	0.00	29.75
17	2252	7	CLR:00	10.00		72	22.2	59	14.8	48	8.9	43	15	320		29.88			29.76	FM-15	0.00	29.76
17	2352	7	CLR:00	10.00		72	22.2	58	14.6	47	8.3	41	20	320	26	29.88			29.77	FM-15	0.00	29.76

U.S. Department of Commerce
 National Oceanic & Atmospheric Administration
 National Environmental Satellite, Data, and Information Service
 Current Location: Elev: -118 ft. Lat: 33.6267° N Lon: -116.1594° W
 Station: DESERT RESORTS REGIONAL AIRPORT, CA US 03104

Local Climatological Data
Hourly Observations
June 2018

National Centers for Environmental Information
 151 Patton Avenue
 Asheville, North Carolina 28801

Generated on 08/08/2018

Date	Time (LST)	Station Type	Sky Conditions	Visi-bility	Weather Type (see documentation)	Dry Bulb Temp		Wet Bulb Temp		Dew Point Temp		Rel Hum %	Wind Speed (MPH)	Wind Dir (Deg)	Wind Gusts (MPH)	Station Press (inHg)	Press. Tend	Net 3-Hr Change (inHg)	Sea Level Press. (inHg)	Report Type	Precip Total (in)	Alti-meter Setting (inHg)
					AU AW MW	(F)	(C)	(F)	(C)	(F)	(C)											
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
18	0052	7	CLR:00	10.00		71	21.7	58	14.4	47	8.3	42	15	320	23	29.88	0	-0.01	29.77	FM-15	0.00	29.76
18	0152	7	CLR:00	10.00		70	21.1	58	14.4	48	8.9	46	14	320		29.89			29.77	FM-15	0.00	29.77
18	0252	7	CLR:00	10.00		69	20.6	57	13.9	47	8.3	45	10	330		29.91			29.78	FM-15	0.00	29.78
18	0352	7	CLR:00	10.00		69	20.6	57	13.9	47	8.3	45	11	330		29.91	3	-0.03	29.80	FM-15	0.00	29.79
18	0452	7	CLR:00	10.00		68	20.0	57	13.7	47	8.3	47	9	340		29.93			29.82	FM-15	0.00	29.81
18	0552	7	CLR:00	10.00		71	21.7	58	14.6	48	8.9	44	8	320		29.96			29.83	FM-15	0.00	29.83
18	0652	7	CLR:00	10.00		75	23.9	59	15.2	47	8.3	37	11	320		29.97	1	-0.06	29.85	FM-15	0.00	29.85
18	0752	7	CLR:00	10.00		79	26.1	61	15.9	46	7.8	31	11	330		29.98			29.86	FM-15	0.00	29.86
18	0852	7	CLR:00	10.00		83	28.3	62	16.7	46	7.8	27	7	VRB		29.98			29.86	FM-15	0.00	29.86
18	0952	7	CLR:00	10.00		88	31.1	62	16.6	41	5.0	19	6	010		29.97	0	-0.01	29.86	FM-15	0.00	29.85
18	1052	7	CLR:00	10.00		90	32.2	62	16.8	40	4.4	17	3	VRB		29.96			29.85	FM-15	0.00	29.84
18	1152	7	CLR:00	10.00		95	35.0	63	17.3	37	2.8	13	7	340		29.93			29.82	FM-15	0.00	29.81
18	1252	7	CLR:00	10.00		96	35.6	63	17.0	34	1.1	11	3	VRB		29.91	8	+0.06	29.80	FM-15	0.00	29.79
18	1352	7	CLR:00	10.00		98	36.7	63	17.0	31	-0.6	9				29.91			29.78	FM-15	0.00	29.78
18	1452	7	CLR:00	10.00		100	37.8	62	16.8	27	-2.8	7	6	330		29.87			29.76	FM-15	0.00	29.75
18	1552	7	CLR:00	10.00		101	38.3	62	16.8	25	-3.9	7	6	360		29.85	8	+0.06	29.74	FM-15	0.00	29.73
18	1652	7	CLR:00	10.00		99	37.2	62	16.6	27	-2.8	8	3	280		29.84			29.72	FM-15	0.00	29.72
18	1752	7	CLR:00	10.00		98	36.7	64	17.8	37	2.8	12	8	320		29.84			29.73	FM-15	0.00	29.72
18	1852	7	CLR:00	10.00		93	33.9	65	18.2	44	6.7	18	13	330		29.85	5	+0.00	29.73	FM-15	0.00	29.73
18	1952	7	CLR:00	10.00		88	31.1	65	18.3	49	9.4	26	17	320	25	29.86			29.75	FM-15	0.00	29.74
18	2052	7	CLR:00	10.00		85	29.4	64	18.0	50	10.0	30	18	320	26	29.88			29.77	FM-15	0.00	29.76
18	2152	7	CLR:00	10.00		82	27.8	64	17.6	51	10.6	34	20	330	25	29.89	1	-0.04	29.77	FM-15	0.00	29.77
18	2252	7	CLR:00	10.00		79	26.1	63	17.0	51	10.6	38	14	310	22	29.89			29.78	FM-15	0.00	29.77
18	2352	7	CLR:00	10.00		79	26.1	63	17.0	51	10.6	38	15	330		29.89			29.80	FM-15	0.00	29.77

U.S. Department of Commerce
 National Oceanic & Atmospheric Administration
 National Environmental Satellite, Data, and Information Service
 Current Location: Elev: 409 ft. Lat: 33.8222° N Lon: -116.5043° W
 Station: PALM SPRINGS ASOS, CA US 93138

**Local Climatological Data
 Hourly Observations
 June 2018**

National Centers for Environmental Information
 151 Patton Avenue
 Asheville, North Carolina 28801

Generated on 08/08/2018

Date	Time (LST)	Station Type	Sky Conditions	Visi-bility	Weather Type (see documentation)	Dry Bulb Temp		Wet Bulb Temp		Dew Point Temp		Rel Hum %	Wind Speed (MPH)	Wind Dir (Deg)	Wind Gusts (MPH)	Station Press (inHg)	Press. Tend	Net 3-Hr Change (inHg)	Sea Level Press. (inHg)	Report Type	Precip Total (in)	Alti-meter Setting (inHg)
					AU AW MW	(F)	(C)	(F)	(C)	(F)	(C)											
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
16	0053	7	CLR:00	10.00		81	27.2	62	16.9	49	9.4	33	3	VRB		29.19	8	+0.01	29.65	FM-15	0.00	29.67
16	0153	7	CLR:00	10.00		81	27.2	63	17.1	50	10.0	34	5	300		29.18			29.65	FM-15	0.00	29.66
16	0253	7	CLR:00	10.00		78	25.6	62	16.8	51	10.6	39	3	020		29.18			29.65	FM-15	0.00	29.66
16	0353	7	CLR:00	10.00		77	25.0	62	16.6	51	10.6	40	3	VRB		29.18	5	+0.01	29.65	FM-15	0.00	29.66
16	0453	7	CLR:00	10.00		74	23.3	62	16.5	53	11.7	48	10	010		29.19			29.66	FM-15	0.00	29.67
16	0553	7	CLR:00	10.00		76	24.4	63	17.2	54	12.2	47	7	280		29.21			29.67	FM-15	0.00	29.69
16	0653	7	CLR:00	10.00		78	25.6	64	17.6	54	12.2	43	0	000		29.22	3	-0.04	29.69	FM-15	0.00	29.70
16	0753	7	CLR:00	10.00		82	27.8	65	18.3	54	12.2	38	9	300		29.24			29.70	FM-15	0.00	29.72
16	0853	7	CLR:00	10.00		84	28.9	66	18.7	54	12.2	36	5	330		29.23			29.69	FM-15	0.00	29.71
16	0953	7	CLR:00	10.00		86	30.0	68	20.2	58	14.4	39	6	VRB		29.22	0	-0.00	29.69	FM-15	0.00	29.70
16	1053	7	CLR:00	10.00		88	31.1	68	20.0	56	13.3	34	3	070		29.21			29.67	FM-15	0.00	29.69
16	1153	7	CLR:00	10.00		92	33.3	67	19.4	51	10.6	25	13	330	20	29.19			29.65	FM-15	0.00	29.67
16	1253	7	CLR:00	10.00		94	34.4	67	19.3	49	9.4	21	18	340	22	29.18	6	+0.05	29.64	FM-15	0.00	29.66
16	1353	7	CLR:00	10.00		95	35.0	66	19.0	47	8.3	19	20	330	24	29.17			29.63	FM-15	0.00	29.65
16	1453	7	CLR:00	10.00		94	34.4	66	18.8	47	8.3	20	21	320	29	29.15			29.61	FM-15	0.00	29.63
16	1553	7	CLR:00	10.00		94	34.4	64	18.0	43	6.1	17	16	330	28	29.13	8	+0.05	29.60	FM-15	0.00	29.61
16	1653	7	CLR:00	10.00		91	32.8	63	17.1	41	5.0	17	17	320	26	29.12			29.59	FM-15	0.00	29.60
16	1753	7	CLR:00	10.00		86	30.0	63	17.4	47	8.3	26	22	330	29	29.13			29.60	FM-15	0.00	29.61
16	1853	7	CLR:00	10.00		80	26.7	62	16.4	48	8.9	33	29	320	40	29.16	3	-0.03	29.62	FM-15	0.00	29.64
16	1953	7	CLR:00	10.00		77	25.0	60	15.8	48	8.9	36	21	330		29.16			29.63	FM-15	0.00	29.64
16	2053	7	CLR:00	10.00		75	23.9	60	15.4	48	8.9	39	13	310		29.19			29.66	FM-15	0.00	29.67
16	2153	7	CLR:00	10.00		74	23.3	59	14.9	47	8.3	38	10	300		29.19	2	-0.04	29.66	FM-15	0.00	29.67
16	2253	7	CLR:00	10.00		73	22.8	59	14.7	47	8.3	40	14	310	21	29.20			29.67	FM-15	0.00	29.68
16	2353	7	CLR:00	10.00		72	22.2	58	14.5	47	8.3	41	11	310		29.19			29.66	FM-15	0.00	29.67

U.S. Department of Commerce
 National Oceanic & Atmospheric Administration
 National Environmental Satellite, Data, and Information Service
 Current Location: Elev: 409 ft. Lat: 33.8222° N Lon: -116.5043° W
 Station: PALM SPRINGS ASOS, CA US 93138

**Local Climatological Data
 Hourly Observations
 June 2018**

National Centers for Environmental Information
 151 Patton Avenue
 Asheville, North Carolina 28801

Generated on 08/08/2018

Date	Time (LST)	Station Type	Sky Conditions	Visi-bility	Weather Type (see documentation)	Dry Bulb Temp		Wet Bulb Temp		Dew Point Temp		Rel Hum %	Wind Speed (MPH)	Wind Dir (Deg)	Wind Gusts (MPH)	Station Press (inHg)	Press. Tend	Net 3-Hr Change (inHg)	Sea Level Press. (inHg)	Report Type	Precip Total (in)	Alti-meter Setting (inHg)
					AU AW MW	(F)	(C)	(F)	(C)	(F)	(C)											
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
17	0053	7	CLR:00	10.00		70	21.1	59	14.8	50	10.0	49	5	140		29.21	3	-0.02	29.68	FM-15	0.00	29.69
17	0153	7	CLR:00	10.00		70	21.1	58	14.3	48	8.9	46	3	180		29.22			29.68	FM-15	0.00	29.70
17	0253	7	CLR:00	10.00		69	20.6	57	14.1	48	8.9	47	5	270		29.23			29.70	FM-15	0.00	29.71
17	0353	7	CLR:00	10.00		67	19.4	58	14.2	50	10.0	55	5	140		29.25	3	-0.04	29.72	FM-15	0.00	29.73
17	0453	7	CLR:00	10.00		67	19.4	58	14.2	50	10.0	55	0	000		29.26			29.73	FM-15	0.00	29.74
17	0553	7	CLR:00	10.00		69	20.6	57	14.1	48	8.9	47	7	270		29.28			29.75	FM-15	0.00	29.76
17	0653	7	CLR:00	10.00		73	22.8	58	14.5	46	7.8	38	11	310	18	29.30	1	-0.05	29.77	FM-15	0.00	29.78
17	0753	7	CLR:00	10.00		75	23.9	58	14.7	45	7.2	34	15	310		29.31			29.78	FM-15	0.00	29.79
17	0853	7	CLR:00	10.00		78	25.6	59	15.1	44	6.7	30	16	330		29.31			29.78	FM-15	0.00	29.79
17	0953	7	CLR:00	10.00		80	26.7	60	15.5	44	6.7	28	11	320		29.32	1	-0.02	29.79	FM-15	0.00	29.80
17	1053	7	CLR:00	10.00		83	28.3	60	15.7	42	5.6	24	17	330	24	29.31			29.78	FM-15	0.00	29.79
17	1153	7	CLR:00	10.00		86	30.0	62	16.5	43	6.1	22	16	320	25	29.30			29.77	FM-15	0.00	29.78
17	1253	7	CLR:00	10.00		88	31.1	62	16.9	43	6.1	21	15	320	21	29.29	8	+0.03	29.75	FM-15	0.00	29.77
17	1353	7	CLR:00	10.00		89	31.7	62	16.9	42	5.6	19	14	330		29.28			29.75	FM-15	0.00	29.76
17	1453	7	CLR:00	10.00		90	32.2	62	16.9	41	5.0	18	8	300	21	29.26			29.73	FM-15	0.00	29.74
17	1553	7	CLR:00	10.00		90	32.2	62	16.9	41	5.0	18	0	000		29.25	6	+0.03	29.72	FM-15	0.00	29.73
17	1653	7	CLR:00	10.00		91	32.8	62	16.5	38	3.3	15	18	330	24	29.25			29.72	FM-15	0.00	29.73
17	1753	7	CLR:00	10.00		89	31.7	61	16.1	38	3.3	16	18	330	23	29.25			29.72	FM-15	0.00	29.73
17	1853	7	CLR:00	10.00		83	28.3	60	15.7	42	5.6	24	18	320	29	29.25	5	+0.00	29.72	FM-15	0.00	29.73
17	1953	7	CLR:00	10.00		79	26.1	60	15.3	44	6.7	29	22	320	30	29.27			29.74	FM-15	0.00	29.75
17	2053	7	CLR:00	10.00		76	24.4	59	14.9	45	7.2	33	17	320	30	29.29			29.76	FM-15	0.00	29.77
17	2153	7	CLR:00	10.00		73	22.8	58	14.5	46	7.8	38	17	310	26	29.30	2	-0.05	29.78	FM-15	0.00	29.78
17	2253	7	CLR:00	10.00		71	21.7	58	14.3	47	8.3	42	21	320	26	29.31			29.78	FM-15	0.00	29.79
17	2353	7	CLR:00	10.00		71	21.7	57	14.1	46	7.8	41	10	310		29.32			29.79	FM-15	0.00	29.80

U.S. Department of Commerce
 National Oceanic & Atmospheric Administration
 National Environmental Satellite, Data, and Information Service
 Current Location: Elev: 409 ft. Lat: 33.8222° N Lon: -116.5043° W
 Station: PALM SPRINGS ASOS, CA US 93138

**Local Climatological Data
 Hourly Observations
 June 2018**

National Centers for Environmental Information
 151 Patton Avenue
 Asheville, North Carolina 28801

Generated on 08/08/2018

Date	Time (LST)	Station Type	Sky Conditions	Visi-bility	Weather Type (see documentation) AU AW MW	Dry Bulb Temp		Wet Bulb Temp		Dew Point Temp		Rel Hum %	Wind Speed (MPH)	Wind Dir (Deg)	Wind Gusts (MPH)	Station Press (inHg)	Press. Tend	Net 3-Hr Change (inHg)	Sea Level Press. (inHg)	Report Type	Precip Total (in)	Alti-meter Setting (inHg)
						(F)	(C)	(F)	(C)	(F)	(C)											
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
18	0053	7	CLR:00	10.00		70	21.1	57	13.8	46	7.8	42	9	300		29.33	2	-0.02	29.80	FM-15	0.00	29.81
18	0153	7	CLR:00	10.00		70	21.1	56	13.6	45	7.2	41	6	300		29.33			29.80	FM-15	0.00	29.81
18	0253	7	CLR:00	10.00		69	20.6	56	13.4	45	7.2	42	6	VRB		29.34			29.81	FM-15	0.00	29.82
18	0353	7	CLR:00	10.00		65	18.3	56	13.5	49	9.4	56	0	000		29.35	3	-0.02	29.82	FM-15	0.00	29.83
18	0453	7	CLR:00	10.00		66	18.9	56	13.4	48	8.9	52	0	000		29.37			29.84	FM-15	0.00	29.85
18	0553	7	CLR:00	10.00		69	20.6	57	14.1	48	8.9	47	0	000		29.39			29.86	FM-15	0.00	29.87
18	0653	7	CLR:00	10.00		74	23.3	58	14.5	45	7.2	36	10	310		29.41	3	-0.05	29.88	FM-15	0.00	29.89
18	0753	7	CLR:00	10.00		77	25.0	59	15.1	45	7.2	32	9	300		29.42			29.89	FM-15	0.00	29.90
18	0853	7	CLR:00	10.00		80	26.7	60	15.5	44	6.7	28	9	VRB	16	29.43			29.90	FM-15	0.00	29.91
18	0953	7	CLR:00	10.00		85	29.4	61	16.1	42	5.6	22	9	VRB		29.43	0	-0.02	29.90	FM-15	0.00	29.91
18	1053	7	CLR:00			88	31.1	61	16.2	39	3.9	18	7	010		29.42			29.89	FM-15	0.00	29.90
18	1129	7	CLR:00	10.00		91	32.8	61	16.4	37	2.8	15	8	340		29.40				FM-16		29.88
18	1153	7	CLR:00	10.00		91	32.8	61	16.2	36	2.2	14	6	VRB		29.40			29.87	FM-15	0.00	29.88
18	1253	7	CLR:00	10.00		93	33.9	62	16.6	36	2.2	13	6	360	17	29.37	8	+0.05	29.84	FM-15	0.00	29.85
18	1353	7	CLR:00	10.00		95	35.0	63	17.0	36	2.2	13	16	310	23	29.36			29.83	FM-15	0.00	29.84
18	1453	7	CLR:00	10.00		96	35.6	64	18.0	41	5.0	15	13	VRB	20	29.34			29.80	FM-15	0.00	29.82
18	1553	7	CLR:00	10.00		96	35.6	64	18.0	41	5.0	15	15	320	23	29.32	6	+0.05	29.79	FM-15	0.00	29.80
18	1653	7	CLR:00	10.00		95	35.0	65	18.2	43	6.1	17	17	320	23	29.30			29.77	FM-15	0.00	29.78
18	1753	7	CLR:00	10.00		92	33.3	65	18.5	47	8.3	21	18	320	26	29.31			29.78	FM-15	0.00	29.79
18	1853	7	CLR:00	10.00		88	31.1	65	18.2	49	9.4	26	23	320		29.31	5	+0.01	29.78	FM-15	0.00	29.79
18	1953	7	CLR:00	10.00		85	29.4	64	17.9	50	10.0	30	17	320	26	29.33			29.80	FM-15	0.00	29.81
18	2053	7	CLR:00	10.00		83	28.3	64	17.5	50	10.0	32	18	320		29.34			29.81	FM-15	0.00	29.82
18	2153	7	CLR:00	10.00		81	27.2	62	16.9	49	9.4	33	15	320		29.34	0	-0.02	29.80	FM-15	0.00	29.82
18	2253	7	CLR:00	10.00		80	26.7	62	16.4	48	8.9	33	9	300		29.34			29.80	FM-15	0.00	29.82
18	2353	7	CLR:00	10.00		79	26.1	62	16.5	49	9.4	35	7	300		29.35			29.81	FM-15	0.00	29.83

U.S. Department of Commerce
 National Oceanic & Atmospheric Administration
 National Environmental Satellite, Data, and Information Service
 Current Location: Elev: 213 ft. Lat: 32.6500° N Lon: -114.6167° W
 Station: YUMA MCAS, AZ US 03145

**Local Climatological Data
 Hourly Observations
 June 2018**

National Centers for Environmental Information
 151 Patton Avenue
 Asheville, North Carolina 28801

Generated on 08/08/2018

Date	Time (LST)	Station Type	Sky Conditions	Visi-bility	Weather Type (see documentation) AU AW MW	Dry Bulb Temp		Wet Bulb Temp		Dew Point Temp		Rel Hum %	Wind Speed (MPH)	Wind Dir (Deg)	Wind Gusts (MPH)	Station Press (inHg)	Press. Tend	Net 3-Hr Change (inHg)	Sea Level Press. (inHg)	Report Type	Precip Total (in)	Alti-meter Setting (inHg)
						(F)	(C)	(F)	(C)	(F)	(C)											
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
16	0057	7	CLR:00	10.00		78	25.6	73	22.6	70	21.1	76	9	150		29.42		29.64	FM-15	0.00	29.65	
16	0157	7	CLR:00	10.00		79	26.1	72	22.0	68	20.0	69	15	140		29.41	8	+0.02	29.63	FM-15	0.00	29.64
16	0257	7	FEW:02 110	10.00		79	26.1	72	22.0	68	20.0	69	15	140		29.40		29.62	FM-15	0.00	29.63	
16	0357	7	SCT:04 110	10.00		79	26.1	72	22.0	68	20.0	69	16	150		29.40		29.62	FM-15	0.00	29.63	
16	0457	7	CLR:00	10.00		79	26.1	72	22.4	69	20.6	72	16	140		29.41	5	+0.00	29.63	FM-15	0.00	29.64
16	0557	7	CLR:00	10.00		79	26.1	71	21.7	67	19.4	67	14	130		29.42		29.64	FM-15	0.00	29.65	
16	0657	7	CLR:00	10.00		79	26.1	72	22.4	69	20.6	72	17	140		29.42		29.64	FM-15	0.00	29.65	
16	0757	7	FEW:02 95 FEW:02 120	10.00		80	26.7	73	22.6	69	20.6	69	13	130		29.45	3	-0.05	29.67	FM-15	0.00	29.68
16	0857	7	CLR:00	10.00		81	27.2	73	22.7	69	20.6	67	15	160		29.47		29.69	FM-15	0.00	29.70	
16	0957	7	CLR:00	10.00		83	28.3	72	22.1	66	18.9	57	16	140		29.46		29.68	FM-15	0.00	29.69	
16	1057	7	CLR:00	10.00		87	30.6	72	22.1	64	17.8	46	15	160		29.46	0	-0.00	29.68	FM-15	0.00	29.69
16	1157	7	CLR:00	10.00		90	32.2	71	21.7	61	16.1	38	15	170		29.45		29.67	FM-15	0.00	29.68	
16	1257	7	CLR:00	10.00		91	32.8	69	20.8	57	13.9	32	11	180	18	29.44		29.66	FM-15	0.00	29.67	
16	1357	7	CLR:00	10.00		94	34.4	68	20.0	52	11.1	24	15	140		29.42	8	+0.04	29.64	FM-15	0.00	29.65
16	1457	7	CLR:00	10.00		95	35.0	67	19.7	50	10.0	22	10	180		29.41		29.63	FM-15	0.00	29.64	
16	1557	7	CLR:00	10.00		95	35.0	67	19.3	48	8.9	20	9	190		29.39		29.61	FM-15	0.00	29.62	
16	1657	7	CLR:00	10.00		96	35.6	67	19.2	47	8.3	19	10	140	18	29.37	8	+0.05	29.59	FM-15	0.00	29.60
16	1757	7	CLR:00	10.00		94	34.4	67	19.3	49	9.4	21	15	150		29.37		29.59	FM-15	0.00	29.60	
16	1857	7	CLR:00	10.00		91	32.8	67	19.5	52	11.1	26	20	150		29.38		29.59	FM-15	0.00	29.61	
16	1957	7	CLR:00	10.00		86	30.0	66	18.8	53	11.7	32	18	150		29.38	3	-0.01	29.60	FM-15	0.00	29.61
16	2057	7	CLR:00	10.00		83	28.3	66	18.8	55	12.8	38	16	150		29.41		29.62	FM-15	0.00	29.64	
16	2157	7	CLR:00	10.00		81	27.2	65	18.2	54	12.2	39	9	200		29.44		29.66	FM-15	0.00	29.67	
16	2257	7	CLR:00	10.00		80	26.7	65	18.2	55	12.8	42	8	200		29.45	1	-0.07	29.67	FM-15	0.00	29.68
16	2357	7	CLR:00	10.00		79	26.1	65	18.3	56	13.3	45	9	170		29.46		29.68	FM-15	0.00	29.69	

U.S. Department of Commerce
 National Oceanic & Atmospheric Administration
 National Environmental Satellite, Data, and Information Service
 Current Location: Elev: 213 ft. Lat: 32.6500° N Lon: -114.6167° W
 Station: YUMA MCAS, AZ US 03145

**Local Climatological Data
 Hourly Observations
 June 2018**

National Centers for Environmental Information
 151 Patton Avenue
 Asheville, North Carolina 28801

Generated on 08/08/2018

Date	Time (LST)	Station Type	Sky Conditions	Visi-bility	Weather Type (see documentation) AU AW MW	Dry Bulb Temp		Wet Bulb Temp		Dew Point Temp		Rel Hum %	Wind Speed (MPH)	Wind Dir (Deg)	Wind Gusts (MPH)	Station Press (inHg)	Press. Tend	Net 3-Hr Change (inHg)	Sea Level Press. (inHg)	Report Type	Precip Total (in)	Alti-meter Setting (inHg)
						(F)	(C)	(F)	(C)	(F)	(C)											
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
17	0057	7	CLR:00	10.00		78	25.6	64	17.9	55	12.8	45	11	160		29.45			29.67	FM-15	0.00	29.68
17	0157	7	CLR:00	10.00		75	23.9	64	17.5	56	13.3	52	7	180		29.46	1	-0.00	29.67	FM-15	0.00	29.69
17	0257	7	CLR:00	10.00		74	23.3	64	17.6	57	13.9	56	8	170		29.46			29.67	FM-15	0.00	29.69
17	0357	7	CLR:00	10.00		73	22.8	64	17.7	58	14.4	59	8	180		29.47			29.69	FM-15	0.00	29.70
17	0457	7	CLR:00	10.00		72	22.2	64	17.5	58	14.4	61	5	200		29.49	3	-0.03	29.70	FM-15	0.00	29.72
17	0557	7	CLR:00	10.00		72	22.2	64	17.5	58	14.4	61	7	190		29.50			29.72	FM-15	0.00	29.73
17	0657	7	CLR:00	10.00		73	22.8	64	17.7	58	14.4	59	7	180		29.52			29.74	FM-15	0.00	29.75
17	0757	7	CLR:00	10.00		76	24.4	66	18.6	59	15.0	56	10	170		29.53	3	-0.05	29.75	FM-15	0.00	29.76
17	0857	7	CLR:00	10.00		79	26.1	67	19.2	59	15.0	50	13	180		29.54			29.76	FM-15	0.00	29.77
17	0957	7	CLR:00	10.00		82	27.8	68	19.8	59	15.0	46	10	170		29.55			29.77	FM-15	0.00	29.78
17	1057	7	CLR:00	10.00		85	29.4	68	20.0	58	14.4	40	10	VRB		29.55	0	-0.01	29.76	FM-15	0.00	29.78
17	1157	7	CLR:00	10.00		88	31.1	68	20.0	56	13.3	34	9	180		29.54			29.75	FM-15	0.00	29.77
17	1257	7	CLR:00	10.00		91	32.8	67	19.5	52	11.1	26	9	190		29.52			29.74	FM-15	0.00	29.75
17	1357	7	CLR:00	10.00		93	33.9	65	18.3	45	7.2	19	9	180		29.51	7	+0.03	29.73	FM-15	0.00	29.74
17	1457	7	CLR:00	10.00		94	34.4	66	18.7	46	7.8	19	8	200		29.50			29.72	FM-15	0.00	29.73
17	1557	7	CLR:00	10.00		95	35.0	66	18.9	46	7.8	19	3	VRB		29.48			29.70	FM-15	0.00	29.71
17	1657	7	CLR:00	10.00		96	35.6	67	19.2	47	8.3	19	9	260		29.47	6	+0.04	29.69	FM-15	0.00	29.70
17	1757	7	CLR:00	10.00		94	34.4	67	19.6	50	10.0	22	10	280		29.47			29.68	FM-15	0.00	29.70
17	1857	7	CLR:00	10.00		92	33.3	65	18.3	46	7.8	21	10	300		29.48			29.70	FM-15	0.00	29.71
17	1957	7	CLR:00	10.00		86	30.0	60	15.4	37	2.8	18	15	290	22	29.50	3	-0.03	29.72	FM-15	0.00	29.73
17	2057	7	CLR:00	10.00		82	27.8	60	15.5	42	5.6	24	9	270		29.53			29.75	FM-15	0.00	29.76
17	2157	7	CLR:00	10.00		80	26.7	59	15.1	42	5.6	26	7	250		29.55			29.77	FM-15	0.00	29.78
17	2257	7	CLR:00	10.00		78	25.6	59	15.1	44	6.7	30	5	190		29.55	1	-0.05	29.78	FM-15	0.00	29.78
17	2357	7	CLR:00	10.00		77	25.0	59	14.9	44	6.7	31	5	210		29.55			29.78	FM-15	0.00	29.78

U.S. Department of Commerce
 National Oceanic & Atmospheric Administration
 National Environmental Satellite, Data, and Information Service
 Current Location: Elev: 213 ft. Lat: 32.6500° N Lon: -114.6167° W
 Station: YUMA MCAS, AZ US 03145

Local Climatological Data
Hourly Observations
June 2018

National Centers for Environmental Information
 151 Patton Avenue
 Asheville, North Carolina 28801

Generated on 08/08/2018

Date	Time (LST)	Station Type	Sky Conditions	Visi-bility	Weather Type (see documentation) AU AW MW	Dry Bulb Temp		Wet Bulb Temp		Dew Point Temp		Rel Hum %	Wind Speed (MPH)	Wind Dir (Deg)	Wind Gusts (MPH)	Station Press (inHg)	Press. Tend	Net 3-Hr Change (inHg)	Sea Level Press. (inHg)	Report Type	Precip Total (in)	Alti-meter Setting (inHg)
						(F)	(C)	(F)	(C)	(F)	(C)											
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
18	0057	7	CLR:00	10.00		75	23.9	59	14.7	45	7.2	34	3	230		29.55		29.78	FM-15	0.00	29.78	
18	0157	7	CLR:00	10.00		74	23.3	58	14.3	44	6.7	34	6	310		29.56	3	-0.00	29.78	FM-15	0.00	29.79
18	0257	7	CLR:00	10.00		73	22.8	57	13.8	43	6.1	34	0	000		29.56			29.78	FM-15	0.00	29.79
18	0357	7	CLR:00	10.00		74	23.3	58	14.5	45	7.2	36	0	000		29.56			29.78	FM-15	0.00	29.79
18	0457	7	CLR:00	10.00		72	22.2	57	14.1	45	7.2	38	0	000		29.58	3	-0.02	29.80	FM-15	0.00	29.81
18	0557	7	CLR:00	10.00		69	20.6	57	13.9	47	8.3	45	0	000		29.59			29.81	FM-15	0.00	29.82
18	0657	7	CLR:00	7.00		76	24.4	58	14.7	44	6.7	32	0	000		29.61			29.83	FM-15	0.00	29.84
18	0757	7	CLR:00	7.00		79	26.1	60	15.6	45	7.2	30	0	000		29.63	3	-0.05	29.85	FM-15	0.00	29.86
18	0857	7	CLR:00	7.00		80	26.7	64	17.7	53	11.7	39	3	VRB		29.64			29.86	FM-15	0.00	29.87
18	0957	7	CLR:00	7.00		85	29.4	64	17.9	50	10.0	30	3	VRB		29.64			29.86	FM-15	0.00	29.87
18	1057	7	CLR:00	7.00		86	30.0	63	17.2	46	7.8	25	3	VRB		29.64	0	-0.01	29.85	FM-15	0.00	29.87
18	1157	7	CLR:00	7.00		89	31.7	62	16.8	41	5.0	19	5	200		29.62			29.84	FM-15	0.00	29.85
18	1257	7	CLR:00	7.00		90	32.2	62	16.4	38	3.3	16	0	000		29.61			29.83	FM-15	0.00	29.84
18	1357	7	CLR:00	7.00		93	33.9	61	15.9	31	-0.6	11	6	300		29.59	8	+0.05	29.81	FM-15	0.00	29.82
18	1457	7	CLR:00	7.00		94	34.4	62	16.8	36	2.2	13	0	000		29.57			29.79	FM-15	0.00	29.80
18	1557	7	CLR:00	7.00		95	35.0	63	17.2	37	2.8	13	6	VRB		29.56			29.78	FM-15	0.00	29.79
18	1657	7	CLR:00	10.00		96	35.6	62	16.9	34	1.1	11	9	260		29.54	6	+0.04	29.76	FM-15	0.00	29.77
18	1757	7	CLR:00	10.00		95	35.0	59	15.3	23	-5.0	7	5	VRB		29.53			29.75	FM-15	0.00	29.76
18	1857	7	CLR:00	10.00		94	34.4	60	15.4	26	-3.3	9	6	260		29.54			29.75	FM-15	0.00	29.77
18	1957	7	CLR:00	10.00		92	33.3	59	14.9	25	-3.9	9	6	210		29.54	6	+0.01	29.75	FM-15	0.00	29.77
18	2057	7	CLR:00	10.00		87	30.6	59	15.1	34	1.1	15	5	200		29.55			29.76	FM-15	0.00	29.78
18	2157	7	CLR:00	10.00		85	29.4	58	14.7	34	1.1	16	3	200		29.55			29.78	FM-15	0.00	29.78
18	2257	7	CLR:00	10.00		83	28.3	57	13.9	32	0.0	16	0	000		29.55	0	-0.01	29.77	FM-15	0.00	29.78
18	2357	7	CLR:00	10.00		78	25.6	60	15.6	46	7.8	32	3	220		29.55			29.78	FM-15	0.00	29.78

U.S. Department of Commerce
 National Oceanic & Atmospheric Administration
 National Environmental Satellite, Data, and Information Service
 Current Location: Elev: 213 ft. Lat: 32.6500° N Lon: -114.6167° W
 Station: YUMA MCAS, AZ US 03145

Local Climatological Data
Hourly Observations
June 2018

National Centers for Environmental Information
 151 Patton Avenue
 Asheville, North Carolina 28801

Generated on 09/24/2018

Date	Time (LST)	Station Type	Sky Conditions	Visi-bility	Weather Type (see documentation) AU AW MW	Dry Bulb Temp		Wet Bulb Temp		Dew Point Temp		Rel Hum %	Wind Speed (MPH)	Wind Dir (Deg)	Wind Gusts (MPH)	Station Press (inHg)	Press. Tend	Net 3-Hr Change (inHg)	Sea Level Press. (inHg)	Report Type	Precip Total (in)	Alti-meter Setting (inHg)
						(F)	(C)	(F)	(C)	(F)	(C)											
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
19	0057	7	CLR:00	10.00		76	24.4	60	15.4	47	8.3	36	6	270		29.56		29.78	FM-15	0.00	29.79	
19	0157	7	CLR:00	10.00		77	25.0	64	17.7	55	12.8	47	7	210		29.56	0	-0.01	29.78	FM-15	0.00	29.79
19	0257	7	CLR:00	10.00		77	25.0	63	17.4	54	12.2	45	5	220		29.56			29.78	FM-15	0.00	29.79
19	0357	7	CLR:00	10.00		74	23.3	61	16.3	52	11.1	46	5	230		29.56			29.78	FM-15	0.00	29.79
19	0457	7	CLR:00	10.00		72	22.2	62	16.7	55	12.8	55	7	180		29.57	3	-0.01	29.79	FM-15	0.00	29.80
19	0557	7	CLR:00	10.00		71	21.7	63	17.3	58	14.4	63	5	190		29.59			29.81	FM-15	0.00	29.82
19	0657	7	CLR:00	7.00		73	22.8	64	18.0	59	15.0	62	6	190		29.61			29.83	FM-15	0.00	29.84
19	0757	7	CLR:00	7.00		77	25.0	66	19.1	60	15.6	56	5	240		29.62	1	-0.05	29.84	FM-15	0.00	29.85
19	0857	7	CLR:00	7.00		81	27.2	66	19.0	57	13.9	44	6	200		29.63			29.85	FM-15	0.00	29.86
19	0957	7	CLR:00	10.00		85	29.4	66	18.9	54	12.2	35	0	000		29.62			29.84	FM-15	0.00	29.85
19	1057	7	CLR:00	7.00		90	32.2	67	19.3	52	11.1	27	6	VRB		29.62	8	+0.00	29.84	FM-15	0.00	29.85
19	1157	7	CLR:00	7.00		95	35.0	67	19.3	48	8.9	20	5	200		29.61			29.83	FM-15	0.00	29.84
19	1257	7	CLR:00	7.00		97	36.1	64	17.6	37	2.8	12	3	VRB		29.59			29.81	FM-15	0.00	29.82
19	1357	7	CLR:00	7.00		98	36.7	66	18.8	43	6.1	15	5	VRB		29.57	6	+0.05	29.79	FM-15	0.00	29.80
19	1457	7	CLR:00	7.00		99	37.2	65	18.5	40	4.4	13	5	VRB		29.56			29.78	FM-15	0.00	29.79
19	1557	7	CLR:00	7.00		101	38.3	66	18.6	39	3.9	12	5	280		29.54			29.76	FM-15	0.00	29.77
19	1657	6	CLR:00	10.00		101	38.3	65	18.3	37	2.8	11				29.52	8	+0.05	29.74	FM-15	0.00	29.75
19	1757	7	CLR:00	10.00		100	37.8	65	18.3	38	3.3	12	8	250		29.51			29.73	FM-15	0.00	29.74
19	1857	7	CLR:00	10.00		98	36.7	66	18.8	43	6.1	15	8	260		29.51			29.73	FM-15	0.00	29.74
19	1957	7	CLR:00	10.00		94	34.4	64	17.7	41	5.0	16	6	240		29.52	5	+0.00	29.74	FM-15	0.00	29.75
19	2057	7	CLR:00	10.00		89	31.7	66	18.7	50	10.0	26	8	200		29.54			29.76	FM-15	0.00	29.77
19	2157	7	CLR:00	10.00		86	30.0	65	18.4	51	10.6	30	7	200		29.55			29.78	FM-15	0.00	29.78
19	2257	7	CLR:00	10.00		83	28.3	65	18.3	53	11.7	36	6	160		29.55	1	-0.04	29.78	FM-15	0.00	29.78
19	2357	7	CLR:00	10.00		81	27.2	63	17.2	50	10.0	34	3	170		29.55			29.77	FM-15	0.00	29.78