

U.S. Department of Commerce
 National Oceanic & Atmospheric Administration
 National Environmental Satellite, Data, and Information Service
 Current Location: Elev: 395 ft. Lat: 33.6186° N Lon: -114.7142° W
 Station: BLYTHE ASOS, CA US 23158

Local Climatological Data
Hourly Observations
May 2018

National Centers for Environmental Information
 151 Patton Avenue
 Asheville, North Carolina 28801

Generated on 08/08/2018

Date	Time (LST)	Station Type	Sky Conditions	Visi-bility	Weather Type (see documentation) AU AW MW	Dry Bulb Temp		Wet Bulb Temp		Dew Point Temp		Rel Hum %	Wind Speed (MPH)	Wind Dir (Deg)	Wind Gusts (MPH)	Station Press (inHg)	Press. Tend	Net 3-Hr Change (inHg)	Sea Level Press. (inHg)	Report Type	Precip Total (in)	Alti-meter Setting (inHg)
						(F)	(C)	(F)	(C)	(F)	(C)											
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
10	0052	7	CLR:00	10.00		83	28.3	55	12.8	25	-3.9	12	5	030		29.30	8	+0.00	29.69	FM-15	0.00	29.72
10	0152	7	CLR:00	10.00		84	28.9	55	12.7	22	-5.6	10	14	190		29.27			29.67	FM-15	0.00	29.69
10	0252	7	CLR:00	10.00		81	27.2	54	12.2	24	-4.4	12	9	180		29.27			29.67	FM-15	0.00	29.69
10	0352	7	CLR:00	10.00		73	22.8	52	11.3	30	-1.1	20	6	140		29.27	6	+0.02	29.67	FM-15	0.00	29.69
10	0452	7	CLR:00	10.00		77	25.0	54	12.0	29	-1.7	17	9	170		29.27			29.67	FM-15	0.00	29.69
10	0552	7	CLR:00	10.00		80	26.7	55	12.7	29	-1.7	15	7	190		29.29			29.69	FM-15	0.00	29.71
10	0652	7	CLR:00	10.00		86	30.0	57	13.9	28	-2.2	12	11	190		29.31	3	-0.04	29.70	FM-15	0.00	29.73
10	0752	7	CLR:00	10.00		88	31.1	59	15.3	34	1.1	15	15	180		29.32			29.71	FM-15	0.00	29.74
10	0852	7	CLR:00	10.00		91	32.8	61	15.9	34	1.1	13	20	180		29.32			29.72	FM-15	0.00	29.74
10	0952	7	CLR:00	10.00		95	35.0	62	16.8	35	1.7	12	16	170		29.32	0	-0.01	29.72	FM-15	0.00	29.74
10	1048	7	CLR:00	10.00		100	38.0	63	17.1	30	-1.0	8	15	200	23	29.29				FM-16		29.71
10	1052	7	CLR:00	10.00		100	37.8	62	16.9	29	-1.7	8	18	200	26	29.29			29.69	FM-15	0.00	29.71
10	1152	7	CLR:00	10.00		103	39.4	63	17.1	25	-3.9	6	22	190	33	29.27			29.67	FM-15	0.00	29.69
10	1252	7	CLR:00	10.00		105	40.6	64	17.9	29	-1.7	7	23	200	30	29.25	8	+0.04	29.65	FM-15	0.00	29.67
10	1352	7	CLR:00	10.00		105	40.6	64	17.9	29	-1.7	7	16	220	31	29.23			29.62	FM-15	0.00	29.65
10	1452	7	FEW:02 110	10.00		106	41.1	65	18.2	30	-1.1	7	17	210	26	29.20			29.59	FM-15	0.00	29.62
10	1552	7	FEW:02 110	10.00		105	40.6	65	18.4	33	0.6	8	16	220	29	29.18	6	+0.07	29.58	FM-15	0.00	29.60
10	1652	7	CLR:00	10.00		103	39.4	65	18.2	34	1.1	9	20	200	30	29.17			29.57	FM-15	0.00	29.59
10	1752	7	CLR:00	10.00		100	37.8	63	17.3	32	0.0	9	22	180		29.17			29.57	FM-15	0.00	29.59
10	1852	7	CLR:00	10.00		94	34.4	62	16.9	37	2.8	14	17	180		29.20	3	-0.01	29.59	FM-15	0.00	29.62
10	1952	7	CLR:00	10.00		93	33.9	61	15.9	32	0.0	11	21	210	29	29.21			29.60	FM-15	0.00	29.63
10	2052	7	CLR:00	10.00		89	31.7	61	16.0	37	2.8	16	14	230		29.24			29.63	FM-15	0.00	29.66
10	2152	7	CLR:00	10.00		86	30.0	59	14.8	34	1.1	15	13	220		29.24	1	-0.05	29.64	FM-15	0.00	29.66
10	2252	7	CLR:00	10.00		84	28.9	57	13.9	31	-0.6	15	14	210		29.24			29.64	FM-15	0.00	29.66
10	2352	7	CLR:00	10.00		79	26.1	56	13.1	33	0.6	19	13	170		29.24			29.63	FM-15	0.00	29.66

May 11, 2018 Exceptional Event, Imperial County

Appendix B

U.S. Department of Commerce
 National Oceanic & Atmospheric Administration
 National Environmental Satellite, Data, and Information Service
 Current Location: Elev: 395 ft. Lat: 33.6186° N Lon: -114.7142° W
 Station: BLYTHE ASOS, CA US 23158

Local Climatological Data Hourly Observations May 2018

Generated on 08/08/2018

National Centers for Environmental Information
 151 Patton Avenue
 Asheville, North Carolina 28801

Date	Time (LST)	Station Type	Sky Conditions	Visi-bility	Weather Type (see documentation)	Dry Bulb Temp		Wet Bulb Temp		Dew Point Temp		Rel Hum %	Wind Speed (MPH)	Wind Dir (Deg)	Wind Gusts (MPH)	Station Press (inHg)	Press. Tend	Net 3-Hr Change (inHg)	Sea Level Press. (inHg)	Report Type	Precip Total (in)	Alti-meter Setting (inHg)
					AU AW MW	(F)	(C)	(F)	(C)	(F)	(C)											
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
11	0052	7	CLR:00	10.00		79	26.1	56	13.1	33	0.6	19	10	170		29.22	8	+0.02	29.62	FM-15	0.00	29.64
11	0152	7	CLR:00	10.00		74	23.3	55	12.8	37	2.8	26	5	130		29.22			29.61	FM-15	0.00	29.64
11	0252	7	CLR:00	10.00		75	23.9	55	12.6	35	1.7	23	9	170		29.21			29.60	FM-15	0.00	29.63
11	0352	7	CLR:00	10.00		75	23.9	55	12.8	36	2.2	24	7	200		29.22	3	-0.00	29.62	FM-15	0.00	29.64
11	0452	7	CLR:00	10.00		75	23.9	56	13.4	39	3.9	27	10	210		29.23			29.63	FM-15	0.00	29.65
11	0552	7	CLR:00	10.00		72	22.2	56	13.1	41	5.0	33	13	180		29.24			29.64	FM-15	0.00	29.66
11	0652	7	CLR:00	8.00		78	25.6	58	14.7	42	5.6	28	13	180		29.26	3	-0.04	29.66	FM-15	0.00	29.68
11	0752	7	CLR:00	10.00		83	28.3	59	14.7	37	2.8	19	18	200	26	29.25			29.65	FM-15	0.00	29.67
11	0852	7	CLR:00	10.00		87	30.6	59	15.0	34	1.1	15	23	220	30	29.25			29.65	FM-15	0.00	29.67
11	0952	7	CLR:00	10.00		89	31.7	60	15.3	33	0.6	14	24	210		29.25	6	+0.01	29.64	FM-15	0.00	29.67
11	1052	7	CLR:00	10.00		93	33.9	62	16.7	37	2.8	14	24	220	30	29.22			29.62	FM-15	0.00	29.64
11	1152	7	CLR:00	10.00		95	35.0	63	17.3	38	3.3	14	24	220	32	29.20			29.60	FM-15	0.00	29.62
11	1252	7	CLR:00	10.00		96	35.6	62	16.7	33	0.6	11	25	210	34	29.18	6	+0.06	29.57	FM-15	0.00	29.60
11	1352	7	CLR:00	10.00		98	36.7	62	16.8	31	-0.6	9	25	220	32	29.15			29.55	FM-15	0.00	29.57
11	1452	7	CLR:00	7.00		97	36.1	62	16.7	32	0.0	10	23	220	36	29.14			29.54	FM-15	0.00	29.56
11	1552	7	OVC:08 34	4.00	HZ:7 FU HZ	95	35.0	62	16.6	34	1.1	12	26	230	33	29.13	6	+0.05	29.53	FM-15	0.00	29.55
11	1652	7	SCT:04 39	5.00	HZ:7 FU HZ	93	33.9	61	15.9	32	0.0	11	25	230		29.13			29.52	FM-15	0.00	29.54
11	1752	7	CLR:00	6.00	HZ:7 FU HZ	88	31.1	59	15.1	33	0.6	14	25	230	32	29.14			29.54	FM-15	0.00	29.56
11	1852	7	CLR:00	10.00		83	28.3	58	14.2	34	1.1	17	18	240	26	29.16	3	-0.03	29.56	FM-15	0.00	29.58
11	1952	7	CLR:00	10.00		80	26.7	56	13.5	34	1.1	19	22	210	28	29.20			29.60	FM-15	0.00	29.62
11	2052	7	CLR:00	10.00		77	25.0	56	13.4	37	2.8	24	21	220		29.22			29.62	FM-15	0.00	29.64
11	2152	7	CLR:00	10.00		74	23.3	56	13.6	41	5.0	31	18	230		29.23	1	-0.07	29.63	FM-15	0.00	29.65
11	2252	7	CLR:00	10.00		72	22.2	57	13.8	44	6.7	37	16	200		29.23			29.63	FM-15	0.00	29.65
11	2352	7	CLR:00	10.00		67	19.4	56	13.1	46	7.8	47	9	100		29.24			29.64	FM-15	0.00	29.66

U.S. Department of Commerce
 National Oceanic & Atmospheric Administration
 National Environmental Satellite, Data, and Information Service
 Current Location: Elev: 395 ft. Lat: 33.6186° N Lon: -114.7142° W
 Station: BLYTHE ASOS, CA US 23158

Local Climatological Data
 Hourly Observations
 May 2018

National Centers for Environmental Information
 151 Patton Avenue
 Asheville, North Carolina 28801

Generated on 08/08/2018

Date	Time (LST)	Station Type	Sky Conditions	Visi-bility	Weather Type (see documentation) AU AW MW	Dry Bulb Temp		Wet Bulb Temp		Dew Point Temp		Rel Hum %	Wind Speed (MPH)	Wind Dir (Deg)	Wind Gusts (MPH)	Station Press (inHg)	Press. Tend	Net 3-Hr Change (inHg)	Sea Level Press. (inHg)	Report Type	Precip Total (in)	Alti-meter Setting (inHg)
						(F)	(C)	(F)	(C)	(F)	(C)											
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
12	0052	7	CLR:00	10.00		68	20.0	54	12.4	42	5.6	39	9	240		29.25	3	-0.02	29.65	FM-15	0.00	29.67
12	0152	7	CLR:00	10.00		64	17.8	54	12.2	45	7.2	50	8	160		29.26			29.65	FM-15	0.00	29.68
12	0252	7	CLR:00	10.00		64	17.8	54	12.2	45	7.2	50	5	160		29.27			29.67	FM-15	0.00	29.69
12	0352	7	CLR:00	10.00		64	17.8	53	11.7	43	6.1	46	0	000		29.29	3	-0.04	29.69	FM-15	0.00	29.71
12	0452	7	CLR:00	10.00		61	16.1	53	11.7	46	7.8	58	0	000		29.31			29.72	FM-15	0.00	29.73
12	0552	7	CLR:00	10.00		63	17.2	53	11.7	44	6.7	50	5	100		29.35			29.75	FM-15	0.00	29.77
12	0652	7	CLR:00	10.00		67	19.4	57	13.7	48	8.9	51	5	160		29.37	1	-0.08	29.78	FM-15	0.00	29.79
12	0752	7	CLR:00	10.00		72	22.2	59	14.8	48	8.9	43	9	180		29.39			29.80	FM-15	0.00	29.81
12	0852	7	CLR:00	10.00		76	24.4	59	15.2	46	7.8	35	6	190		29.39			29.80	FM-15	0.00	29.81
12	0952	7	CLR:00	10.00		78	25.6	59	15.1	44	6.7	30	5	220		29.39	0	-0.02	29.79	FM-15	0.00	29.81
12	1052	7	CLR:00	10.00		81	27.2	60	15.3	42	5.6	25	5	110		29.38			29.78	FM-15	0.00	29.80
12	1152	7	CLR:00	10.00		82	27.8	60	15.5	42	5.6	24	8	130	18	29.36			29.77	FM-15	0.00	29.78
12	1252	7	CLR:00	10.00		84	28.9	61	15.9	42	5.6	23	5	180	16	29.36	6	+0.03	29.76	FM-15	0.00	29.78
12	1352	7	CLR:00	10.00		87	30.6	61	16.3	41	5.0	20	11	190		29.33			29.73	FM-15	0.00	29.75
12	1452	7	CLR:00	10.00		87	30.6	60	15.6	37	2.8	17	15	150	23	29.30			29.71	FM-15	0.00	29.72
12	1552	7	CLR:00	10.00		87	30.6	60	15.4	36	2.2	16	15	190	22	29.30	6	+0.05	29.70	FM-15	0.00	29.72
12	1652	7	CLR:00	10.00		86	30.0	59	15.0	35	1.7	16	15	210		29.31			29.71	FM-15	0.00	29.73
12	1752	7	CLR:00	10.00		84	28.9	59	14.8	36	2.2	18	18	190		29.31			29.72	FM-15	0.00	29.73
12	1852	7	CLR:00	10.00		82	27.8	58	14.2	35	1.7	18	11	200		29.33	3	-0.03	29.74	FM-15	0.00	29.75
12	1952	7	CLR:00	10.00		80	26.7	58	14.3	38	3.3	22	9	220		29.36			29.76	FM-15	0.00	29.78
12	2052	7	CLR:00	10.00		77	25.0	58	14.5	42	5.6	29	9	210		29.38			29.78	FM-15	0.00	29.80
12	2152	7	CLR:00	10.00		75	23.9	59	14.9	46	7.8	36	15	240		29.37	0	-0.04	29.78	FM-15	0.00	29.79
12	2252	7	CLR:00	10.00		71	21.7	58	14.3	47	8.3	42	9	190		29.38			29.79	FM-15	0.00	29.80
12	2352	7	CLR:00	10.00		69	20.6	58	14.4	49	9.4	49	13	170		29.39			29.80	FM-15	0.00	29.81

U.S. Department of Commerce
 National Oceanic & Atmospheric Administration
 National Environmental Satellite, Data, and Information Service
 Current Location: Elev: 2641 ft. Lat: 32.6261° N Lon: -116.4681° W
 Station: CAMPO ASOS, CA US 03164

Local Climatological Data
 Hourly Observations
 May 2018

National Centers for Environmental Information
 151 Patton Avenue
 Asheville, North Carolina 28801

Generated on 08/08/2018

Date	Time (LST)	Station Type	Sky Conditions	Visi-bility	Weather Type (see documentation) AU AW MW	Dry Bulb Temp		Wet Bulb Temp		Dew Point Temp		Rel Hum %	Wind Speed (MPH)	Wind Dir (Deg)	Wind Gusts (MPH)	Station Press (inHg)	Press. Tend	Net 3-Hr Change (inHg)	Sea Level Press. (inHg)	Report Type	Precip Total (in)	Alti-meter Setting (inHg)
						(F)	(C)	(F)	(C)	(F)	(C)											
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
10	0052	7				53	11.7	50	9.9	47	8.3	80	5	050		27.18	6	+0.04	29.80	FM-15	0.00	29.90
10	0152	7				52	11.1	49	9.7	47	8.3	83	6	040		27.17			29.79	FM-15	0.00	29.89
10	0252	7				51	10.6	49	9.4	47	8.3	86	3	050		27.17			29.79	FM-15	0.00	29.89
10	0352	7				49	9.4	47	8.3	45	7.2	86	7	050		27.16	6	+0.01	29.79	FM-15	0.00	29.88
10	0452	7				47	8.3	46	7.5	44	6.7	90	3	040		27.16			29.80	FM-15	0.00	29.88
10	0552	7				53	11.7	50	9.9	47	8.3	80	6	050		27.17			29.82	FM-15	0.00	29.89
10	0652	7				65	18.3	57	13.9	51	10.6	61	0	000		27.17	0	-0.01	29.80	FM-15	0.00	29.89
10	0752	7				74	23.3	57	14.0	44	6.7	34	3	200		27.17			29.80	FM-15	0.00	29.89
10	0852	7				80	26.7	57	13.8	37	2.8	21	13	220		27.17			29.80	FM-15	0.00	29.89
10	0952	7				82	27.8	60	15.6	44	6.7	26	17	210		27.17	8	+0.00	29.79	FM-15	0.00	29.89
10	1052	7				84	28.9	58	14.4	36	2.2	18	15	220		27.16			29.79	FM-15	0.00	29.88
10	1152	7				84	28.9	59	15.2	40	4.4	21	16	210		27.16			29.79	FM-15	0.00	29.88
10	1252	7				85	29.4	59	15.0	38	3.3	19	14	230		27.14	8	+0.02	29.77	FM-15	0.00	29.86
10	1352	7				85	29.4	60	15.4	40	4.4	20	18	220	26	27.13			29.75	FM-15	0.00	29.85
10	1452	7				79	26.1	62	16.5	50	10.0	36	18	220		27.12			29.76	FM-15	0.00	29.84
10	1552	7				77	25.0	61	16.4	51	10.6	40	16	230		27.11	6	+0.03	29.75	FM-15	0.00	29.83
10	1652	7				74	23.3	60	15.8	51	10.6	45	17	220		27.11			29.75	FM-15	0.00	29.82
10	1752	7				68	20.0	58	14.5	51	10.6	55	11	210		27.11			29.76	FM-15	0.00	29.83
10	1852	7				61	16.1	55	13.0	51	10.6	70	11	210		27.12	3	-0.01	29.76	FM-15	0.00	29.84
10	1952	7				58	14.4	54	12.3	51	10.6	78	7	200		27.14			29.77	FM-15	0.00	29.86
10	2052	7				57	13.9	54	12.0	51	10.6	81	6	210		27.15			29.78	FM-15	0.00	29.87
10	2152	7				57	13.9	54	12.3	52	11.1	83	6	240		27.14	0	-0.02	29.77	FM-15	0.00	29.86
10	2252	7				51	10.6	49	9.4	47	8.3	86	0	000		27.14			29.77	FM-15	0.00	29.86
10	2352	7				48	8.9	46	8.0	45	7.2	89	0	000		27.14			29.78	FM-15	0.00	29.86

U.S. Department of Commerce
 National Oceanic & Atmospheric Administration
 National Environmental Satellite, Data, and Information Service
 Current Location: Elev: 2641 ft. Lat: 32.6261° N Lon: -116.4681° W
 Station: CAMPO ASOS, CA US 03164

Local Climatological Data
 Hourly Observations
 May 2018

National Centers for Environmental Information
 151 Patton Avenue
 Asheville, North Carolina 28801

Generated on 08/08/2018

Date	Time (LST)	Station Type	Sky Conditions	Visi-bility	Weather Type (see documentation) AU AW MW	Dry Bulb Temp		Wet Bulb Temp		Dew Point Temp		Rel Hum %	Wind Speed (MPH)	Wind Dir (Deg)	Wind Gusts (MPH)	Station Press (inHg)	Press. Tend	Net 3-Hr Change (inHg)	Sea Level Press. (inHg)	Report Type	Precip Total (in)	Alti-meter Setting (inHg)
						(F)	(C)	(F)	(C)	(F)	(C)											
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
11	0052	7				53	11.7	52	11.4	52	11.1	96	9	240		27.13	8	+0.01	29.76	FM-15	0.00	29.85
11	0152	7				53	11.7	52	11.4	52	11.1	96	6	240		27.12			29.75	FM-15	0.00	29.84
11	0252	7				53	11.7	52	11.1	51	10.6	93	5	230		27.12			29.75	FM-15	0.00	29.84
11	0352	7				52	11.1	50	10.2	49	9.4	89	3	210		27.11	8	+0.02	29.75	FM-15	0.00	29.83
11	0452	7				47	8.3	46	7.8	45	7.2	93	3	070		27.12			29.77	FM-15	0.00	29.84
11	0552	7				48	8.9	47	8.3	46	7.8	93	3	050		27.13			29.78	FM-15	0.00	29.85
11	0652	7				54	12.2	51	10.4	48	8.9	80	0	000		27.13	0	-0.02	29.78	FM-15	0.00	29.85
11	0752	7				57	13.9	52	10.9	47	8.3	69	11	220		27.13			29.79	FM-15	0.00	29.85
11	0852	7				61	16.1	54	12.1	48	8.9	63	11	240		27.13			29.78	FM-15	0.00	29.85
11	0952	7				63	17.2	55	12.9	49	9.4	60	17	220		27.13	8	+0.00	29.78	FM-15	0.00	29.85
11	1052	7				64	17.8	55	12.8	48	8.9	56	17	220	25	27.13			29.78	FM-15	0.00	29.85
11	1152	7				65	18.3	56	13.1	48	8.9	54	21	230		27.12			29.78	FM-15	0.00	29.84
11	1252	7				65	18.3	56	13.3	49	9.4	56	21	230		27.11	8	+0.01	29.76	FM-15	0.00	29.83
11	1352	7				65	18.3	56	13.1	48	8.9	54	22	240	28	27.11			29.75	FM-15	0.00	29.82
11	1452	7				63	17.2	55	12.6	48	8.9	58	22	230	26	27.08			29.74	FM-15	0.00	29.80
11	1552	7				60	15.6	53	11.9	48	8.9	65	21	220		27.08	6	+0.03	29.74	FM-15	0.00	29.80
11	1652	7				58	14.4	52	11.2	47	8.3	67	16	250	22	27.08			29.75	FM-15	0.00	29.80
11	1752	7				53	11.7	50	9.9	47	8.3	80	15	260		27.11			29.77	FM-15	0.00	29.82
11	1852	7				51	10.6	49	9.4	47	8.3	86	13	240		27.11	3	-0.03	29.78	FM-15	0.00	29.83
11	1952	7				50	10.0	47	8.6	45	7.2	83	10	240		27.13			29.80	FM-15	0.00	29.85
11	2052	7				50	10.0	47	8.6	45	7.2	83	8	240		27.16			29.82	FM-15	0.00	29.88
11	2152	7				49	9.4	46	8.0	44	6.7	83	8	220		27.16	1	-0.05	29.83	FM-15	0.00	29.88
11	2252	7				49	9.4	46	7.8	43	6.1	80	7	240		27.17			29.83	FM-15	0.00	29.89
11	2352	7				49	9.4	46	7.8	43	6.1	80	8	240		27.16			29.82	FM-15	0.00	29.88

U.S. Department of Commerce
 National Oceanic & Atmospheric Administration
 National Environmental Satellite, Data, and Information Service
 Current Location: Elev: 2641 ft. Lat: 32.6261° N Lon: -116.4681° W
 Station: CAMPO ASOS, CA US 03164

Local Climatological Data
 Hourly Observations
 May 2018

National Centers for Environmental Information
 151 Patton Avenue
 Asheville, North Carolina 28801

Generated on 08/08/2018

Date	Time (LST)	Station Type	Sky Conditions	Visi-bility	Weather Type (see documentation) AU AW MW	Dry Bulb Temp		Wet Bulb Temp		Dew Point Temp		Rel Hum %	Wind Speed (MPH)	Wind Dir (Deg)	Wind Gusts (MPH)	Station Press (inHg)	Press. Tend	Net 3-Hr Change (inHg)	Sea Level Press. (inHg)	Report Type	Precip Total (in)	Alti-meter Setting (inHg)
						(F)	(C)	(F)	(C)	(F)	(C)											
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
12	0052	7				49	9.4	46	7.5	42	5.6	77	8	230		27.15	8	+0.01	29.81	FM-15	0.00	29.87
12	0152	7				49	9.4	45	7.3	41	5.0	74	13	250		27.15			29.81	FM-15	0.00	29.87
12	0252	7				49	9.4	45	7.3	41	5.0	74	9	260		27.16			29.82	FM-15	0.00	29.88
12	0352	7				48	8.9	45	7.2	42	5.6	80	9	240		27.15	0	-0.00	29.82	FM-15	0.00	29.87
12	0452	7				48	8.9	46	7.5	43	6.1	83	8	250		27.17			29.83	FM-15	0.00	29.89
12	0552	7				49	9.4	46	7.8	43	6.1	80	7	230		27.18			29.85	FM-15	0.00	29.90
12	0652	7				49	9.4	46	7.8	43	6.1	80	11	260		27.20	3	-0.05	29.88	FM-15	0.00	29.92
12	0752	7				49	9.4	46	8.0	44	6.7	83	9	220		27.21			29.90	FM-15	0.00	29.94
12	0852	7				50	10.0	47	8.3	44	6.7	80	8	210		27.21			29.90	FM-15	0.00	29.94
12	0952	7				52	11.1	48	9.1	45	7.2	77	15	220		27.22	1	-0.02	29.90	FM-15	0.00	29.95
12	1052	7				55	12.8	49	9.6	44	6.7	67	9	230		27.22			29.90	FM-15	0.00	29.95
12	1152	7				56	13.3	49	9.6	43	6.1	62	13	240		27.21			29.89	FM-15	0.00	29.94
12	1252	7				59	15.0	51	10.6	44	6.7	58	14	210	22	27.21	8	+0.01	29.88	FM-15	0.00	29.93
12	1352	7				61	16.1	52	11.1	44	6.7	54	17	250	21	27.20			29.87	FM-15	0.00	29.92
12	1452	7				57	13.9	51	10.4	45	7.2	64	16	300		27.19			29.86	FM-15	0.00	29.91
12	1552	7				57	13.9	51	10.6	46	7.8	67	9	280		27.20	5	+0.01	29.87	FM-15	0.00	29.92
12	1652	7				55	12.8	50	9.9	45	7.2	69	8	270		27.20			29.87	FM-15	0.00	29.92
12	1752	7				54	12.2	50	9.9	46	7.8	75	8	280		27.20			29.87	FM-15	0.00	29.92
12	1852	7				54	12.2	49	9.6	45	7.2	72	8	250		27.21	3	-0.02	29.89	FM-15	0.00	29.94
12	1952	7				52	11.1	49	9.4	46	7.8	80	8	220		27.24			29.91	FM-15	0.00	29.96
12	2052	7				51	10.6	48	9.1	46	7.8	83	9	230		27.24			29.93	FM-15	0.00	29.97
12	2152	7				51	10.6	49	9.4	47	8.3	86	9	230		27.25	1	-0.04	29.93	FM-15	0.00	29.98
12	2252	7				51	10.6	49	9.4	47	8.3	86	8	240		27.25			29.93	FM-15	0.00	29.98
12	2352	7				50	10.0	48	8.9	46	7.8	86	11	220		27.25			29.93	FM-15	0.00	29.98

U.S. Department of Commerce
 National Oceanic & Atmospheric Administration
 National Environmental Satellite, Data, and Information Service
 Current Location: Elev: -42 ft. Lat: 32.8167° N Lon: -115.6833° W
 Station: EL CENTRO NAF, CA US 23199

Local Climatological Data
Hourly Observations
May 2018

National Centers for Environmental Information
 151 Patton Avenue
 Asheville, North Carolina 28801

Generated on 06/21/2018

Date	Time (LST)	Station Type	Sky Conditions	Visi-bility	Weather Type (see documentation) AU AW MW	Dry Bulb Temp		Wet Bulb Temp		Dew Point Temp		Rel Hum %	Wind Speed (MPH)	Wind Dir (Deg)	Wind Gusts (MPH)	Station Press (inHg)	Press. Tend	Net 3-Hr Change (inHg)	Sea Level Press. (inHg)	Report Type	Precip Total (in)	Alti-meter Setting (inHg)
						(F)	(C)	(F)	(C)	(F)	(C)											
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
10	0056	7	CLR:00	10.00		77	25.0	58	14.3	41	5.0	28	5	240		29.74	8	+0.01	29.74	FM-15	0.00	29.70
10	0156	7	CLR:00	10.00		73	22.8	57	13.6	42	5.6	33	6	190		29.74			29.74	FM-15	0.00	29.70
10	0256	7	CLR:00	10.00		67	19.4	57	13.7	48	8.9	51	6	160		29.73			29.74	FM-15	0.00	29.69
10	0356	7	CLR:00	10.00		65	18.3	56	13.2	48	8.9	54	3	110		29.74	5	+0.00	29.74	FM-15	0.00	29.70
10	0456	7	CLR:00	10.00		66	18.9	55	13.0	46	7.8	49	0	000		29.75			29.75	FM-15	0.00	29.71
10	0556	7	CLR:00	10.00		69	20.6	58	14.4	49	9.4	49	0	000		29.77			29.77	FM-15	0.00	29.73
10	0656	7	CLR:00	8.00		76	24.4	65	18.3	58	14.4	54	6	160		29.77	1	-0.04	29.78	FM-15	0.00	29.73
10	0756	7	CLR:00	9.00		83	28.3	70	20.8	62	16.7	49	5	VRB		29.78			29.79	FM-15	0.00	29.74
10	0856	7	CLR:00	10.00		88	31.1	66	18.8	51	10.6	28	6	100		29.78			29.79	FM-15	0.00	29.74
10	0956	7	CLR:00	10.00		92	33.3	67	19.5	51	10.6	25	8	140		29.78	0	-0.00	29.78	FM-15	0.00	29.74
10	1056	7	CLR:00	10.00		96	35.6	68	19.9	50	10.0	21	10	120		29.76			29.76	FM-15	0.00	29.72
10	1156	7	CLR:00	10.00		100	37.8	67	19.6	45	7.2	15	15	120		29.73			29.74	FM-15	0.00	29.69
10	1256	7	CLR:00	10.00		104	40.0	70	21.1	49	9.4	16	17	140		29.70	8	+0.07	29.71	FM-15	0.00	29.66
10	1356	7	FEW:02 250	10.00		105	40.6	68	20.2	44	6.7	13	16	140		29.68			29.68	FM-15	0.00	29.64
10	1456	7	FEW:02 250	10.00		105	40.6	65	18.1	30	-1.1	7	16	170		29.66			29.66	FM-15	T	29.62
10	1509	7	FEW:02 250	10.00		107	41.7	63	17.2	16	-8.9	4	18	240		29.65				FM-16		29.61
10	1556	7	FEW:02 250	10.00		106	41.1						21	260		29.65	6	+0.06	29.65	FM-15	0.00	29.61
10	1656	7	FEW:02 250	10.00		101	38.3	63	17.2	29	-1.7	8	21	280		29.63			29.64	FM-15	0.00	29.59
10	1756	7	FEW:02 250	10.00		96	35.6	59	15.0	17s	-8.3s	5	13	260		29.66			29.66	FM-15	0.00	29.62
10	1856	7	FEW:02 250	10.00		91	32.8	58	14.6	24	-4.4	9	17	270		29.67	3	-0.03	29.68	FM-15	0.00	29.63
10	1956	7	FEW:02 250	10.00		85	29.4	57	13.9	29	-1.7	13	24	270		29.71			29.71	FM-15	0.00	29.67
10	2056	7	FEW:02 250	8.00		83	28.3	58	14.3	34	1.1	17	22	260		29.73			29.73	FM-15	0.00	29.69
10	2156	7	FEW:02 200	10.00		81	27.2	58	14.6	38	3.3	21	26	270		29.73	0	-0.05	29.73	FM-15	0.00	29.69
10	2256	7	CLR:00	8.00		80	26.7	57	13.6	34	1.1	19	29	260	38	29.72			29.72	FM-15	0.00	29.68
10	2356	7	CLR:00	9.00		80	26.7	55	12.7	28	-2.2	15	30	260		29.70			29.70	FM-15	0.00	29.66

May 11, 2018 Exceptional Event, Imperial County

Appendix B

U.S. Department of Commerce
 National Oceanic & Atmospheric Administration
 National Environmental Satellite, Data, and Information Service
 Current Location: Elev: -42 ft. Lat: 32.8167° N Lon: -115.6833° W
 Station: EL CENTRO NAF, CA US 23199

Local Climatological Data Hourly Observations May 2018

Generated on 06/21/2018

National Centers for Environmental Information
 151 Patton Avenue
 Asheville, North Carolina 28801

Date	Time (LST)	Station Type	Sky Conditions	Visi-bility	Weather Type (see documentation) AU AW MW	Dry Bulb Temp		Wet Bulb Temp		Dew Point Temp		Rel Hum %	Wind Speed (MPH)	Wind Dir (Deg)	Wind Gusts (MPH)	Station Press (inHg)	Press. Tend	Net 3-Hr Change (inHg)	Sea Level Press. (inHg)	Report Type	Precip Total (in)	Alti-meter Setting (inHg)
						(F)	(C)	(F)	(C)	(F)	(C)											
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
11	0056	7	CLR:00	10.00		79	26.1	55	12.9	31	-0.6	17	26	260	34	29.69	8	+0.04	29.69	FM-15	0.00	29.65
11	0156	7	CLR:00	10.00		80	26.7	55	12.5	27	-2.8	14	22	240	36	29.70			29.70	FM-15	0.00	29.66
11	0256	7	CLR:00	10.00		77	25.0	54	12.3	30	-1.1	18	17	260		29.71			29.71	FM-15	0.00	29.67
11	0305	7	CLR:00	10.00		76	24.4	54	12.0	30	-1.1	18	16	250		29.71			29.71	FM-16		29.67
11	0356	7	CLR:00	10.00		75	23.9	53	11.8	30	-1.1	19	18	250		29.71	1	-0.02	29.71	FM-15	0.00	29.67
11	0456	7	FEW:02 220	10.00		72	22.2	52	11.3	31	-0.6	22	15	250		29.72			29.72	FM-15	0.00	29.68
11	0556	7	FEW:02 250	10.00		74	23.3	57	13.6	41	5.0	31	6	140		29.73			29.74	FM-15	0.00	29.69
11	0656	7	FEW:02 220	10.00		75	23.9	60	15.5	48	8.9	39	9	110		29.74	1	-0.03	29.75	FM-15	0.00	29.70
11	0756	7	FEW:02 220	10.00		80	26.7						8	130		29.74			29.75	FM-15	0.00	29.70
11	0856	7	FEW:02 220	10.00		85	29.4	60	15.8	40	4.4	20	5	VRB		29.73			29.74	FM-15	0.00	29.69
11	0956	7	FEW:02 220	10.00		91	32.8	61	16.3	36	2.2	14	16	250	23	29.72	7	+0.02	29.73	FM-15	T	29.68
11	1056	7	FEW:02 220	8.00		93	33.9	62	16.5	35	1.7	13	26	260	37	29.71			29.71	FM-15	T	29.67
11	1156	7	FEW:02 220	9.00		94	34.4	62	16.7	35	1.7	13	34	250	39	29.70			29.70	FM-15	0.00	29.66
11	1256	7	SCT:04 220	10.00		93	33.9	62	16.7	36	2.2	13	36	250		29.69	6	+0.04	29.69	FM-15	0.00	29.65
11	1356	7	SCT:04 220	10.00		91	32.8	63	17.0	40	4.4	17	33	240	43	29.68			29.68	FM-15	0.00	29.64
11	1456	7	FEW:02 220	10.00		89	31.7	62	16.8	41	5.0	19	33	240	40	29.66			29.67	FM-15	0.00	29.62
11	1556	7	FEW:02 220	10.00		86	30.0	61	16.2	41	5.0	20	36	240	43	29.66	6	+0.03	29.66	FM-15	0.00	29.62
11	1656	7	FEW:02 220	10.00		83	28.3	59	15.2	39	3.9	21	26	250	39	29.66			29.66	FM-15	0.00	29.62
11	1756	7	CLR:00	10.00	-RA:02 RA RA	78	25.6	58	14.3	40	4.4	26	26	250	38	29.68			29.68	FM-15	T	29.64
11	1856	7	CLR:00	10.00	-RA:02 RA RA	72	22.2	56	13.2	41	5.0	33	25	250		29.70	3	-0.04	29.70	FM-15	T	29.66
11	1954	7	FEW:02 5	2.50V	-RA:02 RA RA	70	21.0	55	12.7	41	5.0	35	37	270	44	29.71				FM-16	T	29.67
11	1956	7	SCT:04 5	1.75V	-RA:02 RA RA	69	20.6	54	12.5	41	5.0	36	37	270	44	29.71			29.71	FM-15	T	29.67
11	2006	7	BKN:07 5	1.50	-RA:02 RA RA	68	20.0	54	12.3	41	5.0	38	37	270	45	29.71				FM-16	T	29.67
11	2014	7	VV:09 4	0.75	-RA:02 RA RA	68	20.0	54	12.5	42	5.6	39	38	270	45	29.72				FM-16	T	29.68
11	2020	7	VV:09 5	1.00	-RA:02 RA RA	68	20.0	54	12.5	42	5.6	39	34	280	45	29.72				FM-16	T	29.68
11	2033	7	BKN:07 5	2.00V	-RA:02 RA RA	67	19.4	54	12.2	42	5.6	41	34	280	46	29.73				FM-16	T	29.69
11	2047	7	BKN:07 5	1.25	-RA:02 RA RA	68	20.0	54	12.3	41	5.0	38	34	270	47	29.73				FM-16	T	29.69
11	2054	6	BKN:07 4	2.00	-RA:02 RA RA	68	20.0	53	11.8	39	4.0	35	32	280	44	29.73				FM-16		29.69
11	2055	7	BKN:07 4	2.00V	-RA:02 RA RA	68	20.0	54	12.0	40	4.4	36	33	280	44	29.73			29.73	FM-15	T	29.69
11	2125	7	OVC:08 4	1.25	-RA:02 RA RA	68	20.0	53	11.6	38	3.3	33	34	270	44	29.74				FM-16	T	29.70
11	2154	6	OVC:08 4	2.50	-RA:02 RA RA	70	21.0	52	11.3	34	1.0	27	23	270	31	29.75				FM-16		29.71
11	2156	7	OVC:08 4	2.50	-RA:02 RA RA	69	20.6	52	11.1	34	1.1	27	16	300	31	29.75	1	-0.04	29.75	FM-15	T	29.71
11	2203	7	FEW:02 4 OVC:08 8	2.50	-RA:02 RA RA	70	21.1	52	11.3	34	1.1	27	17	340	28	29.76				FM-16	T	29.72
11	2213	7	FEW:02 4 OVC:08 10	2.00	HZ:7 FU HZ	69	20.6	52	11.3	35	1.7	29	18	360	38	29.75				FM-16	T	29.71
11	2227	7	BKN:07 10	5.00	-RA:02 RA RA	70	21.1	52	11.1	33	0.6	26	32	270	39	29.74				FM-16	T	29.70
11	2233	7	SCT:04 10	5.00	-RA:02 RA RA	69	20.6	52	10.9	33	0.6	26	28	270	39	29.74				FM-16	T	29.70
11	2256	7	CLR:00	10.00	-RA:02 RA RA	70	21.1	51	10.6	30	-1.1	23	18	320		29.74			29.75	FM-15	T	29.70
11	2309	7	CLR:00	10.00	-RA:02 RA RA	70	21.1	51	10.8	31	-0.6	23	15	300	25	29.75				FM-16	T	29.71
11	2356	7	CLR:00	10.00		70	21.1	51	10.4	29	-1.7	22	11	360	18	29.75			29.75	FM-15	T	29.71

U.S. Department of Commerce
 National Oceanic & Atmospheric Administration
 National Environmental Satellite, Data, and Information Service
 Current Location: Elev: -42 ft. Lat: 32.8167° N Lon: -115.6833° W
 Station: EL CENTRO NAF, CA US 23199

Local Climatological Data
Hourly Observations
May 2018

National Centers for Environmental Information
 151 Patton Avenue
 Asheville, North Carolina 28801

Generated on 06/21/2018

Date	Time (LST)	Station Type	Sky Conditions	Visi-bility	Weather Type (see documentation)	Dry Bulb Temp		Wet Bulb Temp		Dew Point Temp		Rel Hum %	Wind Speed (MPH)	Wind Dir (Deg)	Wind Gusts (MPH)	Station Press (inHg)	Press. Tend	Net 3-Hr Change (inHg)	Sea Level Press. (inHg)	Report Type	Precip Total (in)	Alti-meter Setting (inHg)
					AU AW MW	(F)	(C)	(F)	(C)	(F)	(C)											
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
12	0056	7	CLR:00	10.00		68	20.0	51	10.5	32	0.0	26	10	260	25	29.75	5	+0.00	29.75	FM-15	T	29.71
12	0156	7	CLR:00	10.00		64	17.8	50	10.2	36	2.2	35	18	280		29.77			29.77	FM-15	T	29.73
12	0256	7	CLR:00	8.00	-RA:02 RA RA	65	18.3	51	10.7	37	2.8	36	29	290	39	29.78			29.78	FM-15	T	29.74
12	0356	7	CLR:00	10.00	-RA:02 RA RA	63	17.2	51	10.8	40	4.4	43	29	270	33	29.80	3	-0.05	29.81	FM-15	T	29.76
12	0456	7	FEW:02 60	10.00		63	17.2	51	10.6	39	3.9	41	25	270		29.83			29.83	FM-15	T	29.79
12	0556	7	FEW:02 60	10.00		65	18.3	52	11.3	40	4.4	40	23	280		29.86			29.87	FM-15	0.00	29.82
12	0656	7	FEW:02 60	10.00		68	20.0	53	11.8	39	3.9	35	17	280		29.88	1	-0.08	29.89	FM-15	0.00	29.84
12	0756	7	FEW:02 60	10.00		72	22.2	54	12.2	36	2.2	27	17	280		29.89			29.90	FM-15	0.00	29.85
12	0856	7	FEW:02 60	10.00		75	23.9	55	12.9	36	2.2	24	23	260		29.89			29.90	FM-15	0.00	29.85
12	0956	7	FEW:02 70	10.00		77	25.0	55	12.8	33	0.6	20	17	240		29.89	0	-0.01	29.90	FM-15	0.00	29.85
12	1056	7	FEW:02 70	10.00		79	26.1	56	13.2	33	0.6	19	11	260		29.88			29.88	FM-15	0.00	29.84
12	1156	7	FEW:02 70	10.00		81	27.2	57	13.7	33	0.6	18	11	260	22	29.86			29.86	FM-15	0.00	29.82
12	1256	7	FEW:02 70	10.00		82	27.8	57	13.7	32	0.0	16	13	240	18	29.84	6	+0.05	29.85	FM-15	0.00	29.80
12	1356	7	CLR:00	10.00		83	28.3	58	14.3	34	1.1	17	10	250	21	29.83			29.83	FM-15	0.00	29.79
12	1456	7	CLR:00	10.00		86	30.0	58	14.5	31	-0.6	14	16	250	26	29.80			29.81	FM-15	0.00	29.76
12	1556	7	CLR:00	10.00		84	28.9	59	15.0	37	2.8	19	22	260		29.80	6	+0.04	29.81	FM-15	0.00	29.76
12	1656	7	CLR:00	10.00		81	27.2	58	14.6	38	3.3	21	31	250	34	29.80			29.80	FM-15	0.00	29.76
12	1756	7	CLR:00	10.00		76	24.4	57	13.9	40	4.4	27	23	260	33	29.81			29.81	FM-15	0.00	29.77
12	1856	7	CLR:00	10.00		72	22.2	56	13.4	42	5.6	34	23	260		29.84	3	-0.03	29.84	FM-15	0.00	29.80
12	1956	7	CLR:00	10.00		69	20.6	55	12.7	42	5.6	38	22	260		29.87			29.87	FM-15	0.00	29.83
12	2056	7	CLR:00	10.00		68	20.0	54	12.3	41	5.0	38	22	270		29.88			29.89	FM-15	0.00	29.84
12	2156	7	CLR:00	10.00		67	19.4	53	11.8	40	4.4	37	21	260		29.89	1	-0.05	29.89	FM-15	0.00	29.85
12	2256	7	CLR:00	10.00		66	18.9	53	11.6	40	4.4	39	22	260		29.90			29.90	FM-15	0.00	29.86
12	2356	7	CLR:00	10.00		66	18.9	53	11.6	40	4.4	39	24	260		29.90			29.91	FM-15	0.00	29.86

U.S. Department of Commerce
 National Oceanic & Atmospheric Administration
 National Environmental Satellite, Data, and Information Service
 Current Location: Elev: -58 ft. Lat: 32.8342° N Lon: -115.5786° W
 Station: IMPERIAL CO AIRPORT, CA US 03144

Local Climatological Data
 Hourly Observations
 May 2018

Generated on 08/08/2018

National Centers for Environmental Information
 151 Patton Avenue
 Asheville, North Carolina 28801

Date	Time (LST)	Station Type	Sky Conditions	Visi-bility	Weather Type (see documentation) AU AW MW	Dry Bulb Temp		Wet Bulb Temp		Dew Point Temp		Rel Hum %	Wind Speed (MPH)	Wind Dir (Deg)	Wind Gusts (MPH)	Station Press (inHg)	Press. Tend	Net 3-Hr Change (inHg)	Sea Level Press. (inHg)	Report Type	Precip Total (in)	Alti-meter Setting (inHg)
						(F)	(C)	(F)	(C)	(F)	(C)											
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
10	0053	7	CLR:00	10.00		73	22.8	59	15.0	48	8.9	41	3	150		29.74	8	+0.01	29.68	FM-15	0.00	29.68
10	0153	7	CLR:00	10.00		74	23.3	60	15.5	49	9.4	41	0	000		29.74			29.68	FM-15	0.00	29.68
10	0253	7	CLR:00	10.00		73	22.8	59	15.3	49	9.4	43	3	110		29.74			29.68	FM-15	0.00	29.68
10	0353	7	CLR:00	10.00		70	21.1	61	16.2	55	12.8	59	5	130		29.74	5	+0.01	29.68	FM-15	0.00	29.68
10	0453	7	CLR:00	10.00		68	20.0	60	15.8	55	12.8	63	3	060		29.75			29.69	FM-15	0.00	29.69
10	0553	7	CLR:00	10.00		71	21.7	63	17.3	58	14.4	63	5	130		29.76			29.71	FM-15	0.00	29.70
10	0653	7	CLR:00	10.00		79	26.1	67	19.2	59	15.0	50	6	140		29.77	1	-0.04	29.71	FM-15	0.00	29.71
10	0753	7	CLR:00	10.00		84	28.9	69	20.4	60	15.6	44	6	140		29.78			29.72	FM-15	0.00	29.72
10	0853	7	CLR:00	10.00		88	31.1	68	19.8	55	12.8	33	5	120		29.79			29.73	FM-15	0.00	29.73
10	0953	7	CLR:00	10.00		93	33.9	67	19.4	50	10.0	23	7	100		29.78	0	-0.01	29.72	FM-15	0.00	29.72
10	1053	7	CLR:00	10.00		96	35.6	68	20.2	51	10.6	22	14	120		29.77			29.71	FM-15	0.00	29.71
10	1153	7	CLR:00	10.00		101	38.3	68	20.0	46	7.8	15	15	140		29.74			29.68	FM-15	0.00	29.68
10	1253	7	CLR:00	10.00		102	38.9	71	21.6	53	11.7	19	16	130		29.71	8	+0.07	29.65	FM-15	0.00	29.65
10	1353	7	CLR:00	9.00		105	40.6	69	20.6	46	7.8	14	18	140	25	29.68			29.62	FM-15	0.00	29.62
10	1453	7	CLR:00	10.00		105	40.6	69	20.6	46	7.8	14	21	140	28	29.65			29.59	FM-15	0.00	29.59
10	1553	7	CLR:00	10.00		105	40.6	66	19.1	37	2.8	10	10	180	30	29.65	6	+0.06	29.59	FM-15	0.00	29.59
10	1653	7	CLR:00	10.00		101	38.3	64	17.6	32	0.0	9	11	220		29.65			29.59	FM-15	0.00	29.59
10	1753	7	CLR:00	10.00		97	36.1	60	15.6	22s	-5.6s	7	10	260		29.66			29.60	FM-15	0.00	29.60
10	1853	7	CLR:00	10.00		88	31.1	59	15.0	32	0.0	13	9	280		29.68	3	-0.03	29.62	FM-15	0.00	29.62
10	1953	7	CLR:00	10.00		84	28.9	58	14.3	33	0.6	16	7	260		29.71			29.65	FM-15	0.00	29.65
10	2053	7	CLR:00	8.00		83	28.3	59	14.8	37	2.8	19	24	260	34	29.70			29.65	FM-15	0.00	29.64
10	2153	7	CLR:00	10.00		81	27.2	59	14.8	39	3.9	22	28	280	38	29.71	1	-0.03	29.65	FM-15	0.00	29.65
10	2253	7	CLR:00	10.00		79	26.1	57	13.8	36	2.2	21	14	260	25	29.73			29.67	FM-15	0.00	29.67
10	2353	7	CLR:00	10.00		78	25.6	55	13.0	33	0.6	19	21	270	31	29.69			29.63	FM-15	0.00	29.63

U.S. Department of Commerce
 National Oceanic & Atmospheric Administration
 National Environmental Satellite, Data, and Information Service
 Current Location: Elev: -58 ft. Lat: 32.8342° N Lon: -115.5786° W
 Station: IMPERIAL CO AIRPORT, CA US 03144

Local Climatological Data
Hourly Observations
May 2018

Generated on 08/08/2018

National Centers for Environmental Information
 151 Patton Avenue
 Asheville, North Carolina 28801

Date	Time (LST)	Station Type	Sky Conditions	Visi-bility	Weather Type (see documentation) AU AW MW	Dry Bulb Temp		Wet Bulb Temp		Dew Point Temp		Rel Hum %	Wind Speed (MPH)	Wind Dir (Deg)	Wind Gusts (MPH)	Station Press (inHg)	Press. Tend	Net 3-Hr Change (inHg)	Sea Level Press. (inHg)	Report Type	Precip Total (in)	Alti-meter Setting (inHg)
						(F)	(C)	(F)	(C)	(F)	(C)											
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
11	0053	7	CLR:00	10.00		78	25.6	55	12.7	31	-0.6	18	0	000		29.70	8	+0.00	29.65	FM-15	0.00	29.64
11	0153	7	CLR:00	10.00		75	23.9	54	12.5	34	1.1	22	11	290		29.70			29.64	FM-15	0.00	29.64
11	0253	7	CLR:00	10.00		76	24.4	54	12.0	30	-1.1	18	5	VRB		29.70			29.65	FM-15	0.00	29.64
11	0353	7	CLR:00	10.00		76	24.4	54	12.2	31	-0.6	19				29.71	3	-0.01	29.65	FM-15	0.00	29.65
11	0453	7	CLR:00	10.00		70	21.1	53	11.5	35	1.7	28	0	000		29.72			29.66	FM-15	0.00	29.66
11	0553	7	CLR:00	10.00		71	21.7	54	12.1	37	2.8	29	0	000		29.73			29.67	FM-15	0.00	29.67
11	0653	7	CLR:00	10.00		75	23.9	61	16.2	51	10.6	43	5	140		29.75	2	-0.04	29.69	FM-15	0.00	29.69
11	0753	7	CLR:00	10.00		80	26.7	66	18.8	57s	13.9s	45	8	130		29.74			29.68	FM-15	0.00	29.68
11	0853	7	CLR:00	10.00		84	28.9	63	17.3	48	8.9	29	7	100		29.74			29.68	FM-15	0.00	29.68
11	0953	7	CLR:00	10.00		88	31.1	63	17.0	43	6.1	21	7	240		29.73	8	+0.02	29.67	FM-15	0.00	29.67
11	1053	7	CLR:00	10.00		91	32.8	63	17.4	42	5.6	18	3	VRB		29.70			29.64	FM-15	0.00	29.64
11	1153	7	CLR:00	10.00		92	33.3	64	17.5	42	5.6	18	26	260	36	29.68			29.62	FM-15	0.00	29.62
11	1253	7	CLR:00	9.00		92	33.3	63	17.2	40	4.4	16	30	260	37	29.67	6	+0.06	29.61	FM-15	0.00	29.61
11	1353	7	CLR:00	8.00		90	32.2	63	17.0	41	5.0	18	28	250	38	29.67			29.61	FM-15	0.00	29.61
11	1453	7	CLR:00	10.00		89	31.7	63	17.0	42	5.6	19	30	250	38	29.65			29.59	FM-15	0.00	29.59
11	1553	7	CLR:00	10.00		86	30.0	61	16.4	42	5.6	21	29	250	37	29.65	8	+0.02	29.59	FM-15	0.00	29.59
11	1653	7	CLR:00	10.00		83	28.3	60	15.6	41	5.0	23	28	250	38	29.64			29.58	FM-15	0.00	29.58
11	1753	7	CLR:00	10.00		78	25.6	58	14.5	41	5.0	27	24	250	33	29.66			29.60	FM-15	0.00	29.60
11	1853	7	CLR:00	10.00		72	22.2	56	13.4	42	5.6	34	23	260	34	29.68	3	-0.03	29.62	FM-15	0.00	29.62
11	1953	7	CLR:00	8.00		68	20.0	55	12.9	44	6.7	42	26	280	34	29.69			29.62	FM-15	0.00	29.63
11	2053	7	CLR:00	5.00	HZ:7 FU HZ	68	20.0	54	12.3	41	5.0	38	31	290	40	29.71			29.65	FM-15	0.00	29.65
11	2105	7	SCT:04 4	3.00	HZ:7 FU HZ	69	20.6	54	12.3	40	4.4	35	36	290	43	29.70				FM-16		29.64
11	2111	7	BKN:07 4	2.50	HZ:7 FU HZ	70	21.1	54	12.1	38	3.3	31	32	290	46	29.70				FM-16		29.64
11	2129	7	BKN:07 4 BKN:07 9	4.00	HZ:7 FU HZ	71	21.7	53	11.5	34	1.1	26	32	290	45	29.71				FM-16		29.65
11	2141	7	BKN:07 5	4.00	HZ:7 FU HZ	70	21.1	53	11.9	37	2.8	30	30	280	44	29.71				FM-16		29.65
11	2148	7	SCT:04 6	3.00	HZ:7 FU HZ	70	21.0	53	11.9	37	3.0	31	31	280	43	29.71				FM-16		29.65
11	2153	7	FEW:02 8	3.00	HZ:7 FU HZ	69	20.6	53	11.9	38	3.3	32	25	270	43	29.71	1	-0.03	29.66	FM-15	0.00	29.65
11	2253	7	CLR:00	10.00		67	19.4	52	11.2	37	2.8	33	15	290		29.73			29.67	FM-15	0.00	29.67
11	2353	7	CLR:00	10.00		69	20.6	52	10.9	33	0.6	26	13	290		29.74			29.68	FM-15	0.00	29.68

U.S. Department of Commerce
 National Oceanic & Atmospheric Administration
 National Environmental Satellite, Data, and Information Service
 Current Location: Elev: -58 ft. Lat: 32.8342° N Lon: -115.5786° W
 Station: IMPERIAL CO AIRPORT, CA US 03144

Local Climatological Data
 Hourly Observations
 May 2018

Generated on 08/08/2018

National Centers for Environmental Information
 151 Patton Avenue
 Asheville, North Carolina 28801

Date	Time (LST)	Station Type	Sky Conditions	Visi-bility	Weather Type (see documentation) AU AW MW	Dry Bulb Temp		Wet Bulb Temp		Dew Point Temp		Rel Hum %	Wind Speed (MPH)	Wind Dir (Deg)	Wind Gusts (MPH)	Station Press (inHg)	Press. Tend	Net 3-Hr Change (inHg)	Sea Level Press. (inHg)	Report Type	Precip Total (in)	Alti-meter Setting (inHg)
						(F)	(C)	(F)	(C)	(F)	(C)											
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
12	0053	7	CLR:00	10.00		67	19.4	52	11.0	36	2.2	32	13	300	28	29.75	1	-0.03	29.69	FM-15	0.00	29.69
12	0153	7	CLR:00	10.00		64	17.8	51	10.6	38	3.3	38	14	300		29.77			29.71	FM-15	0.00	29.71
12	0253	7	CLR:00	10.00		64	17.8	52	10.9	39	3.9	40	14	300	26	29.78			29.72	FM-15	0.00	29.72
12	0353	7	CLR:00	10.00		62	16.7	51	10.8	41	5.0	46	18	280	26	29.80	1	-0.06	29.74	FM-15	0.00	29.74
12	0453	7	CLR:00	10.00		61	16.1	51	10.6	41	5.0	48	16	270	23	29.82			29.76	FM-15	0.00	29.76
12	0553	7	CLR:00	10.00		63	17.2	52	11.3	42	5.6	47	21	280	28	29.85			29.79	FM-15	0.00	29.79
12	0653	7	CLR:00	10.00		67	19.4	54	12.3	42	5.6	41	18	280		29.88	3	-0.07	29.81	FM-15	0.00	29.82
12	0753	7	CLR:00	10.00		71	21.7	55	12.5	39	3.9	31	18	290		29.89			29.83	FM-15	0.00	29.83
12	0853	7	CLR:00	10.00		74	23.3	57	13.7	41	5.0	31	16	280		29.89			29.83	FM-15	0.00	29.83
12	0953	7	CLR:00	10.00		76	24.4	56	13.5	38	3.3	25	16	280		29.89	0	-0.01	29.83	FM-15	0.00	29.83
12	1053	7	CLR:00	10.00		79	26.1	57	13.8	36	2.2	21	9	270		29.88			29.81	FM-15	0.00	29.82
12	1153	7	CLR:00	10.00		81	27.2	58	14.4	37	2.8	21	10	260		29.86			29.79	FM-15	0.00	29.80
12	1253	7	CLR:00	10.00		83	28.3	59	14.8	37	2.8	19	8	250		29.85	6	+0.04	29.78	FM-15	0.00	29.79
12	1353	7	CLR:00	10.00		84	28.9	59	15.2	38	3.3	19	9	260	16	29.82			29.76	FM-15	0.00	29.76
12	1453	7	CLR:00	10.00		83	28.3	59	15.0	38	3.3	20	11	260	20	29.80			29.74	FM-15	0.00	29.74
12	1553	7	CLR:00	10.00		83	28.3	60	15.8	42	5.6	24	18	260		29.80	6	+0.05	29.73	FM-15	0.00	29.74
12	1653	7	CLR:00	10.00		80	26.7	59	15.2	42	5.6	26	20	260	26	29.79			29.72	FM-15	0.00	29.73
12	1753	7	CLR:00	10.00		76	24.4	58	14.3	42	5.6	30	20	260	28	29.80			29.74	FM-15	0.00	29.74
12	1853	7	CLR:00	10.00		71	21.7	57	13.6	44	6.7	38	14	260		29.83	3	-0.03	29.76	FM-15	0.00	29.77
12	1953	7	CLR:00	10.00		69	20.6	56	13.2	44	6.7	41	17	260		29.85			29.79	FM-15	0.00	29.79
12	2053	7	CLR:00	10.00		67	19.4	55	12.7	44	6.7	44	15	270		29.88			29.81	FM-15	0.00	29.82
12	2153	7	CLR:00	10.00		66	18.9	54	12.0	42	5.6	42	13	270		29.88	1	-0.06	29.82	FM-15	0.00	29.82
12	2253	7	CLR:00	10.00		65	18.3	53	11.8	42	5.6	43	15	270		29.89			29.83	FM-15	0.00	29.83
12	2353	7	CLR:00	10.00		65	18.3	53	11.8	42	5.6	43	16	270		29.90			29.83	FM-15	0.00	29.84

U.S. Department of Commerce
 National Oceanic & Atmospheric Administration
 National Environmental Satellite, Data, and Information Service
 Current Location: Elev: -118 ft. Lat: 33.6267° N Lon: -116.1594° W
 Station: DESERT RESORTS REGIONAL AIRPORT, CA US 03104

Local Climatological Data
 Hourly Observations
 May 2018

National Centers for Environmental Information
 151 Patton Avenue
 Asheville, North Carolina 28801

Generated on 08/08/2018

Date	Time (LST)	Station Type	Sky Conditions	Visi-bility	Weather Type (see documentation) AU AW MW	Dry Bulb Temp		Wet Bulb Temp		Dew Point Temp		Rel Hum %	Wind Speed (MPH)	Wind Dir (Deg)	Wind Gusts (MPH)	Station Press (inHg)	Press. Tend	Net 3-Hr Change (inHg)	Sea Level Press. (inHg)	Report Type	Precip Total (in)	Alti-meter Setting (inHg)
						(F)	(C)	(F)	(C)	(F)	(C)											
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
10	0052	7	CLR:00	10.00		77	25.0	61	15.9	48	8.9	36	3	130		29.80	6	+0.02	29.69	FM-15	0.00	29.68
10	0152	7	CLR:00	10.00		75	23.9	60	15.7	49	9.4	40	0	000		29.79			29.68	FM-15	0.00	29.67
10	0252	7	CLR:00	10.00		80	26.7	63	17.0	50	10.0	35	3	VRB		29.80			29.69	FM-15	0.00	29.68
10	0352	7	CLR:00	10.00		72	22.2	60	15.6	51	10.6	48	6	150		29.79	6	+0.01	29.68	FM-15	0.00	29.67
10	0452	7	CLR:00	10.00		66	18.9	57	14.0	50	10.0	56	0	000		29.81			29.69	FM-15	0.00	29.69
10	0552	7	CLR:00	10.00		70	21.1	60	15.4	52	11.1	53	0	000		29.82			29.71	FM-15	0.00	29.70
10	0652	7	CLR:00	10.00		81	27.2	64	17.9	53	11.7	38	0	000		29.84	2	-0.04	29.72	FM-15	0.00	29.72
10	0752	7	CLR:00	10.00		85	29.4	66	18.7	53	11.7	33	5	150		29.84			29.73	FM-15	0.00	29.72
10	0852	7	CLR:00	10.00		89	31.7	63	17.2	43	6.1	20	9	160		29.84			29.73	FM-15	0.00	29.72
10	0952	7	CLR:00	10.00		92	33.3	65	18.2	45	7.2	20	7	VRB		29.83	8	+0.01	29.72	FM-15	0.00	29.71
10	1052	7	CLR:00	10.00		96	35.6	65	18.5	43	6.1	16	6	120		29.82			29.71	FM-15	0.00	29.70
10	1152	7	CLR:00	10.00		98	36.7	66	18.7	42	5.6	15	7	150		29.79			29.68	FM-15	0.00	29.67
10	1252	7	CLR:00	10.00		101	38.3	66	18.9	40	4.4	12	6	VRB		29.76	8	+0.07	29.65	FM-15	0.00	29.64
10	1352	7	CLR:00	10.00		102	38.9	65	18.2	35	1.7	10	9	140		29.74			29.63	FM-15	0.00	29.62
10	1452	7	CLR:00	10.00		104	40.0	65	18.5	34	1.1	9	9	150		29.71			29.59	FM-15	0.00	29.59
10	1552	7	CLR:00	10.00		104	40.0	65	18.6	35	1.7	9	0	000		29.69	8	+0.07	29.57	FM-15	0.00	29.57
10	1652	7	CLR:00	10.00		105	40.6	64	17.9	28	-2.2	7	8	280		29.67			29.56	FM-15	0.00	29.55
10	1752	7	CLR:00	8.00		98	36.7	61	16.2	25	-3.9	7	14	300		29.67			29.55	FM-15	0.00	29.55
10	1852	7	CLR:00	10.00		92	33.3	65	18.1	45	7.2	20	18	340	24	29.70	3	-0.01	29.61	FM-15	0.00	29.58
10	1952	7	CLR:00	10.00		88	31.1	64	18.1	48	8.9	25	20	340	29	29.71			29.62	FM-15	0.00	29.59
10	2052	7	CLR:00	10.00		85	29.4	64	18.0	50s	10.0s	30	17	340	24	29.73			29.64	FM-15	0.00	29.61
10	2152	7	CLR:00	10.00		84	28.9	64	17.8	50	10.0	31	17	350		29.73	0	-0.04	29.62	FM-15	0.00	29.61
10	2252	7	CLR:00	10.00		83	28.3	62	16.9	47	8.3	28	14	330		29.72			29.61	FM-15	0.00	29.60
10	2352	7	CLR:00	10.00		80	26.7	61	16.0	46	7.8	30	6	320		29.73			29.62	FM-15	0.00	29.61

U.S. Department of Commerce
 National Oceanic & Atmospheric Administration
 National Environmental Satellite, Data, and Information Service
 Current Location: Elev: -118 ft. Lat: 33.6267° N Lon: -116.1594° W
 Station: DESERT RESORTS REGIONAL AIRPORT, CA US 03104

Local Climatological Data
 Hourly Observations
 May 2018

National Centers for Environmental Information
 151 Patton Avenue
 Asheville, North Carolina 28801

Generated on 08/08/2018

Date	Time (LST)	Station Type	Sky Conditions	Visi-bility	Weather Type (see documentation)	Dry Bulb Temp		Wet Bulb Temp		Dew Point Temp		Rel Hum %	Wind Speed (MPH)	Wind Dir (Deg)	Wind Gusts (MPH)	Station Press (inHg)	Press. Tend	Net 3-Hr Change (inHg)	Sea Level Press. (inHg)	Report Type	Precip Total (in)	Alti-meter Setting (inHg)
					AU AW MW	(F)	(C)	(F)	(C)	(F)	(C)											
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
11	0052	7	CLR:00	10.00		80	26.7	61	16.3	47	8.3	31	13	320		29.72	8	+0.01	29.60	FM-15	0.00	29.60
11	0152	7	CLR:00	10.00		77	25.0	61	16.1	49	9.4	37	14	310		29.72			29.61	FM-15	0.00	29.60
11	0252	7	CLR:00	10.00		76	24.4	61	15.9	49	9.4	39	14	330		29.73			29.62	FM-15	0.00	29.61
11	0352	7	CLR:00	10.00		74	23.3	60	15.5	49	9.4	41	8	320		29.74	1	-0.02	29.62	FM-15	0.00	29.62
11	0452	7	CLR:00	10.00		73	22.8	59	15.3	49	9.4	43	10	300		29.75			29.64	FM-15	0.00	29.63
11	0552	7	CLR:00	10.00		74	23.3	60	15.5	49	9.4	41	9	310		29.77			29.65	FM-15	0.00	29.65
11	0652	7	CLR:00	10.00		76	24.4	61	15.9	49	9.4	39	9	320		29.78	3	-0.05	29.67	FM-15	0.00	29.66
11	0752	7	CLR:00	10.00		79	26.1	61	16.3	48	8.9	34	6	340		29.78			29.67	FM-15	0.00	29.66
11	0852	7	CLR:00	10.00		83	28.3	63	17.1	48	8.9	30	5	VRB		29.78			29.66	FM-15	0.00	29.66
11	0952	7	CLR:00	10.00		86	30.0	63	17.2	46	7.8	25	6	VRB		29.77	8	+0.01	29.66	FM-15	0.00	29.65
11	1052	7	CLR:00	10.00		89	31.7	64	17.6	45	7.2	22	9	VRB		29.75			29.64	FM-15	0.00	29.63
11	1152	7	CLR:00	10.00		91	32.8	64	18.0	45	7.2	20	10	VRB	25	29.72			29.61	FM-15	0.00	29.60
11	1252	7	CLR:00	10.00		91	32.8	64	18.0	45	7.2	20	16	340		29.71	6	+0.06	29.60	FM-15	0.00	29.59
11	1352	7	CLR:00	10.00		91	32.8	64	18.0	45	7.2	20	16	350		29.69			29.57	FM-15	0.00	29.57
11	1452	7	CLR:00	10.00		91	32.8	64	18.0	45	7.2	20	16	340		29.67			29.56	FM-15	0.00	29.55
11	1552	7	CLR:00	10.00		90	32.2	64	17.6	44	6.7	20	17	330		29.67	6	+0.04	29.56	FM-15	0.00	29.55
11	1652	7	CLR:00	10.00		83	28.3	62	16.9	47	8.3	28	16	340		29.68			29.59	FM-15	0.00	29.56
11	1752	7	CLR:00	10.00		79	26.1	61	16.0	47	8.3	32	20	330	28	29.69			29.57	FM-15	0.00	29.57
11	1852	7	CLR:00	9.00		73	22.8	59	15.0	48	8.9	41	18	330	29	29.71	3	-0.04	29.59	FM-15	0.00	29.59
11	1952	7	CLR:00	10.00		71	21.7	58	14.6	48	8.9	44	15	350	24	29.74			29.62	FM-15	0.00	29.62
11	2052	7	CLR:00	10.00		70	21.1	57	14.1	47	8.3	44	23	340	33	29.77			29.65	FM-15	0.00	29.65
11	2152	7	CLR:00	10.00		70	21.1	57	13.9	46	7.8	42	25	340	32	29.77	1	-0.06	29.68	FM-15	0.00	29.65
11	2252	7	CLR:00	10.00		69	20.6	56	13.4	45	7.2	42	21	330	26	29.78			29.66	FM-15	0.00	29.66
11	2352	7	CLR:00	10.00		68	20.0	56	13.4	46	7.8	45	16	330	31	29.78			29.67	FM-15	0.00	29.66

U.S. Department of Commerce
 National Oceanic & Atmospheric Administration
 National Environmental Satellite, Data, and Information Service
 Current Location: Elev: -118 ft. Lat: 33.6267° N Lon: -116.1594° W
 Station: DESERT RESORTS REGIONAL AIRPORT, CA US 03104

Local Climatological Data
 Hourly Observations
 May 2018

National Centers for Environmental Information
 151 Patton Avenue
 Asheville, North Carolina 28801

Generated on 08/08/2018

Date	Time (LST)	Station Type	Sky Conditions	Visi-bility	Weather Type (see documentation) AU AW MW	Dry Bulb Temp		Wet Bulb Temp		Dew Point Temp		Rel Hum %	Wind Speed (MPH)	Wind Dir (Deg)	Wind Gusts (MPH)	Station Press (inHg)	Press. Tend	Net 3-Hr Change (inHg)	Sea Level Press. (inHg)	Report Type	Precip Total (in)	Alti-meter Setting (inHg)
						(F)	(C)	(F)	(C)	(F)	(C)											
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
12	0052	7	CLR:00	10.00		68	20.0	56	13.2	45	7.2	44	21	330	31	29.79	3	-0.01	29.67	FM-15	0.00	29.67
12	0152	7	CLR:00	10.00		68	20.0	56	13.2	45	7.2	44	22	340		29.80			29.69	FM-15	0.00	29.68
12	0252	7	CLR:00	10.00		67	19.4	55	13.0	45	7.2	45	18	340	26	29.83			29.72	FM-15	0.00	29.71
12	0352	7	CLR:00	10.00		66	18.9	55	12.7	45	7.2	47	9	320		29.85	3	-0.06	29.76	FM-15	0.00	29.73
12	0452	7	CLR:00	10.00		65	18.3	54	12.5	45	7.2	49	13	320	22	29.88			29.76	FM-15	0.00	29.76
12	0552	7	CLR:00	10.00		67	19.4	55	13.0	45	7.2	45	16	330		29.91			29.79	FM-15	0.00	29.78
12	0652	7	CLR:00	10.00		70	21.1	57	13.7	45	7.2	41	17	330	23	29.92	1	-0.07	29.81	FM-15	0.00	29.80
12	0752	7	CLR:00	10.00		74	23.3	58	14.3	44	6.7	34	13	340		29.93			29.82	FM-15	0.00	29.81
12	0852	7	CLR:00	10.00		77	25.0	59	14.8	43	6.1	30	13	340		29.94			29.82	FM-15	0.00	29.82
12	0952	7	CLR:00	10.00		79	26.1	59	15.2	43	6.1	28	6	VRB	16	29.93	0	-0.01	29.81	FM-15	0.00	29.81
12	1052	7	CLR:00	10.00		82	27.8	60	15.8	43	6.1	25	8	360		29.92			29.80	FM-15	0.00	29.80
12	1152	7	CLR:00	10.00		84	28.9	61	16.2	43	6.1	24	6	330		29.91			29.79	FM-15	0.00	29.78
12	1252	7	CLR:00	10.00		86	30.0	61	16.2	41	5.0	20	9	300		29.89	6	+0.04	29.78	FM-15	0.00	29.77
12	1352	7	CLR:00	10.00		88	31.1	62	16.4	40	4.4	18	9	360		29.87			29.78	FM-15	0.00	29.75
12	1452	7	CLR:00	10.00		87	30.6	61	16.2	40	4.4	19	13	330		29.85			29.73	FM-15	0.00	29.73
12	1552	7	CLR:00	10.00		87	30.6	62	16.4	41	5.0	20	13	320		29.84	6	+0.05	29.73	FM-15	0.00	29.72
12	1652	7	CLR:00	10.00		83	28.3	61	16.0	43	6.1	24	20	320	25	29.84			29.72	FM-15	0.00	29.72
12	1752	7	CLR:00	10.00		79	26.1	59	15.2	43	6.1	28	22	330	26	29.85			29.73	FM-15	0.00	29.73
12	1852	7	CLR:00	10.00		76	24.4	58	14.5	43	6.1	31	22	330	33	29.86	3	-0.02	29.74	FM-15	0.00	29.74
12	1952	7	CLR:00	10.00		74	23.3	58	14.3	44	6.7	34	20	330	31	29.89			29.77	FM-15	0.00	29.77
12	2052	7	CLR:00	10.00		72	22.2	57	14.1	45	7.2	38	21	330	29	29.91			29.79	FM-15	0.00	29.79
12	2152	7	CLR:00	10.00		71	21.7	57	14.1	46	7.8	41	21	340	25	29.92	1	-0.06	29.80	FM-15	0.00	29.80
12	2252	7	CLR:00	10.00		70	21.1	57	13.9	46	7.8	42	18	330	28	29.92			29.81	FM-15	0.00	29.80
12	2352	7	CLR:00	10.00		70	21.1	57	13.7	45	7.2	41	24	330	33	29.92			29.81	FM-15	0.00	29.80

U.S. Department of Commerce
 National Oceanic & Atmospheric Administration
 National Environmental Satellite, Data, and Information Service
 Current Location: Elev: 409 ft. Lat: 33.8222° N Lon: -116.5043° W
 Station: PALM SPRINGS ASOS, CA US 93138

Local Climatological Data
 Hourly Observations
 May 2018

National Centers for Environmental Information
 151 Patton Avenue
 Asheville, North Carolina 28801

Generated on 08/08/2018

Date	Time (LST)	Station Type	Sky Conditions	Visi-bility	Weather Type (see documentation) AU AW MW	Dry Bulb Temp		Wet Bulb Temp		Dew Point Temp		Rel Hum %	Wind Speed (MPH)	Wind Dir (Deg)	Wind Gusts (MPH)	Station Press (inHg)	Press. Tend	Net 3-Hr Change (inHg)	Sea Level Press. (inHg)	Report Type	Precip Total (in)	Alti-meter Setting (inHg)
						(F)	(C)	(F)	(C)	(F)	(C)											
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
10	0053	7	CLR:00	10.00		82	27.8	63	17.3	50	10.0	33	3	130		29.25	8	+0.03	29.72	FM-15	0.00	29.73
10	0153	7	CLR:00	10.00		79	26.1	63	17.0	51	10.6	38	0	000		29.24			29.71	FM-15	0.00	29.72
10	0253	7	CLR:00	10.00		78	25.6	62	16.8	51	10.6	39	0	000		29.24			29.70	FM-15	0.00	29.72
10	0353	7	CLR:00	10.00		76	24.4	62	16.9	53	11.7	45	3	240		29.24	5	+0.01	29.71	FM-15	0.00	29.72
10	0453	7	CLR:00	10.00		73	22.8	62	16.6	54	12.2	51	6	230		29.25			29.72	FM-15	0.00	29.73
10	0553	7	CLR:00	10.00		78	25.6	63	17.0	52	11.1	40	0	000		29.28			29.74	FM-15	0.00	29.76
10	0653	7	CLR:00	10.00		82	27.8	62	16.6	47	8.3	29	0	000		29.28	1	-0.04	29.75	FM-15	0.00	29.76
10	0753	7	CLR:00	10.00		86	30.0	63	16.9	45	7.2	24	3	120		29.29			29.75	FM-15	0.00	29.77
10	0853	7	CLR:00	10.00		89	31.7	62	16.9	42	5.6	19	3	140		29.28			29.75	FM-15	0.00	29.76
10	0953	7	CLR:00	10.00		92	33.3	64	17.7	43	6.1	18	7	VRB		29.28	8	+0.01	29.74	FM-15	0.00	29.76
10	1053	7	CLR:00	10.00		95	35.0	65	18.4	44	6.7	17	0	000		29.26			29.72	FM-15	0.00	29.74
10	1153	7	CLR:00	10.00		99	37.2	65	18.6	41	5.0	14	5	VRB		29.24			29.70	FM-15	0.00	29.72
10	1253	7	CLR:00	10.00		102	38.9	65	18.1	35	1.7	10	16	360	22	29.21	8	+0.06	29.67	FM-15	0.00	29.69
10	1353	7	CLR:00	10.00		103	39.4	64	17.8	31	-0.6	8	29	330	39	29.19			29.65	FM-15	0.00	29.67
10	1453	7	CLR:00	10.00		100	37.8	63	17.2	31	-0.6	9	21	290	36	29.16			29.63	FM-15	0.00	29.64
10	1553	7	CLR:00	10.00		99	37.2	63	17.4	34	1.1	10	9	VRB	30	29.15	6	+0.06	29.62	FM-15	0.00	29.63
10	1653	7	CLR:00	10.00		98	36.7	65	18.4	41	5.0	14	23	330	30	29.15			29.62	FM-15	0.00	29.63
10	1753	7	CLR:00	10.00		93	33.9	64	17.8	43	6.1	18	17	330	23	29.14			29.61	FM-15	0.00	29.62
10	1853	7	CLR:00	10.00		90	32.2	63	17.1	42	5.6	19	10	290	29	29.16	3	-0.01	29.62	FM-15	0.00	29.64
10	1953	7	CLR:00	10.00		87	30.6	62	16.9	44	6.7	22	14	290	25	29.17			29.63	FM-15	0.00	29.65
10	2053	7	CLR:00	10.00		85	29.4	61	16.1	42	5.6	22	9	320		29.18			29.65	FM-15	0.00	29.66
10	2153	7	CLR:00	10.00		82	27.8	60	15.5	42	5.6	24	5	VRB		29.18	1	-0.02	29.65	FM-15	0.00	29.66
10	2253	7	CLR:00	10.00		81	27.2	60	15.3	42	5.6	25	5	290		29.18			29.65	FM-15	0.00	29.66
10	2353	7	CLR:00	10.00		79	26.1	60	15.5	45	7.2	30	6	290		29.17			29.64	FM-15	0.00	29.65

U.S. Department of Commerce
 National Oceanic & Atmospheric Administration
 National Environmental Satellite, Data, and Information Service
 Current Location: Elev: 409 ft. Lat: 33.8222° N Lon: -116.5043° W
 Station: PALM SPRINGS ASOS, CA US 93138

Local Climatological Data
 Hourly Observations
 May 2018

National Centers for Environmental Information
 151 Patton Avenue
 Asheville, North Carolina 28801

Generated on 08/08/2018

Date	Time (LST)	Station Type	Sky Conditions	Visi-bility	Weather Type (see documentation)	Dry Bulb Temp		Wet Bulb Temp		Dew Point Temp		Rel Hum %	Wind Speed (MPH)	Wind Dir (Deg)	Wind Gusts (MPH)	Station Press (inHg)	Press. Tend	Net 3-Hr Change (inHg)	Sea Level Press. (inHg)	Report Type	Precip Total (in)	Alti-meter Setting (inHg)
					AU AW MW	(F)	(C)	(F)	(C)	(F)	(C)											
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
11	0053	7	CLR:00	10.00		76	24.4	60	15.6	48	8.9	37	17	310	24	29.16	8	+0.02	29.63	FM-15	0.00	29.64
11	0153	7	CLR:00	10.00		73	22.8	60	15.5	50	10.0	44	15	310	22	29.17			29.63	FM-15	0.00	29.65
11	0253	7	CLR:00	10.00		71	21.7	59	15.1	50	10.0	47	13	310		29.17			29.64	FM-15	0.00	29.65
11	0353	7	CLR:00	10.00		71	21.7	59	14.8	49	9.4	46	7	290		29.18	3	-0.01	29.65	FM-15	0.00	29.66
11	0453	7	CLR:00	10.00		71	21.7	59	14.8	49	9.4	46	5	280		29.19			29.66	FM-15	0.00	29.67
11	0553	7	CLR:00	10.00		70	21.1	59	15.1	51	10.6	51	5	140		29.20			29.67	FM-15	0.00	29.68
11	0653	7	CLR:00	10.00		73	22.8	60	15.5	50	10.0	44	0	000		29.22	3	-0.04	29.68	FM-15	0.00	29.70
11	0753	7	CLR:00	10.00		76	24.4	61	15.9	49	9.4	39	0	000		29.22			29.69	FM-15	0.00	29.70
11	0853	7	CLR:00	10.00		79	26.1	61	16.2	48	8.9	34	14	330	21	29.22			29.69	FM-15	0.00	29.70
11	0953	7	CLR:00	10.00		81	27.2	62	16.6	48	8.9	32	10	310	24	29.22	1	-0.01	29.69	FM-15	0.00	29.70
11	1053	7	CLR:00	10.00		82	27.8	62	16.8	48	8.9	31	16	320		29.21			29.67	FM-15	0.00	29.69
11	1153	7	CLR:00	10.00		84	28.9	63	17.2	48	8.9	29	20	320	25	29.18			29.65	FM-15	0.00	29.66
11	1253	7	CLR:00	10.00		83	28.3	62	16.8	47	8.3	28	22	320	29	29.17	8	+0.05	29.64	FM-15	0.00	29.65
11	1353	7	CLR:00	10.00		81	27.2	61	16.4	47	8.3	30	24	320	37	29.14			29.61	FM-15	0.00	29.62
11	1453	7	CLR:00	10.00		82	27.8	62	16.6	47	8.3	29	23	320	32	29.12			29.59	FM-15	0.00	29.60
11	1553	7	CLR:00	10.00		82	27.8	61	16.4	46	7.8	28	18	330	33	29.11	6	+0.05	29.58	FM-15	0.00	29.59
11	1653	7	CLR:00	10.00		80	26.7	60	15.7	45	7.2	29	28	330	40	29.10			29.57	FM-15	0.00	29.58
11	1753	7	CLR:00	10.00		77	25.0	59	15.1	45	7.2	32	26	330	39	29.12			29.59	FM-15	0.00	29.60
11	1853	7	CLR:00	10.00		72	22.2	58	14.3	46	7.8	40	31	350	41	29.15	3	-0.04	29.63	FM-15	0.00	29.63
11	1953	7	CLR:00	10.00		73	22.8	57	13.8	43	6.1	34	16	330	23	29.17			29.64	FM-15	0.00	29.65
11	2053	7	CLR:00	10.00		73	22.8	56	13.3	41	5.0	32	15	320	21	29.20			29.67	FM-15	0.00	29.68
11	2153	7	CLR:00	10.00		72	22.2	56	13.1	41	5.0	33	5	210		29.21	1	-0.05	29.67	FM-15	0.00	29.69
11	2253	7	CLR:00	10.00		69	20.6	55	12.9	43	6.1	39	5	VRB		29.20			29.67	FM-15	0.00	29.68
11	2353	7	CLR:00	10.00		66	18.9	55	12.7	45	7.2	47	6	140		29.22			29.69	FM-15	0.00	29.70

U.S. Department of Commerce
 National Oceanic & Atmospheric Administration
 National Environmental Satellite, Data, and Information Service
 Current Location: Elev: 409 ft. Lat: 33.8222° N Lon: -116.5043° W
 Station: PALM SPRINGS ASOS, CA US 93138

Local Climatological Data
Hourly Observations
May 2018

National Centers for Environmental Information
 151 Patton Avenue
 Asheville, North Carolina 28801

Generated on 08/08/2018

Date	Time (LST)	Station Type	Sky Conditions	Visi-bility	Weather Type (see documentation)	Dry Bulb Temp		Wet Bulb Temp		Dew Point Temp		Rel Hum %	Wind Speed (MPH)	Wind Dir (Deg)	Wind Gusts (MPH)	Station Press (inHg)	Press. Tend	Net 3-Hr Change (inHg)	Sea Level Press. (inHg)	Report Type	Precip Total (in)	Alti-meter Setting (inHg)
					AU AW MW	(F)	(C)	(F)	(C)	(F)	(C)											
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
12	0053	7	CLR:00	10.00		69	20.6	56	13.1	44	6.7	41	21	320	31	29.22	3	-0.02	29.70	FM-15	0.00	29.70
12	0153	7	CLR:00	10.00		67	19.4	55	12.9	45	7.2	45	22	320	31	29.24			29.71	FM-15	0.00	29.72
12	0253	7	CLR:00	10.00		65	18.3	54	12.4	45	7.2	49	14	310	29	29.26			29.73	FM-15	0.00	29.74
12	0353	7	CLR:00	10.00		64	17.8	54	12.2	45	7.2	50	14	320	23	29.28	3	-0.05	29.75	FM-15	0.00	29.76
12	0453	7	CLR:00	10.00		64	17.8	54	12.0	44	6.7	48	14	320		29.30			29.78	FM-15	0.00	29.78
12	0553	7	CLR:00	10.00		65	18.3	54	12.2	44	6.7	47	10	300		29.33			29.80	FM-15	0.00	29.81
12	0653	7	CLR:00	10.00		68	20.0	55	12.9	44	6.7	42	16	320		29.35	1	-0.07	29.82	FM-15	0.00	29.83
12	0753	7	CLR:00	10.00		70	21.1	56	13.4	44	6.7	39	14	290	29	29.37			29.84	FM-15	0.00	29.85
12	0853	7	CLR:00	10.00		73	22.8	57	13.8	43	6.1	34	11	330		29.37			29.84	FM-15	0.00	29.85
12	0953	7	CLR:00	10.00		76	24.4	58	14.5	43	6.1	31	11	310	23	29.37	1	-0.02	29.85	FM-15	0.00	29.85
12	1053	7	CLR:00	10.00		78	25.6	59	14.9	43	6.1	29	16	330	23	29.36			29.83	FM-15	0.00	29.84
12	1153	7	CLR:00	10.00		80	26.7	60	15.3	43	6.1	27	21	320	32	29.35			29.82	FM-15	0.00	29.83
12	1253	7	CLR:00	10.00		82	27.8	60	15.7	43	6.1	25	16	310	23	29.34	6	+0.04	29.81	FM-15	0.00	29.82
12	1353	7	CLR:00	10.00		81	27.2	60	15.5	43	6.1	26	25	320	32	29.32			29.79	FM-15	0.00	29.80
12	1453	7	CLR:00	10.00		81	27.2	60	15.5	43	6.1	26	25	320	33	29.29			29.77	FM-15	0.00	29.77
12	1553	7	CLR:00	10.00		79	26.1	60	15.3	44	6.7	29	22	320	31	29.28	6	+0.05	29.76	FM-15	0.00	29.76
12	1653	7	CLR:00	10.00		78	25.6	59	15.1	44	6.7	30	22	320	30	29.29			29.76	FM-15	0.00	29.77
12	1753	7	CLR:00	10.00		75	23.9	58	14.2	43	6.1	32	22	320	31	29.29			29.76	FM-15	0.00	29.77
12	1853	7	CLR:00	10.00		73	22.8	57	13.8	43	6.1	34	20	310	24	29.31	3	-0.02	29.78	FM-15	0.00	29.79
12	1953	7	CLR:00	10.00		72	22.2	56	13.6	43	6.1	35	20	310	29	29.32			29.80	FM-15	0.00	29.80
12	2053	7	CLR:00	10.00		71	21.7	56	13.4	43	6.1	36	15	320		29.34			29.82	FM-15	0.00	29.82
12	2153	7	CLR:00	10.00		71	21.7	56	13.1	42	5.6	35	18	310	26	29.35	1	-0.04	29.82	FM-15	0.00	29.83
12	2253	7	CLR:00	10.00		70	21.1	55	12.9	42	5.6	37	21	320	26	29.36			29.83	FM-15	0.00	29.84
12	2353	7	CLR:00	10.00		70	21.1	55	12.7	41	5.0	35	14	320	24	29.36			29.83	FM-15	0.00	29.84

U.S. Department of Commerce
 National Oceanic & Atmospheric Administration
 National Environmental Satellite, Data, and Information Service
 Current Location: Elev: 213 ft. Lat: 32.6500° N Lon: -114.6167° W
 Station: YUMA MCAS, AZ US 03145

Local Climatological Data
Hourly Observations
May 2018

National Centers for Environmental Information
 151 Patton Avenue
 Asheville, North Carolina 28801

Generated on 08/08/2018

Date	Time (LST)	Station Type	Sky Conditions	Visi-bility	Weather Type (see documentation) AU AW MW	Dry Bulb Temp		Wet Bulb Temp		Dew Point Temp		Rel Hum %	Wind Speed (MPH)	Wind Dir (Deg)	Wind Gusts (MPH)	Station Press (inHg)	Press. Tend	Net 3-Hr Change (inHg)	Sea Level Press. (inHg)	Report Type	Precip Total (in)	Alti-meter Setting (inHg)
						(F)	(C)	(F)	(C)	(F)	(C)											
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
10	0057	6	CLR:00	10.00		78	25.6	55	13.0	33	0.6	19	3	180		29.49		29.71	FM-15	0.00	29.72	
10	0157	6	CLR:00	10.00		77	25.0	56	13.1	35	1.7	22	3	240		29.49	8	+0.01	29.71	FM-15	0.00	29.72
10	0257	6	CLR:00	10.00		76	24.4	55	12.5	33	0.6	21	5	200		29.48		29.70	FM-15	0.00	29.71	
10	0357	6		10.00		73	22.8	53	11.8	33	0.6	23	7	180		29.48		29.70	FM-15	0.00	29.71	
10	0457	6	CLR:00	10.00		72	22.2	54	12.3	37	2.8	28	6	170		29.48		29.70	FM-15	0.00	29.71	
10	0557	6	CLR:00	10.00		73	22.8	54	12.0	34	1.1	24	7	170		29.49		29.71	FM-15	0.00	29.72	
10	0657	6	FEW:02 200	7.00		75	23.9	55	12.8	36	2.2	24	13	150		29.50		29.72	FM-15	0.00	29.73	
10	0757	6	FEW:02 200	7.00		81	27.2	57	14.2	36	2.2	20	15	160		29.52	3	-0.04	29.74	FM-15	0.00	29.75
10	0857	6	CLR:00	7.00		87	30.6	60	15.6	37	2.8	17	18	160		29.53		29.75	FM-15	0.00	29.76	
10	0957	6	FEW:02 180	7.00		91	32.8	63	16.9	40	4.4	17	18	180		29.53		29.75	FM-15	0.00	29.76	
10	1057	6	FEW:02 220	7.00		94	34.4	64	17.7	41	5.0	16	15	170		29.53	1	-0.02	29.75	FM-15	0.00	29.76
10	1157	6	CLR:00	7.00		97	36.1	64	17.9	39	3.9	13	13	170		29.51		29.73	FM-15	0.00	29.74	
10	1257	6	FEW:02 210	7.00		99	37.2	66	18.8	42	5.6	14	10	170		29.49		29.71	FM-15	0.00	29.72	
10	1357	6	FEW:02 240	7.00		102	38.9	65	18.5	37	2.8	10	17	190	29	29.46	8	+0.07	29.68	FM-15	0.00	29.69
10	1457	6	FEW:02 240	7.00		103	39.4	64	17.9	32	0.0	8	17	170		29.44		29.66	FM-15	0.00	29.67	
10	1557	6	FEW:02 210	7.00		103	39.4	65	18.4	35	1.7	9	16	170		29.42		29.64	FM-15	0.00	29.65	
10	1657	6	CLR:00	10.00		101	38.3	64	18.0	35	1.7	10	15	170		29.41	6	+0.06	29.63	FM-15	0.00	29.64
10	1757	6	CLR:00	10.00		99	37.2	64	17.6	35	1.7	11	15	170		29.40		29.62	FM-15	0.00	29.63	
10	1857	6	CLR:00	10.00		93	33.9	62	16.8	37	2.8	14	14	180		29.39		29.61	FM-15	0.00	29.62	
10	1957	6	CLR:00	10.00		89	31.7	61	16.2	38	3.3	16	10	160		29.40	5	+0.00	29.62	FM-15	0.00	29.63
10	2057	6	CLR:00	10.00		86	30.0	60	15.6	38	3.3	18	8	180		29.44		29.66	FM-15	0.00	29.67	
10	2157	6	CLR:00	10.00		82	27.8	60	15.3	41	5.0	23	10	170		29.44		29.66	FM-15	0.00	29.67	
10	2257	6	CLR:00	10.00		80	26.7	59	15.1	42	5.6	26	0	000		29.46	1	-0.06	29.68	FM-15	0.00	29.69
10	2357	6	CLR:00	10.00		78	25.6	59	14.9	43	6.1	29	5	270		29.47		29.69	FM-15	0.00	29.70	

U.S. Department of Commerce
 National Oceanic & Atmospheric Administration
 National Environmental Satellite, Data, and Information Service
 Current Location: Elev: 213 ft. Lat: 32.6500° N Lon: -114.6167° W
 Station: YUMA MCAS, AZ US 03145

Local Climatological Data
Hourly Observations
May 2018

Generated on 08/08/2018

National Centers for Environmental Information
 151 Patton Avenue
 Asheville, North Carolina 28801

Date	Time (LST)	Station Type	Sky Conditions	Visi-bility	Weather Type (see documentation) AU AW MW	Dry Bulb Temp		Wet Bulb Temp		Dew Point Temp		Rel Hum %	Wind Speed (MPH)	Wind Dir (Deg)	Wind Gusts (MPH)	Station Press (inHg)	Press. Tend	Net 3-Hr Change (inHg)	Sea Level Press. (inHg)	Report Type	Precip Total (in)	Alti-meter Setting (inHg)
						(F)	(C)	(F)	(C)	(F)	(C)											
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
11	0057	6	CLR:00	10.00		78	25.6	60	15.4	45	7.2	31	3	150		29.46			29.68	FM-15	0.00	29.69
11	0157	6	CLR:00	10.00		76	24.4	58	14.5	43	6.1	31	7	140		29.45	8	+0.01	29.67	FM-15	0.00	29.68
11	0257	6	CLR:00	10.00		73	22.8	59	14.8	47	8.3	40	5	160		29.44			29.66	FM-15	0.00	29.67
11	0357	6	CLR:00	10.00		72	22.2	61	16.4	54	12.2	53	8	170		29.44			29.66	FM-15	0.00	29.67
11	0457	6	CLR:00	10.00		72	22.2	62	16.7	55	12.8	55	7	160		29.44	5	+0.01	29.66	FM-15	0.00	29.67
11	0557	6	CLR:00	10.00		71	21.7	61	16.2	54	12.2	55	9	160		29.44			29.67	FM-15	0.00	29.67
11	0657	6	FEW:02 260	7.00		73	22.8	64	17.7	58	14.4	59	14	150		29.47			29.69	FM-15	0.00	29.70
11	0757	6	SCT:04 250	7.00		78	25.6	67	19.3	60	15.6	54	16	140		29.47	3	-0.03	29.69	FM-15	0.00	29.70
11	0857	6	FEW:02 250 SCT:04 350	7.00		81	27.2	67	19.6	59	15.0	47	18	150		29.48			29.70	FM-15	0.00	29.71
11	0957	6	BKN:07 260	7.00		85	29.4	63	17.2	47	8.3	27	16	160		29.47			29.69	FM-15	0.00	29.70
11	1057	6	BKN:07 240 BKN:07 280	7.00		89	31.7	63	17.3	44	6.7	21	13	180		29.46	8	+0.01	29.68	FM-15	0.00	29.69
11	1157	6	BKN:07 240	7.00		93	33.9	61	16.0	32	0.0	11	15	200	23	29.45			29.67	FM-15	0.00	29.68
11	1257	6	BKN:07 240 BKN:07 300	7.00		94	34.4	61	16.0	31	-0.6	11	14	200	22	29.42			29.64	FM-15	0.00	29.65
11	1357	6	SCT:04 250 BKN:07 300	7.00		96	35.6	62	16.6	32	0.0	10	9	240		29.40	7	+0.06	29.62	FM-15	0.00	29.63
11	1457	6	BKN:07 260	7.00		98	36.7	63	17.4	35	1.7	11	8	270		29.37			29.59	FM-15	0.00	29.60
11	1557	6	BKN:07 260	7.00		99	37.2	65	18.1	38	3.3	12	15	230		29.35			29.57	FM-15	0.00	29.58
11	1657	6	CLR:00	10.00		96	35.6	65	18.2	42	5.6	15	18	280		29.35	5	+0.05	29.57	FM-15	0.00	29.58
11	1757	6	OVC:08 39	8.00		91	32.8	62	16.7	39	3.9	16	9	250		29.37			29.59	FM-15	0.00	29.60
11	1857	6	SCT:04 47	10.00		88	31.1	60	15.8	37	2.8	16	7	270		29.38			29.60	FM-15	0.00	29.61
11	1957	6	CLR:00	10.00		83	28.3	57	14.1	33	0.6	17	6	280		29.41	3	-0.06	29.63	FM-15	0.00	29.64
11	2057	6	CLR:00	10.00		78	25.6	56	13.3	35	1.7	21	8	270		29.44			29.66	FM-15	0.00	29.67
11	2157	6	CLR:00	10.00		75	23.9	54	12.4	34	1.1	22	7	280		29.45			29.67	FM-15	0.00	29.68
11	2257	6	CLR:00	8.00		70	21.1	55	12.7	41	5.0	35	9	260	18	29.46	1	-0.05	29.68	FM-15	0.00	29.69
11	2357	6	FEW:02 9	5.00	HZ:7 HZ	68	20.0	54	12.5	42	5.6	39	9	300		29.47			29.69	FM-15	0.00	29.70

U.S. Department of Commerce
 National Oceanic & Atmospheric Administration
 National Environmental Satellite, Data, and Information Service
 Current Location: Elev: 213 ft. Lat: 32.6500° N Lon: -114.6167° W
 Station: YUMA MCAS, AZ US 03145

Local Climatological Data
Hourly Observations
May 2018

National Centers for Environmental Information
 151 Patton Avenue
 Asheville, North Carolina 28801

Generated on 08/08/2018

Date	Time (LST)	Station Type	Sky Conditions	Visi-bility	Weather Type (see documentation) AU AW MW	Dry Bulb Temp		Wet Bulb Temp		Dew Point Temp		Rel Hum %	Wind Speed (MPH)	Wind Dir (Deg)	Wind Gusts (MPH)	Station Press (inHg)	Press. Tend	Net 3-Hr Change (inHg)	Sea Level Press. (inHg)	Report Type	Precip Total (in)	Alti-meter Setting (inHg)
						(F)	(C)	(F)	(C)	(F)	(C)											
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
12	0012	6	BKN:07 11	4.00	HZ:7 HZ	67	19.4	54	12.2	42	5.6	41	0	000		29.48				FM-16		29.71
12	0055	6	SCT:04 12	5.00	HZ:7 HZ	66	19.0	52	11.3	39	4.0	37	6	310		29.48				FM-16		29.71
12	0057	6	SCT:04 12	5.00	HZ:7 HZ	67	19.4	53	11.6	39	3.9	36	7	310		29.48		29.70	FM-15	0.00	29.71	
12	0157	6	CLR:00	6.00	HZ:7 HZ	66	18.9	52	11.3	39	3.9	37	3	VRB		29.47	0	-0.01	29.69	FM-15	0.00	29.70
12	0257	6	CLR:00	8.00		64	17.8	52	11.0	40	4.4	41	3	260		29.48		29.70	FM-15	0.00	29.71	
12	0357	6	CLR:00	10.00		65	18.3	52	11.3	40	4.4	40	14	330	26	29.50		29.72	FM-15	0.00	29.73	
12	0457	6	CLR:00	10.00		63	17.2	52	11.0	41	5.0	45	7	320		29.52	3	-0.05	29.74	FM-15	0.00	29.75
12	0557	6	CLR:00	10.00		63	17.2	52	11.0	41	5.0	45	11	330		29.56		29.78	FM-15	0.00	29.79	
12	0657	6	CLR:00	10.00		64	17.8	52	11.1	40	4.4	41	13	300		29.58		29.80	FM-15	0.00	29.81	
12	0757	6	CLR:00	10.00		67	19.4	54	12.0	41	5.0	39	13	280		29.60		29.82	FM-15	0.00	29.83	
12	0857	6	CLR:00	10.00		70	21.1	54	12.5	40	4.4	34	14	300		29.60		29.83	FM-15	0.00	29.83	
12	0957	6	CLR:00	10.00		73	22.8	56	13.4	41	5.0	32	13	300	22	29.61		29.83	FM-15	0.00	29.84	
12	1057	6	CLR:00	10.00		75	23.9	58	14.3	43	6.1	32	5	VRB		29.61	1	-0.01	29.84	FM-15	0.00	29.84
12	1157	6	CLR:00	10.00		80	26.7	59	14.7	40	4.4	24	9	280		29.60		29.82	FM-15	0.00	29.83	
12	1257	6	CLR:00	10.00		80	26.7	57	14.0	36	2.2	20	8	250		29.59		29.81	FM-15	0.00	29.82	
12	1357	6	CLR:00	10.00		83	28.3	58	14.6	36	2.2	19	7	VRB		29.58	6	+0.04	29.80	FM-15	0.00	29.81
12	1457	6	CLR:00	10.00		84	28.9	58	14.6	35	1.7	17	6	VRB		29.55		29.78	FM-15	0.00	29.78	
12	1557	6	CLR:00	10.00		84	28.9	58	14.5	34	1.1	17	9	220		29.53		29.76	FM-15	0.00	29.76	
12	1657	6	CLR:00	10.00		86	30.0	59	14.9	34	1.1	15	10	210		29.53	6	+0.05	29.75	FM-15	0.00	29.76
12	1757	6	CLR:00	10.00		84	28.9	59	14.8	36	2.2	18	9	260		29.52		29.74	FM-15	0.00	29.75	
12	1857	6	CLR:00	10.00		83	28.3	59	15.0	38	3.3	20	5	270		29.51		29.74	FM-15	0.00	29.74	
12	1957	6	CLR:00	10.00		80	26.7	58	14.5	39	3.9	23	6	270		29.53	3	-0.00	29.75	FM-15	0.00	29.76
12	2057	6	CLR:00	10.00		77	25.0	58	14.5	42	5.6	29	8	250		29.58		29.80	FM-15	0.00	29.81	
12	2157	6	CLR:00	10.00		74	23.3	56	13.4	40	4.4	29	5	270		29.61		29.83	FM-15	0.00	29.84	
12	2257	6	CLR:00	10.00		71	21.7	56	13.2	42	5.6	35	7	280		29.62	1	-0.09	29.84	FM-15	0.00	29.85
12	2357	6	CLR:00	10.00		70	21.1	55	12.9	42	5.6	37	3	270		29.62		29.84	FM-15	0.00	29.85	

U.S. Department of Commerce
 National Oceanic & Atmospheric Administration
 National Environmental Satellite, Data, and Information Service
 Current Location: Elev: 213 ft. Lat: 32.6500° N Lon: -114.6167° W
 Station: YUMA MCAS, AZ US 03145

Local Climatological Data
Hourly Observations
May 2018

National Centers for Environmental Information
 151 Patton Avenue
 Asheville, North Carolina 28801

Generated on 09/24/2018

Date	Time (LST)	Station Type	Sky Conditions	Visi-bility	Weather Type (see documentation) AU AW MW	Dry Bulb Temp		Wet Bulb Temp		Dew Point Temp		Rel Hum %	Wind Speed (MPH)	Wind Dir (Deg)	Wind Gusts (MPH)	Station Press (inHg)	Press. Tend	Net 3-Hr Change (inHg)	Sea Level Press. (inHg)	Report Type	Precip Total (in)	Alti-meter Setting (inHg)
						(F)	(C)	(F)	(C)	(F)	(C)											
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
13	0057	6	CLR:00	10.00		68	20.0	54	12.5	42	5.6	39	3	240		29.61			29.84	FM-15	0.00	29.84
13	0157	6	CLR:00	10.00		66	18.9	54	12.0	42	5.6	42	0	000		29.61	8	+0.01	29.83	FM-15	0.00	29.84
13	0257	6	CLR:00	10.00		65	18.3	53	11.8	42	5.6	43	3	190		29.62			29.84	FM-15	0.00	29.85
13	0357	6	CLR:00	10.00		64	17.8	53	11.5	42	5.6	45	5	320		29.62			29.85	FM-15	0.00	29.85
13	0457	6	CLR:00	10.00		64	17.8	53	11.5	42	5.6	45	5	300		29.63	3	-0.02	29.85	FM-15	0.00	29.86
13	0557	6	CLR:00	10.00		62	16.7	52	11.0	42	5.6	48	5	270		29.64			29.86	FM-15	0.00	29.87
13	0657	6	CLR:00	10.00		65	18.3	54	12.2	44	6.7	47	5	290		29.66			29.89	FM-15	0.00	29.89
13	0757	6	CLR:00	10.00		69	20.6	55	12.7	42	5.6	38	10	330		29.69	3	-0.06	29.91	FM-15	0.00	29.92
13	0857	6	CLR:00	10.00		71	21.7	57	13.6	44	6.7	38	8	310		29.70			29.92	FM-15	0.00	29.93
13	0957	6	CLR:00	10.00		73	22.8	57	13.8	43	6.1	34	3	050		29.70			29.92	FM-15	0.00	29.93
13	1057	6	CLR:00	10.00		77	25.0	58	14.5	42	5.6	29	7	VRB		29.70	1	-0.01	29.92	FM-15	0.00	29.93
13	1157	6	CLR:00	10.00		80	26.7	59	14.7	40	4.4	24	8	260		29.69			29.91	FM-15	0.00	29.92
13	1257	6	CLR:00	10.00		81	27.2	59	14.9	40	4.4	23	7	310		29.67			29.89	FM-15	0.00	29.90
13	1357	6	CLR:00	10.00		81	27.2	58	14.6	38	3.3	21	5	VRB		29.65	8	+0.06	29.87	FM-15	0.00	29.88
13	1457	6	CLR:00	10.00		83	28.3	59	15.2	39	3.9	21	5	200		29.61			29.84	FM-15	0.00	29.84
13	1557	6	CLR:00	10.00		84	28.9	58	14.6	35	1.7	17	6	220		29.59			29.81	FM-15	0.00	29.82
13	1657	6	CLR:00	10.00		86	30.0	59	15.1	35	1.7	16	3	VRB		29.58	6	+0.06	29.80	FM-15	0.00	29.81
13	1757	6	CLR:00	10.00		85	29.4	58	14.2	31	-0.6	14	6	VRB		29.57			29.80	FM-15	0.00	29.80
13	1857	6	CLR:00	10.00		84	28.9	58	14.3	33	0.6	16	3	310		29.57			29.79	FM-15	0.00	29.80
13	1957	6	CLR:00	10.00		82	27.8	59	14.8	38	3.3	21	11	180		29.58	5	+0.00	29.80	FM-15	0.00	29.81
13	2057	6	CLR:00	10.00		78	25.6	58	14.3	40	4.4	26	8	200		29.59			29.81	FM-15	0.00	29.82
13	2157	6	CLR:00	10.00		76	24.4	57	14.1	41	5.0	29	6	210		29.61			29.83	FM-15	0.00	29.84
13	2257	6	CLR:00	10.00		73	22.8	56	13.4	41	5.0	32	6	180		29.62	1	-0.04	29.84	FM-15	0.00	29.85
13	2357	6	CLR:00	10.00		71	21.7	56	13.4	43	6.1	36	6	290		29.62			29.85	FM-15	0.00	29.85